# PRICE LIST

62107

1915-1916

# CALIFORNIA NURSERY COMPANY, Inc.

NILES, CALIFORNIA

# TO CORRESPONDENTS

ist. This catalog cancels all previous prices, either in special lists, offers or catalogs. This rule will be strictly observed.

### ORDERS.

2d. Order early so that you may get the varieties and grades you prefer. All orders should be legibly written on a separate sheet and not mixed up in the body of the letter, thereby saving us a great deal of trouble and tending to prevent mistakes. Never write on both sides of paper.

# QUANTITIES AND PRICES.

3d. The articles in the following list will be furnished at the annexed prices ONLY when the quantity specified shall be taken. Five hundred, however, will be furnished at the thousand rate, fifty at the hundred rate and five at the ton rate. The absence of a thousand, hundred or ten rate means in each case that the next best rate is the lowest we can make. In no case does this mean so many trees of assorted classes, but refers only to ONE CLASS of assorted varieties; for instance, 5 apples, or 5 pears, or 5 plums, of different varieties, but not 2 apples, 2 pears and I plum.

### SUBSTITUTIONS.

tth. Where particular varieties are ordered, and particular ages and sizes of trees, kind of stock, etc., it should be stated whether and to what extent substitution will be allowed in case the order cannot be filled to the letter. Where no instructions in this respect accompany the order, we shall feel at liberty to substitute other varieties as nearly similar as possible. If the selection of the varieties is left entirely to us, we shall endeavor to send only such sorts as are acknowledged to give general satisfaction.

### PACKING.

5th. All trees and plants are carefully labeled, and securely packed in the best manner, for which a moderate charge sufficient to cover cost of material only, will be made; but no charge is made for the delivery of packages to the railroad or express offices at Niles.

### EXPRESS OR FREIGHT.

6th. Always state which way you want your order shipped and give explicit directions for

marking packages.

When it is teft for us to choose the mode of conveyan e, we will exercise our best judgment; but as all articles are at the risk of the purchaser after being shipped, we must not be held responsible for any loss or delay that may occur through the negligence of the transportation companies.

# GUARANTEE, ETC.

7th. We warrant all trees and plants to be good, thrifty and true to label, but having no control over them after delivery to the transportation companies, or over the planting and care after they are received by the buyer, we will not be responsible in any other direction than as stated, and accordingly, if any tree or plant should prove intrue to kind, we will either replace the same or refund the amount paid; but in no case will we be liable for any sum greater than that originally paid, and this statement is due notice to buyers of the extent of our responsibility for trees and plants after delivery of the same small have been accepted by the buyer.

# REPLACING

8th. For the reason that we have no control over the planting, pruning and care of the trees after they leave our hands, we will not under any circumstances replace any trees that may die

# ERRORS AND SHORTAGES.

9th. Customers are requested to notify its immediately should any error or shortage occur in filling their orders so we may rectify it at once. Any such claim must be made within one week after receipt of shipment; otherwise it will be assumed that the goods are satisfactory and in accordance with invoice.

### C. O. D. AND STRANGERS.

10th. Orders from unknown correspondents must be accompanied by the cash or satisfactory reference. Orders to be sent C. O. D. must be accompanied by at least one-half the amount in cash; otherwise they will not receive attention. \*

### REMITTANCES.

11th. Remittances may be made by check or draft on San Francisco banks, Express or Postoffice money order on Niles, by registered letter or each by express prepaid.

# WRITE PLAINLY.

12th. Always be sure to write your name, Postoffice address and Express or Freight office plainly so no mistake can be made by us.

# PARCEL POST.

13th. We strongly advise that it is poor practice to send five plants in the mails, and therefore hope no one will order goods shipped in that way.

All communications should be addressed to

CALIFORNIA NURSERY COMPANY, INC.,

# PRICE LIST

# SEASON 1915-1916

ALL PRICES QUOTED ARE NET AT NURSERY, WITH PACKING ADDED AT ACTUAL COST

INDEX AT END OF PRICE LIST

# Fruit and Ornamental Trees

Evergreens, Palms, Shrubs, Roses, Etc.

We present herewith our price list for the coming scason. Our nurseries are the most complete on the Pacific Coast. Our shipping facilities are unexcelled both for domestic and foreign business. For many years we have led in introducing and testing, under California conditions, the most promising foreign and other new varieties of fruit. We have in actual bearing here at Niles our own trees of every variety we offer for sale. Probably no other nursery can cut their buds from their own fruiting trees. Our buds and cions are taken from these bearing trees, cut and distributed by one man, making the mixture of varietics wellnigh an impossibility. The unequaled reputation which our trees have, not only on the Pacific Coast, but in almost every country in the world, is an indication of the great care we exercise in every detail of our chosen line of work.

All interested parties, whether intending to purchase or not, are invited to visit the nursery, and if we are notified of time of arrival at Niles, by Southern Pacific Railway, and number of persons coming, will have conveyance at station to meet them.


CALIFORNIA NURSERY COMPANY, INC.

Niles, November 1, 1915.

OFFICERS.

W. H. Landers, President. F. W. Hosmer, Sccretary.

A. C. Hammond, Vice-President.W. V. Eberly, Manager.



Myrobolan Plum Orchard

# HINTS ON TRANSPLANTING

The many excellent treatises on Frult Culture which have appeared within the past few years—one or more of which should be in the hands of every person intending to plant—render it almost unnecessary to give any directions in that line; yet we are so frequently asked for advice in this way, that we offer a few general remarks.

The situation of the orchard having been decided on, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots when spread out in their natural position. In planting, the top soil should be broken down into the hole, and worked carefully in between every root and fiber, filling up every crevice, that every root may be in contact with soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may in light soils stand from two to three inches deeper than it stood in the nursery; but in heavy clay or wet ground it is advisable to have it stand at the same height as it was before transplanting.

On account of our long, hot, dry summers, it is well to shade the sunny side of the tree, to keep borers out, with a board or shake stuck in the ground, or a piece of burlap wound loose around the tree up to the limbs, top tied loose with a string. Whitewash made out of whiting or lime will also protect the tree against sun-scald.

See back of Cataiog for list of useful horticultural books we have on hand for sale.

# DISTANCE FOR PLANTING


Standard Apples25	to	30	feet	apart	each	way
Standard Pears20				4.6		
Strong-growing Cherrles20	to	24	44	4.6	6.6	44
Duke and Morello Cherries18						" "
Standard Plums and Prunes20				"		14
Peaches and Nectarines20				"		44
Apricots24				6.6		4.6
Aimonds24				44		4.4
Walnuts40				44		44
Grapes 7	to	10	**	4	4.4	4.6
Currants and Gooseberries						
Raspberries and Biackberries						
Strawberries for field culture	٠	. 1	to 13	2 by 4	to 5	66
Strawberries for garden culture			1	l to 2	feet a	part

Number of Trees or Plants on an Acre at Given Distance Apart.

									Square Method	Equilaterai Trlangle Method
Distance,	1	foot	apart	each	way,	number	plant	S	43,560	50,300
46	2	feet	- 64	4.4	4+	4.6	. 44		10,890	12,375
46	3	6.6	6.6	4.6	6.6	64	6.6		4.840	5,889
4.6	4	4.6	4 6	4.6	4.6	4.6	6.6		2,722	3,130
4.6	5	4.6	4.6	6.6	4.6	6.6	6.6		$\frac{1}{1}, 74\overline{2}$	2,011
44	6	6.6	6.6	1.6	6.6	6.6	6.6		1,210	1,397
6.6	7	4.4	4.6	4.6	4.6	4.4	6.6		807	928
4.6	8	6.6	4.4	4.4	6.6	6.6	6.6		680	785
4.6	9	4.6	4.6	6.4	4.4	4.6	66		537	620
44	10	4.4	4.6	6.4	4.6	6.6	6.6		435	
44	12	4.6	4.6	6.6	44	4.6	6.6			502
4.6	14	66	44		6.6		6.6		302	343
44	$\frac{14}{15}$	66	6.6			6.6	4.6		222	256
66		66	6.6	6.6	66	6.6	4.6	• • • • • • • • • • • • •	193	222
44	16	64	44	6.6		**	"		170	195
44	18		44	14					134	154
	20	4.6			6.6	"	14		109	125
44	22	4.6	4.6	6.6	"	6.6	16		90	104
6.6	$^{24}$	6.6	14	6.6	6.6	6.6	4.6		75	86
4.6	25	6 6	" "	4.4	4.6	4.6	4.4		69	79
6.6	30	6.6	4.4	6.6	44	44	6.6		48	55
4.6	35	6.6	4.4	6.6	66	46	6.6		35	40
6.6	40	6.6	6.6	4.6	4.6	4.6	6.6		27	31
4.6	50	6.6	4.4	6.6	6.6	4.4	6.6		18	20

Rule—Square Method—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

Rule—Equilateral Triangle Method—Divide the number required to the acre "square method" by the decimal .866. The result will be the number of plants required to the acre by this method.



Cornus capitata. Evergreen Dogwood (See page 23)

# FRUIT DEPARTMENT

Our Nursery Stock is the best that can be grown or money can buy, as evidenced by the First Prize given our exhibit of trees and plants in competition with all at the California State Fair, both in 1912 and 1913. Our exhibit of Fruits, Nuts, etc., also took nine first prizes and two gold medals in 1912, thirteen first prizes and two gold medals in 1913, and forty prizes and gold medal in 1914.

All our Fruit Trees are grown on whole Seedling roots. The advantage of this in promoting the health and thriftiness of trees over others grafted on pieces or sections of roots, or budded on stocks grown from cuttings, is acknowledged by the best authorities, and is easily apparent to the most casual observer. All two-year-old trees are branched low and are stocky, having been cut down or headed back when yearlings, two feet above ground, except where noted.

All of our Apple Trees and Grape Vines are fumigated with hydrocyanic gas when dug; so are the buds, cions, and cuttings, prior to budding, grafting, or planting out in Nursery. This positively kills any insects that may be thereon, without injury to trees or vines. We have a Fumigating House, with three compartments, so that we can disinfect, at any time, either 50 trees or 10,000.

Although we quote fruit trees by height, it is to be understood that we will include in each grade any trees which are as stocky as the average of that grade, even if they do not fully attain the specified height.

Apple-General	Assortment.
---------------	-------------

	$\mathbf{E}$ ach	Per 10	Per 100	Per 1000
1 year		$\begin{array}{cc}2&00\\1&50\end{array}$		

### SUMMER.

Carolina Red June
Duchess of Oldenburg
Early Harvest

Early Strawberry Gravenstein Red Astrachan Sweet June White Astrachan

# AUTUMN.

Alexander
Fall Pippin
Golden Russet
Hoover

Jonathan King of Tompkins County Rambo Rhode Island Greening Skinner's Pippin Twenty Ounce

# WINTER.

Arkansas Black Baldwin Ben Davis (New York Pippin) Delicious Esopus Spitzenburg Missouri Pippin Red Pearmain Rome Beauty Smith's Cider Wagener White Winter Pearmain Winesap Winter Banana Yellow Bellflower Yellow Newtown Pippin York Imperial

### Crab Apple.

Hys.	lop
Red	Siberian

Transcendent Whitney Yellow Siberlan (Golden Beauty)

# Apple—Grafted on Woolly Aphis Proof Roots (Northern Spy).

2 years4 to 6 ft.	40	3 00	25 00	200 00
2 years			00	175 00

Alexander
Bismarck
Carolina Red June
Duchess of Oldenburg
Early Harvest
Esopus Spitzenburg
Fall Pippin

Gravenstein Hoover Jonathan Red Astrachan Rhode Island Greening Rome Beauty Skinner's Pippin Smith's Cider White Winter Pearmain Winesap Winter Banana Yellow Bellflower Yellow Newtown Pippin

# Apple-Dwarf; budded on Paradise and Doucin stocks.

Heavy trees.	bearing	256	75	6 00

Baldwin	
Carolina Red June	
Duchess of Oldenbu	urg
Early Harvest	
Fall Pippin	

Hoover Jonathan Red Astrachan Rhode Island Greening Rome Beauty Skinner's Pippin White Astrachan Winesap Yellow Bellflower Yellow Newtown Pippin

-	A				
Pear—On Pear. 1 or 2 years	4 to 6 ft.	Each 30	Per 10 2 50	Per 100 20 00	Per 1000 150 00
1 or 2 years 1 year	3 to 4 ft.	20 × 15	1 75 1 40	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	125 00 100 00
	SUMMER.				
Bartlett Bloodgood Clapp's Favorite	Lawson (Comet) Leconte Madeline	Ross Souv	sney 7. du Con	gress	
	AUTUMN.				
B. S. Fox Beurre d'Anjou Beurre Bosc Beurre Clairgeau Beurre Diel	Beurre Hardy Dana's Hovey (Winter Seckel) Doyenne du Comice Duchesse d'Angouleme	How	fer's Hyb		
	WINTER.				
Col. Wilder Easter Beurre Emile d'Heyst	Forelle (Trout) Glout Morceau P. Barry	Win Win	ter Bartle ter Nelis	ett	
Pear—On Quince.	4 4 - 0 64	9.0	9.50	90.00	150 00
1 or 2 years		$egin{array}{c} 30 \\ 20 \\ 15 \\ \end{array}$	$egin{smallmatrix} 2 & 50 \\ 1 & 75 \\ 1 & 40 \end{smallmatrix}$	$egin{array}{ccc} 20 & 00 \\ 15 & 00 \\ 12 & 50 \\ \end{array}$	$125 00 \\ 100 00$
Beurre Clairgeau Beurre d'Anjou Beurre Hardy Doyenne du Comice Duchesse d'Angouleme	Easter Beurre Forelle (Trout) Glout Morceau Howell P. Barry	Win	ite Doyen Iter Bartl Iter Nelis		
Pear—On Quince. Double-wo	rked on Beurre Hardy4 to 6 ft3 to 4 ft.	40 30	3 00 2 50	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	200 00
Bartlett					
Cherry—On Mazzard, New. (	Burbank's latest production4 to 6 ft3 to 4 ft.	18.) 50 40	4 00 3 50	35 00 30 00	
Abundance—"Seedling of never-failing bearer of larger, handsomer, as cracks. Ripens one w Burbank—"The earliest o	Napoleon (Royal Ann). T f very heavy crops. Fully t firm, better form and color eek later than Napoleon." f all large cherrics; the lar herries, but unsurpassed by	wice as p , sweeter gest of a	roductive and far i ll early ci	as its par more delici herries. an	ent. Fruit lous; never
CherryOn Mazzard.					
1 or 2 years		35 30 25	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \\ 18 & 00 \end{array}$	$     \begin{array}{r}       200 & 00 \\       180 & 00 \\       150 & 00     \end{array} $
Bing Black Tartarian Burr's Seedling Centennial Chapman Early Purple Guigne Early Richmond	English Morello Governor Wood Great Bigarrcau Knight's Early Black Lambert Lewelling (Black Repu can, Black Oregon)	Nar (1 Rei Roc abli- Sch	y Duke coleon Big Royal Am ne Horter kport Big midt's Bi low Span	n) nse garreau garreau	
1 year	ank's late creations.)4 to 6 ft3 to 4 ft2 to 3 ft.	50 40 30	4 00 3 50 2 50	30 00 25 00 20 00	250 00 200 00
Formosa	Gaviota	Santa	Rosa		
1 year	ctions are indicated by X.)4 to 6 ft3 to 4 ft2 to 3 ft.	35 30 25	3 00 2 50 2 00	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \\ 18 & 00 \end{array}$	200 00 180 00 150 00
Abundance Apple (X) Bartlett (X) Bavay's Green Gage (Reine Claude) Bradshaw Burbank Climax (X)	Clyman Damson Diamond Extra Early Cherry Grand Duke Green Gage Jefferson Kelsey Japan	Pri Red Sat Sim Wa Wid	ynard (X nce Engle I Egg suma non shington ekson (X) low Egg	ebert	

Plum—On Peach. (Burbank's 1 year	4 to 6 ft. 3 to 4 ft.	Each 35 30	Per 10 3 00 2 50	Per 100 25 00 20 00	Per 1000
1 year Formosa	Santa Rosa	25	2 00	18 00	
Plum—On Peach.					
1 year	3 to 4 ft.	30 25 20	2 50 2 00 1 80	$\begin{array}{ccc} 20 & 00 \\ 18 & 00 \\ 15 & 00 \end{array}$	
Climax					
Prune—On Myrobolan, New. (Burbank's latest production					
1 year 1 year 1 year	3 to 4 ft.	75 60 50	6 00 5 00 4 00	40 00 35 00 25 00	
French Prune. in form	Prune—"The fruit is very n, size, color and golden, so the exception of a tiny stery much like it."	weet, rici	h flesh	The stone	hag heen
basket in an ordinary	or 1st and has been kept living room during our water to any part of the Unch Prune, 19.1."	fully a n	nonth in	good condi	tion in a
Prune-On Myrobolan.					
1 year 1 year 1 year	3 to 4 ft.	40 30 25	3 00 2 50 2 00	25 00 20 00 18 00	200 00 180 00 150 00
Fellenberg (Italian) French German Giant (X)	Hungarian Imperiale Epineuse Robe de Sargent Silver	Suga Trag	ar (X) gedy		
Prune-On Almond.					
1 year 1 year 1 year	3 to 4 ft.	40 30 25	3 <b>90</b> 2 50 2 <b>00</b>	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \\ 16 & 00 \end{array}$	$200 00 \\ 180 00 \\ 140 00$
French	Imperiale Epineuse	Sugar	2 00	10 00	110 00
Prune-On Apricot or Peach.					
1 year	3 to 4 ft.	40 30 25	3 <b>0</b> 0 2 50 2 <b>0</b> 0	$\begin{array}{ccc} 20 & 00 \\ 18 & 00 \\ 15 & 00 \end{array}$	180 00 150 00 125 00
French Imperiale Epineuse	Robe de Sargent (on Ap Sugar	oricot only	7)		
Peach—On Peach.					
1 year 1 year		50 40	4 00 3 00	30 00 25 00	
Mayflower—The earliest pe	each known; absolutely red				nder an <b>d</b>
ripens at Niles two wee Opulent—Originated by Lu variety for family and		rge and oster.	fine, whi	te-fleshed	freestone
Peach-On Peach.					
1 year 1 year 1 year	3 to 4 ft.	30 25 20	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 18 & 00 \\ 15 & 00 \\ 12 & 50 \end{array}$	150 00 125 00 100 00
	Freestone Varieties.				
Admiral Dewey Alexander Briggs' May Early Crawford Elberta Foster Grosse Mignonne Hale's Early	Imperial Late Crawford Lovell Mary's Choice Morris White Muir Newhall	Salwa Strav Susq Triu Ward	vberry uehanna	nn	
	Clingstone Varieties.				
Blood Cling California Cling Heath Cling Henrietta Cling (Levy's Late)	Large White Cling Lemon Cling Nichols' Orange Cling Phillips' Cling	Seller	on's Orar 's Orange an Cling	nge Cling e Cling	
	READ INSIDE FRONT CO	OVER			

Nectarine—On Peach.  1 year	3 to 4 ft.	Each 40 30 25	Per 10 3 50 2 50 2 00	Per 100 25 00 20 00 15 00	Per 1000
Advance Boston Downton	Early Newington Hardwick Humboidt		Napier White		
Apricot—On Apricot.  1 year	to 4 ft.	35 30 25	3 00 2 50 2 00	20 00 16 00 14 00	$\begin{array}{ccc} 180 & 00 \\ 140 & 00 \\ 125 & 00 \end{array}$
Barry Black Blenheim Hemskirke L. E. Montagmet	Luizet Moorpark Newcastle Oullin's Early Peach	Roya Sardi	ni <mark>a</mark> n c's Mamn		
Apricot—On Myrobolan.					
1 year	to 4 ft.	40 35 30	3 50 3 00 2 50	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \\ 16 & 00 \end{array}$	$\begin{array}{ccc} 225 & 00 \\ 180 & 00 \\ 140 & 00 \end{array}$
Barry Blenheim Hemskirke	Moorpark Newcastle	Roya Tilto			
Apricot—On Peach.					
1 year	to 4 ft.	40 35 30	3 50 3 00 2 50	$\begin{array}{cccc}  & 25 & 00 \\  & 20 & 00 \\  & 16 & 00 \end{array}$	$\begin{array}{ccc} 225 & 00 \\ 180 & 00 \\ 140 & 00 \end{array}$
Barry Blenheim	Hemskirke Moorpark	Roya	i		
Quince		$\begin{array}{c} 35 \\ 30 \end{array}$	$\begin{smallmatrix}3&00\\2&50\end{smallmatrix}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	
Appie (Orang <b>e)</b> Champion Meech's Prolific	Pineapple (Burbank's) Rea's Mammoth	Smyr (La	rna argest Qu	ince know	rn)
Fig—Capri	to 4 It.	75 50 40	6 00 4 00 3 00		
	6 to 8 ft.	75	6 00	50 00	
Fig—In variety	4 to 6 ft. 3 to 4 ft. 2 to 3 ft.	$   \begin{array}{c}     19 \\     50 \\     40 \\     30 \\     25   \end{array} $	4 00 3 00 2 50 2 00	30 00 25 00 20 00	
Adriatic Agen Angelique Black Ischia Bourjassotte Blanche Brown Turkey Brunswick Celeste Col di Signora Nigra	Dauphine Doree Drap d'Or Du Roi Lardaro Mission (California Blace Pastiliere Ronde Noire Royal Vineyard	San Smy War Whi Whi	Pedro (V	own Turke	эу
Almond—On Peach, New. (But 1 year	4 to 6 ft.	75 50 nk. Rais n'' almor	6 00 4 00 ed from nds in ab	50 00 35 00 imported undance.	meats and
Almond—On Peach or Almond.					
1 year 1 year 1 year	10 4 II.	30 25 20	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \\ 1 & 75 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 18 & 00 \\ 15 & 00 \end{array}$	$\begin{array}{ccc} 160 & 00 \\ 140 & 00 \\ 120 & 00 \end{array}$
Drake's Seedling I <b>X L</b> Jordan King's Soft <b>S</b> hel <b>i</b>	Languedoc Lewelling Ne Plus Ultra Nonpareil		er Sheii as Prolific		

	· ·
Chestnut—Seedlings.         American Sweet       4 to 6 ft.          3 to 4 ft.         Italian or Spanish       10 to 12 ft.          8 to 10 ft.          6 to 8 ft.          4 to 6 ft.	Each Per 10 Per 100 Per 1000  75 6 00  60  1 00 7 50 60 00  75 6 00 50 00  50 4 00 35 00  40 3 00 25 00
Chestnut—Grafted varieties         6 to 8 ft.	1 00 7 50 75 6 00 60 5 00 50 4 00 Paragon Ridgely
Filbert 6 to 8 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Pecan—Seedlings       6 to 8 ft.          4 to 6 ft.          3 to 4 ft.          2 to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Walnut—Transplanted       .8 to 10 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Walnut—Seedlings, Transplanted       .8 to 10 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Walnut—(French) Seedlings, from grafted trees.  (These are "Second Generation Trees," so called)	75 6 00 50 00 60 5 00 40 00 50 4 00 30 00 Parlsienne Praeparturiens Vourey

# GRAFTED WALNUTS.

All our grafted walnuts are worked on stocks (seedlings) that have been transplanted and root pruned when 1 year old. This treatment gives our trees very heavy branched roots. Such trees should not be compared with grafted trees on seedlings that have not been transplanted.

Walnut—(French)	Grafted low.						
On California	Black6	to 8	ft.	1 50	12 50	100	0.0
		to 6	ft.	1 25	10 00	80	00
		to 4	ft.	1 00	8 00	60	0.0
Franquette	Mayette			Mayet	te Rouge		
Walnut-(French)							
On American	Black6	to 8	ft.	1 50	12 50	100	00
				$1 \ 25$	10 00	80	00
		to 4	ft.	1 00	8 00	60	00
Franquette	Mayette						

Walnut—(French) Grafted high.

The following "French Varieties" are grafted on Black roots at various heights ranging from 10 to 30 inches above the ground. This manner of working gives the trees Black Walnut bodies, which, with their thick, rough bark, will not be so liable to sunburn, and are, therefore, particularly valuable for use in the hot parts of the State.

	California Black10 to 1	.0 ft.	2 00 18	0 00 8 00 5 00
Franquette	Mayette		Mayette	Rouge
	fted low	6 ft. 1	1 00 8	0 00 80 00 8 00 60 00 5 00 50 00
Cluster Fruited Franquette	Mayette Mayette Rouge		Parisier	ine

Orange.  2 years% to 1 in. caliper, extra select 1 & 2 yrs% to % in. caliper,	ed, balled balled	Each 1 50 1 25	Per 10 10 00	Per 100 75 00	Per 1000
1 year½ to % in. caliper,	balled	1 00	8 00	65 00	
Mediterranean Sweet Mandarin Satsuma Thompson's I	Improved Na		ncia Late hington N		
Lemon.					
2 years¾ to 1 ln. caliper, extra select 1 & 2 yrs½ to ¾ in. caliper, 1 year½ to % in. callper,	balled balled balled	1 75 1 50 1 25	12 50 10 00	100 00 80 00	
Eureka Lisbon		VIIIa	Franca		
Pomelo (Grape Fruit).  2 yearsVery heavy, extra select 1 & 2 yrs% to ¾ in. caliper, 1 year½ to % in. caliper,	ed, balled balled balled	2 00 1 50 1 25	12 50 10 00	100 00 80 00	
Marsh Seedless Trlumph					
Lime—Bearss Seedless. 1 year 3 to 4 ft.	balled	1 75	15 00		
Lime—Mexicanfrom 6 in. pot, from 5 in. pot,		75 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$		
Persimmon.					
American1	0 to 12 ft.	1 00	8 00 6 00	60 00	
		75 50	4 00	40 00	
Italian		50 40	4 00 3 00		
Japanese—assorted varieties	4 to 6 ft.	50	4 00		
		40 30	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
Pomegranate	6 to 8 ft. 4 to 6 ft.	60 50	5 00 4 00	40 00 30 00	
Dessla Paper Shell			ish Ruby		
Hermosilla Radlnar La Hative Sln Pepitas			et Frulted		
Feijoa sellowiana (new)from 8 in. pot,		1 50			
from 8 ln. pot, from 5 in. pot, from 5 in. pot,	3 to 4 ft.	1 25 1 00 75	10 00 8 00 6 00		
Guava—Strawberry (bearing plants)					
	to 2 ft.	1 00 75 50	8 00 6 00 4 00	30 00	
Loquat—Budded.					
Assorted balled, balled, balled, balled,	3 to 4 ft.	1 50 1 25 1 00	$\begin{array}{c} 12 \ 50 \\ 10 \ 00 \\ 8 \ 00 \end{array}$		
Advance Herd (new) Giant Large Fruite	đ	Victo	r		
Loquat—Common (seedlings)balled,balled,balled,balled,	3 to 4 ft.	1 00 75 50	8 00 6 00 4 00		
Medlar—Assorted		50	4 00		
Large Dutch Nottingham		Seuza			
				00.00	
Mulberry—Persian	to 8 ft.	1 00 75 50	7 50 6 00 4 00	60 00 50 00 35 00	
	4 11		- 014		

This excellent fruit tree should be in every family orchard. The fruit is acid and very different from all other mulberries. It makes a better ple than blackberries, as there are no seeds and no core. Mulberries are invaluable for protecting cherries and other fruits, as birds will eat the mulberries in preference. This variety is also valuable to plant in chicken yards for shade and feed. It is practically everbearing.

		75 6·00 60 5 00
	6 to 8 ft. 4 to 6 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Downlng's	Lick's American	New American

Assorted	Olive—These trees are graded by transplanted, they will be to state when you order):	r caliper measurement. It pped back as foilows (if	t being nec different p	essary to runing i	o prune th s desired,	em when pleasc so
Barry Campbell's Early Canabell's Early Canabell's Early Canabell Sabelia Referson Jefferson Herce (Isabelia Regia) Rebecca Wyoming Red Concord Jefferson Jand 2 years 50 4 00 30 00	1 to 2 in. caliper top  34 to 1 in. caliper top  58 to 34 in. caliper top  12 to 58 in. caliper top  Bella di Spagna  Columelia  Correggiola  Cucca	ped back to 60 inches ped back to 50 inches ped back to 40 inches ped back to 36 inches Mission Nevadillo Blanco Oblonga	1 75 1 1 50 1 1 25 1 1 00 75 Pichol Pigale Rubra	15 00 12 50 10 00 7 50 6 00 ine d'Aix		Per 1000
Goodale—New early grape introduced from Germany. As early as Sweetwater, but larger and with the true Muscat flavor, making a combination of the greatest value. Bears heavily.  Sultanina Rosea—Bunches compact, shouldered and very large. (Single bunches frequently weigh four pounds each.) Berries larger than Thompson's Seedless; color same as Flame Tokay; quality as good; perfectly seedless. Ripens at Niles latter part of September.  Grape—Foreign Table	Barry Campbeli's Early Catawba Concord	Duch <b>ess</b> Iona Isabeiia Jefferson	Niaga: Pierce Rebec	ra (Isabell ca	la Regia)	
Goodale—New early grape introduced from Germany. As early as Sweetwater, but larger and with the true Muscat flavor, making a combination of the greatest value. Bears heavily.  Sultanina Rosea—Bunches compact, shouldered and very large. (Single tool of the greatest value. Bears heavily.)  Sultanina Rosea—Bunches compact, shouldered and very large. (Single the greatest value. Bears heavily.)  Sultanina Rosea—Bunches compact, shouldered and very large. (Single the greatest value. Bears heavily.)  Sultanina Rosea—Bunches compact, shouldered and very large. (Single the greatest value. Bears houldered and very large. (Single properties of the greatest value.)  Sultanina Rosea—Bunches compact, shouldered and very large. (Single properties of the greatest value.)  Bears Rosea—Bunches frequently with the true muscally and very large. (Single properties of the greatest value.)  Bears Rosea—Bunches frequently with the greatest value. Bears Flame Tokay seedless: Ripens at Niles latter part of September.  Grape—Foreign Mable	Grape-New-Foreign Table	1 and 2 years	50	4 00	30 00	
Weight four pounds each.   Berries larger than Thompson's Scedless; color same as Flame Tokay; quality as good; perfectly seedless.   Highers at Niles latter part of September.	Goodale—New early grape in and with the true Muse	itroduced from Germany	As early	as Swe	etwater, k atest vaiu	out iarger e. B <b>e</b> ars
Black Hamburg   Black Malyoisle   Bowood Muscat Chasselas de Fontainebleau (White Sweetwater)   Chasselas de Fontainebleau (White Sweetwater)   Chasselas de Fontainebleau (White Sweetwater)   Chasselas Rose Cornichon   C	weigh four bounds each.)	Berries larger than Thou	mngan's Sa	മരി   മലം വ	olor camo	og Filome
Aramon Burger   Feher Zagos   Franken Riesling   Carignan   Charbono   Grenache Mataro   Charbono   Charbono	Black Hamburg Black Malvoisie Bowood Muscat Chasselas de Fontainebleau (White Sweetwater) Chasseias Rosc Cornichon	Flame Tokay Golden Chasselas Gros Colman Lady Downs Ladyfinger Malaga Mission	Musca Rose ( Royal Sultan Thom Tokai White	t Hambi of Peru Muscadi a oson's So Angevin	urg (Black Pr ine eedless	
Rupestris St. George   Grape—Resistant.	Aramon Burger Carignan	Feher Zagos Franken Riesling Grenache	Petite Sauvig	Syrah gnon Ver	2 00	18 00
Lenoir Riparia X Rupestris No. 3306   Riparia X Rupestris No. 3309			15	75	3 00	15 00
Black Napies   Fertile du Palluau   La Versailies   White Grape   White Transparent	Lenoir	Rinaria X Runestris No	0 3306	75	3 00	20 00
Champion         Downing         Houghton           Gooseberry         25         2 00           Berkeley         Josselyn           Blackberry         15         1 00         5 00         25 00           Crandall's Early Evergreen         Kittatinny Lawton         20         1 50         10 00         50 00           Blackberry—1 year         20         1 50         10 00         50 00           Himalaya         Mammoth         15         1 00         5 00           Loganberry—Lucretia         15         1 50         10 00         50 00           Raspberry—New—Superiative         40         3 00         25 00         150 00           From England. Fruit very large; red; a great improvement over all other sorts. Ever-bearing, i. e., produces fruit ail summer on the young shoots.         15         1 00         5 00	Black Napies Cherry	Fertile du Palluau La Versailies	Pomor. White	ia Grape		35 00
Blackberry	***					
Crandall's Early Kittatinny Lawton  Blackberry—1 year 20 1 50 10 00 50 00 Himalaya Mammoth  Dewberry—Lucretia 15 1 00 5 00 Loganberry and Phenomenal Berry—1 year 20 1 50 10 00 50 00 Raspberry—New—Superiative 40 3 00 25 00 From England. Fruit very large; red; a great improvement over all other sorts. Ever-bearing, i. e., produces fruit all summer on the young shoots.  Raspberry—Red, Cuthbert 15 1 00 5 00			25	2 00		
Himalaya Mammoth  Dewberry—Lucretia	Crandall's Early	Kittatinny	15	1 00	5 00	25 00
Loganberry and Phenomenal Berry—1 year			20	1 50	10 00	50 00
Loganberry and Phenomenal Berry—1 year	Dewberry—Lucretia		15	1 00	5 00	
Raspberry—New—Superiative						50.00
	Raspberry—New—Superiative From England Fruit very la	arge: red: a great improv	40 ement over	3 00	25 00	
DEAD INCIDE FRONT COVER				1 00	5 00	

Raspberry—Black Caps—1 year	Each 20	Per 10 1 50	Per 100 10 00	Per 1000
Strawberry—Assorted			2 00	10 00
Artichoke—Green Globe	25	2 00		
Asparagus—1 and 2 years (\$50.00 per 10,000)		50	2 00	10 00
Rhubarb—New	1 00	8 00		
Niles Giant—Originated in this Nursery and offered th cels any other varicty in the great size of the stall exceedingly crisp and juicy. Yields heavily and is cially or for home use. Received first award at Sa	ks, which of the g	n, owing gr <b>e</b> atest v	to rapid gi alue eithei	rowtn, are
Rhubarb—Australian Crimson Winter	50	4 00		
Our stock has all been propagated by root divisions further Burbank and is entirely different from the seedling	rom the	original generally	strain intr offered at	oduced by low rates.
Rhubarb-Myatt's Linnaeus and Lorenzo	25	1 50	5 00	<b>3</b> 5 00
Hop Roots	$\frac{10}{25}$	50		
Horseradish	15	1 00	5 00	
Liquorice—(Glycyrrhiza glabra)	25	2 00	10 00	
Rue—(Ruta graveolens)from 5 in pot, 2½ to 3 ft.	50	4 00		
Opuntia Ficus (Indian Fig Cactus)from 6 in. pot	50			



Tree Digger Drawn by Twenty Horses

# ORNAMENTAL DEPARTMENT

All ornamental trees and plants are named and arranged in conformity with our new Descriptive Catalog (Semi-Centenniai Edition) just issued. It is profusely iliustrated, carefully written and may be depended upon as accurate. For each ornamental tree or plant it gives the botanical name, common name, native country, height attained and concise but sufficiently comprehensive description. Fruit trees are also included.

As it is practically a condensed Cyclopedia of Horticuiture for the Pacific Coast, it is well worth the price charged for it, 25 cents, but we will gladly send a complimentary copy to any

customer on request.

# PLEASE NOTE

Where size of box is specified, the plants have been dug and established in the box. Boxed means that the plants are still in the ground, but on account of size will be dug into a box instead of being bailed. Balled plants have the ball of earth wrapped in burlap and should always be planted without removing it. Plant buriap, rope and ali, just as it is.

# NOVELTIES

The following are offered this season for the first time with a few exceptions which have been offered in a limited way for one or two scasons. Descriptions are condensed; for more extended data see new Descriptive Catalog. Prices are given at proper points in following

### CONIFERS

PODOCARPUS nageia. Japan. Quite distinct from P. macrophylla. Leaves about haif as iong and an inch broad. Usually somewhat giaucous.

- BROAD-LEAVED EVERGREENS
  ACACIA cavenla. Chiie. Small tree with
  very minute feathery leaves. Flower heads
  unusually large, orange yellow and intensely fragrant, surpassing any other Acacia.
- ACACIA podalyrlaefolia. Australia. The earliest Acacia to bloom, even ahead of A. baileyana. Leaves shaped like A. cultriformis, but larger and covered with siivery down. Flowers rich yellow.

AGONIS flexuosa. Australia. Very graceful small tree with siender, drooping branches, narrow leaves and numerous very small, white flowers.

ALECTRYON excelsum. NEW ZEALAND OAK. Medium-sized tree with pinnate leaves somewhat like Oregon Grape. Very to drought. Will make a handresistant to drought. some street tree.

ANGOPHORA lanceolata. Australia. Closely related and rather similar to Eucalyptus, but makes a smaller tree with slender branches. Flowers white.

ORDIA francisi. South America. Rare shrub of tall growth, with dark green leaves and white, tubular flowers.

- EUGENIA uniflora. Surinam Cherry. Very handsome shrub with large, glossy leaves, bearing delicious edible fruit. Highly ornamental.
- ICUS ulmifolia. A "Rubber Tree" with rough, Elm-like leaves. Bears edible figs. FICUS ulmifolia.
- MAHONIA fortunei. China. Distinct species of dwarf habit. Leaflets long, narrow and pointed.
- SIDIUM friedrichsthalianum. Costa Rica. A Guava of entirely distinct appearance from the common sort. Said to bear small, pear-shaped, edible fruit. Not yet tested. PSIDIUM friedrichsthalianum.
- RHAMNUS purshiana tomentella. DOWNY CASCARA. California. Similar to ordinary Wild Coffee, except that leaves become thickly coated with white down.

  SOPHORA tetraptera microphylia. New Zealand. An "Edwardsia" with very small leafters and fine, sleender branches. Bears

leaflets and fine, slender branches. Bears large, yellow, pea-shaped flowers in droop-

racemes.

STATICE arborescens. TREE STATICE. Canary Islands. Shrub with erect, bare stems and a rosette of very large leaves. Flowers, borne in very large clusters, are surrounded by "everlasting" blue calyx. Very fine.

SYZYGIUM operculatum. Himalaya region. Tree or large shrub with large, giossy, leathery leaves.

- VERONICA decussata variegata. Brilliantly variegated form of this popular blue-flowered Veronica. Originated with us.
- **DECIDUOUS TREES** LABURNUM vulgare aureum. GOLDEN-LEAVED LABURNUM. Same as Common Laburnum except that leaves are brilliant Very showy all season. yellow.

DECIDUOUS SHRUBS DEUTZIA scabra candidissima. Growth vigorous and erect; ieaves dark green. Flow-

ers double and pure white.

DEUTZIA scabra plena (D. crenata rosea plena). Growth like preceding; leaves lighter green. Flowers double; white, tinged rose outside.

Asia. Flowers produced in globular heads very early in spring before leaves appear. Aimost as fragrant as Daphne, to which It is closely related. Unique and very attractive.

tractive.

SYRINGA (Lilac).

Belle de Nancy. Brilliant satiny rose with white center; double. Clusters large. Very fine.

Mad. Abel Chatenay. Pure white; double; panicles compact. Free blooming.

panicles compact. Free blooming, hilemon. Very dark purple; single; panicles of small or medium size. The dark-Philemon. est single-flowered varlety.

CLIMBERS

ACTINIDIA chinensis. Very strong growing deciduous vine. Leaves large and rounded. Branchlets covered with red hairs. Flowers white, turning yellow. Quite out of the ordinary

BOUGAINVILLEA glabra variegata. Leaves brilliantly and freely variegated with

creamy white.

FICUS pumila minima. A variety of common Climbing Fig with very tiny leaves.

MILLETTIA megasperma. EVERGREEN

MILLETTIA megasperma. EVERGREEN WISTARIA. The most valuable novelty in evergreen. Flowers rosy purple, becoming nearly white. Blooms very early and stays in bloom for a long time. Seed pods also very striking.

PASSIFLORA ligularis. Peru. Leav. large, heart-shaped and not lobed. Leaves\_very ers greenish white; corona white and ruddy

purple. Fruit edible.

MISCELLANEOUS

GERBERA Jameson i hybrida. HYBRID TRANSVAAL DAISY. These new hybrids run from white through straw, yellow, pink and salmon to a rich, brilliant red. Our exhibit at Spring Flower Show in Palace of Horticulture, P. P. I. E., received much favorable comment.

HIBISCUS manihot (Abelmoschus manihot). Tall-growing, herbaceous perennial. Flowers maliow-shaped, very large, bright yel-

low with purple eye.

# CONIFEROUS EVERGREENS

This section includes only evergreen conifers. Other evergreen trees and shrubs, usually called "Broad-leaved Evergreens," are listed separately in the next division, commencing at page 20.

page 20.			
ABIES: Fir	Each	Per 10	Per 100
A. balsamea. BALSAM FIRballed, 2½ to 3 ft.	1 25	10 00	
$1$ to $2\frac{1}{2}$ ft.	1 00	8 00	
$1\frac{1}{2}$ to 2 it.	75	6 00	
balled, 1 to 1½ ft.	60	5 00	
A. cephalonica. CEPHALONIAN FIR	15 00		
20x20 in. box, 8 to 9 ft.	12 00		
20x20 in. box, 6 to 7 ft.	8 00		
16x18 in. box, 6 to 7 ft.	7 00	40.00	
balled, 5 to 6 It.	5 00	40 00	250 00
balled, 4 to 5 ft. balled, 3 to 4 ft.	3 50 3 00	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$	250 00
A. concolor. WHITE FIR24x24 in. box, 10 to 11 ft.	12 50	20 00	
A. concolor. WHITE FIRboxed, 5 to 6 ft.	8 00		
balled, 1 to 1½ ft.	1 50	12 50	100 00
A. firmaballed, 1 to 1½ ft.	1 50	12 50	
A. grandis. GRAND FIRboxed, 8 to 10 ft.	10 00		
boxed, 7 to 8 ft.	7 00 5 00		
boxed, 6 to 7 ft. balled, 5 to 6 ft.	3 50	30 00	
balled, 4 to 5 ft.	3 00	25 00	
A. lasiocarpa. ALPINE FIR18x18 in. box, 4½ to 5 ft.	6 00		
	5 00		
balled, 4 to 5 it.	3 50		
balled, 3 to 4 ft.	3 00		
A. nobilis. RED FIR; NOBLE FIR.	8 00		
24x24 in. box, 6 to 7 ft. 20x20 in. box, 3 to 3½ ft.	5 00		
balled, 2 to 2½ ft.	3 00		
balled, 1½ to 2 ft.	2 50	20 00	
A. nobilis glauca. SILVERY RED FIR.	40.00		
$16x18 \text{ in. box,} \qquad 4\frac{1}{2} \text{ ft.}$	10 00		
	$\begin{array}{ccc} 6 & 00 \\ 2 & 00 \end{array}$	17 50	
A. nordmanniana. NORDMANN'S SILVER FIR.	2 00	1, 50	
A. nordmanniana. NORDMANN'S SILVER FIL.  30x30 in. box, 8 to 9 ft.	20 00		
$26 \times 26$ in, box, 9 to 10 ft.	18 00		
$26 \times 26$ in box, 8 to 9 it.	15 00		
20x20 in. box, 6 to 7 it.	10 00		
	6 00 5 00		
	15 00		
boxed, 8 to 10 ft. boxed, 7 to 8 ft.	$\hat{1}^{2}_{2}$ 00		
balled, 3 to 4 ft.	4 00	30 00	
bailed, 2 to 3 It.	3 00	25 00	
balled, 1 to $1\frac{1}{2}$ $\pi$ .	1 50	12 <b>50</b>	100 00
A. picea (A. pectinata)30x30 in. box, 12 to 14 ft. balled. 8 to 12 in.	$\begin{array}{cc} 20 & 00 \\ 1 & 00 \end{array}$	8 00	
A. pinsapo. SPANISH FIR24x24 in. box, 10 to 12 ft.	15 00	0 00	
22x22 in. box, 9 to 10 ft.	12 00		
20x20 in, box, 8 to 9 it.	10 00		
20x20 in, box, 5 to 6 ft.	7 00		
	7 00 5 00		
12x14 in. box, 4 to 5 ft. 14x14 in. box, 3 to 3½ ft.	4 00		
boxed, 12 to 14 ft.	15 00		
to 12 ft.	12 00		
boxed, 8 to 10 it.	10 00		
boxed, 7 to 8 It.	8 00		
balled, 2 to 3 It.	3 00 6 00		
A. pinsapo glauca	5 00		
balled, 2 to 3 ft.	3 50		
AGATHIS robusta (Dammara robusta). DAMMAR PINE.	50		
	90		
ARAUCARIA bidwilli. BUNYA BUNYA.	7.00		
18x18 in, box, 6 to 7 ft. 12x14 in, box, 5 to 6 ft.	7 00 6 00		
	8 00		
boxed, 7 to 8 ft.	7 00		
balled, 6 to 7 ft.	6 00		
to built.	5 00		
balled, 4 to 5 ft.	4 00 3 00		
	2 00	17 50	
from 8 in. pots, $2\frac{1}{2}$ to 3 ft. from 7 in. pots, $1\frac{1}{2}$ to 2 ft.	1 50	12 50	
from 5 and 6 in. pots, 1 to 1½ ft.	1 00	8 00	

A. brasiliensis. BRAZILIAN PINE.   Doxed   12   Lo 14   Lo 10   Doxed   Doxed				T74 - 1	Day 10	Day 100
(from cuttings)from 9 and 10 in. pots, 4 to 5 ft. 4 00 (seedlings)from 8 in. pots, 3 to 4 ft. 2 00 35 00 290 00from 7 in. pots, 4 to 4 ft. 2 00 35 00 290 00from 7 in. pots, 5 to 4 ft. 2 00 17 50from 7 in. pots, 4 to 4 ft. 2 00 17 50from 7 in. pots, 5 to 4 ft. 2 00 17 50from 7 in. pots, 5 to 4 ft. 2 00 17 50from 7 in. pots, 5 to 4 ft. 2 00 17 50from 7 in. pots, 2 ft. 1 do 11 2 50from 7 in. pots, 2 ft. 1 do 11 2 50from 7 in. pots, 2 ft. 1 do 11 2 50from 8 in. pots, 1 to 1 ½ ft. 2 00from 10 in. pots, 4 to 4½ ft. 6 00from 10 in. pots, 4 to 4½ ft. 5 00from 10 in. pots, 4 to 4½ ft. 5 00from 10 in. pots, 4 to 4½ ft. 5 00from 8 in. pots, 1 ft. 1 do 12 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 12 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 12 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 12 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 15 ft. 50 00from 8 in. pots, 1 ft. 1 do 15 ft. 50 00from 8 in. pots, 1 ft. 1 do 15 ft. 50 00from 8 in. pots, 1 ft. 1 do 15 ft. 50 00from 8 in. pots, 1 ft. 1 do 15 ft. 50 00from 8 in. pots, 1 ft. 1 do 15 ft. 50 00from 8 in. pots, 1 ft. 1 do 15 ft. 50 00from 8 in. pots, 1 ft. 1 do 15 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 15 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 15 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 15 ft. 1 do 00from 8 in. pots, 1 ft. 1 do 15 ft. 1 do 00from 8 in. pots, 1 do 15 ft. 1 do 00from 8 in. pots, 1 do 15 ft. 1 do 00from 8 in. pots, 1 do 16 ft. 1 do 00from 8 in. pots, 1 do 16 ft. 1 do 00from 8 in. pots, 2 do 16 ft. 1 do 00from 8 in. pots, 2 do 17 ft. 1 do 00from 8 in. pots, 2 do 17 ft. 1 do 00from 8 in. pots, 2 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 00from 8 in. pots, 1 do 17 ft. 1 do 0		boxed, 10 to 12 boxed, 8 to 10 balled, 4 to 5	ft. ft.	8 00 6 00	Per 10	Per 100
A. excelsa robusta compacta from 10 in. jots, 4 to 4½ ft. 5 00		(from cuttings)      from 9 and 10 in. pots,       4 to 5          .from 8 in. pots,       3 to 4         (seedlings)       .from 8 in. pots,       6 to 7          .from 7 in. pots,       5 to 6          .from 7 in. pots,       4 to 41          .from 7 in. pots,       3 to 4          .from 7 in. pots,       2½ to 3         excelsa glauca       .from 6 in. pots,       2	ft. ft. ft. ft. ft. ft. ft.	3 00 3 50 3 00 2 50 2 00 1 50 3 00	25 00 17 50	200 00
		excelsa robusta compactafrom 10 in. pots, 4 to 4½from 10 and 12 in. pots, 3 to 3½from 10 in. pots, 2½from 8 and 9 in. pots, 1½ to 2from 8 in. pots, 1 to 1½	½ ft. ½ ft. ½ ft. ft.	6 00 5 00 4 00 3 00		
C. atlantica. MT. ATLAS CEDAR.    18x18   in. box,   12   to   14   ft.   12   00			ft. ft. ft. ft. ft. ft.	50 00 8 00 8 00 6 00 5 00 4 00 3 00	$\begin{array}{ccc} 35 & 00 \\ 25 & 00 \end{array}$	
18x18 in. box, 12 to 14 ft. 12 00   10   10   10   10   10   10   1						
C. atlantica glauca. BLUE MT. ATLAS CEDAR.  20x20 in. box, 11 to 12 ft. 20 00  boxed, 10 to 12 ft. 18 00  C. deodara. DEODAR; INDIAN CEDAR.  16x18 in. box, 8 to 9 ft. 8 00  14x16 in. box, 5 to 6 ft. 4 00  12x14 in. box, 4 to 5 ft. 3 00  boxed, 12 to 14 ft. 10 00 90 00  boxed, 12 to 14 ft. 10 00 90 00  boxed, 12 to 14 ft. 10 00 90 00  boxed, 12 to 14 ft. 10 00 90 00  boxed, 15 to 6 ft. 3 00 250 00  balled, 6 to 7 ft. 4 00 30 00 250 00  c. balled, 6 to 7 ft. 1 50 12 50  C. deodara verticiliata glauca. balled, 5 to 6 ft. 5 00  C. libani. CEDAR OF LEBANON.  22x22 in. box, 10 to 12 ft. 12 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 9 to 10 ft. 10 00  16x18 in. box, 6 to 7 ft. 5 00  CEPHALOTAXUS pedunculata fastigiata. JAPANESE YEW.  12x14 in. box, 6 to 7 ft. 5 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS: PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50  balled, 5 to 6 ft. 2 50  16x18 in. box, 6 to 7 ft. 2 50  balled, 5 to 6 ft. 2 50  balled, 6 to 7 ft. 5 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS: PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50  balled, 5 to 6 ft. 2 50  balled, 7 to 8 ft. 4 00  balled, 5 to 6 ft. 2 50  balled, 7 to 8 ft. 4 00  balled, 5 to 6 ft. 2 50  balled, 5 to 6 ft. 2 50  balled, 7 to 8 ft. 4 00  bal			ft. ft. ft. ft. ft. ft.	10 00 10 00 8 00 1 50 1 00 75	70 00 12 50 8 00 6 00	50 00
C. atlantica glauca. BLUE MT. ATLAS CEDAR.  20x20 in. box, 11 to 12 ft. 18 00  C. deodara. DEODAR; INDIAN CEDAR.  24x24 in. box, 14 to 16 ft. 15 00  16x18 in. box, 8 to 9 ft. 8 00  14x16 in. box, 5 to 6 ft. 4 00  12x14 in. box, 4 to 5 ft. 3 00  boxed, 10 to 12 ft. 10 00  14x16 in. box, 5 to 6 ft. 4 00  12x14 in. box, 4 to 5 ft. 3 00  boxed, 12 to 14 ft. 10 00 90 00  boxed, 10 to 12 ft. 8 00 70 00 600 00  boxed, 10 to 12 ft. 8 00 70 00 600 00  boxed, 8 to 10 ft. 7 00 60 00 500 00  boxed, 6 to 7 ft. 4 00 30 00 250 00  balled, 6 to 7 ft. 4 00 30 00 250 00  c. balled, 5 to 6 ft. 5 00  balled, 5 to 6 ft. 5 00  c. deodara verticillata glauca. balled, 5 to 6 ft. 5 00  c. libani. CEDAR OF LEBANON.  24x22 in. box, 10 to 12 ft. 10 00  22x22 in. box, 10 to 12 ft. 10 00  boxed, 10 to 12 ft. 10 00  C. libani. CEDAR OF LEBANON.  16x18 in. box, 9 to 10 ft. 10 00  boxed, 10 to 12 ft. 10 00  boxed, 10 to 12 ft. 10 00  CEPHALOTAXUS pedunculata fastigiata. JAPANESE YEW.  12x14 in. box, 6 to 7 ft. 5 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 50 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 2 50 00 15 00 00 00 00 000 000 000 000 00	c.	atlantica aurea. GOLDEN MT. ATLAS CEDARballed, 1 to 15	½ ft.	1 50		
C. deodara. DEODAR; INDIAN CEDAR.  24x24 in. box, 8 to 9 ft. 8 00  14x16 in. box, 8 to 9 ft. 8 00  14x16 in. box, 5 to 6 ft. 4 00  12x14 in. box, 4 to 5 ft. 3 00  boxed, 12 to 14 ft. 10 00 90 00  boxed, 12 to 14 ft. 10 00 90 00  boxed, 10 to 12 ft. 8 00 77 00 60 00 500 00  boxed, 10 to 12 ft. 90 00 250 00  balled, 5 to 6 ft. 3 00 25 00 200 00  balled, 4 to 5 ft. 2 50 20 00  balled, 5 to 6 ft. 3 00 25 00 200 00  balled, 3 to 4 ft. 2 50 20 01  c. deodara verticillata glauca balled, 5 to 6 ft. 3 00 25 00  C. deodara verticillata glauca balled, 5 to 6 ft. 5 00  C. libani. CEDAR OF LEBANON.  22x22 in. box, 10 to 12 ft. 15 00  22x22 in. box, 10 to 12 ft. 12 00 17 50  boxed, 12 to 14 ft. 12 00 100 00  boxed, 12 to 14 ft. 12 00 100 00  boxed, 12 to 14 ft. 12 00 100 00  boxed, 12 to 14 ft. 12 00 100 00  boxed, 10 to 12 ft. 10 00 80 00  boxed, 10 to 12 ft. 10 00 80 00  boxed, 10 to 12 ft. 10 00 80 00  CEPHALOTAXUS pedunculata fastlglata. JAPANESE YEW.  12x14 in. box, 2½ to 3 ft. 4 00  boxed, 7 to 8 ft. 4 00  balled, 2 to 3 ft. 3 00 25 00  CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.  16x18 in. box, 6 to 7 ft. 3 50  boxed, 7 to 8 ft. 4 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 5 to 6 ft. 2 50 20 00  balled, 6 to 7 ft. 5 50 50 50 50 50 50 50 50 50 50 50 50 5	C.	atlantica glauca. BLUE MT. ATLAS CEDAR20x20 in. box, 11 to 12	ft.	20 00		
16x18 in. box,   10   to 12   ft.   12   00   100   00   1	c.	deodara   DEODAR; INDIAN   CEDAR	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	15 00 8 00 4 00 3 00 12 50 10 00 7 00 4 00 3 00 2 50 2 50 2 50 1 50 5 00 1 25	70 00 60 00 30 00 25 00 20 00 17 50 12 50	500 00 250 00
	CEBM		ft. ft. ft. ft. ft. ft.	12 00 10 00 12 00 10 00 8 00 7 00		
CHAMAECYPARIS lawsonlana.  LAWSON CYPRESS; PORT ORFORD CEDAR.	CEPM		_		25 00	
LAWSON CYPRESS; PORT ORFORD CEDAR.		from 5 in. pots, 6 to 12	_			50 00
	142		ft. ft. ft. ft. ft.	4 00 2 50 2 <b>6</b> 0 1 50 1 00	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \\ 7 & 50 \end{array}$	50 00

CHAMAECYPARIS, Cont'd.			
	Each 2 50	Per 10 20 00	Per 100
C. lawsoniana alumiballed, 2½ to 3 ftballed, 2 to 2½ ft.	2 00	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	
C. lawsonlana erecta viridis12x14 in. box, 4 to 4½ ftboxed, 7 to 8 ft.	$\begin{array}{ccc} 3 & 50 \\ 6 & 00 \end{array}$		
C. lawsoniana filifera glaucaballed, 3 to 4 ft.	$\begin{array}{cc}2&50\\2&50\end{array}$	20 00	
balled, 2 to 2½ ft. C. lawsonlana glauca coeruleaboxed, 8 to 10 ft.	2 00 <b>8</b> 00	17 50	
boxed, 6 to 8 ft. balled, 5 to 6 ft.	$\begin{smallmatrix}6&00\\4&00\end{smallmatrix}$		
c. lawsoniana lutea. GOLDEN LAWSON CYPRESS.	1 75	15 00	
C. nutkaensis glauca. NOOTKA SOUND CYPRESS.	2 50		
boxed, 8 to 10 ft. balled, 4 to 5 ft.	$\begin{array}{ccc} 6 & 00 \\ 2 & 50 \end{array}$		
C. obtusa pendula. WEEPING JAPANESE CYPRESS. boxed, 7 to 8 ft.	4 00		
boxed, 6 to 7 ft.	3 50		
(RETINISPORAS)  C. plsifera plumosa aureaballed, 1 to 1½ ft.	1 00	8 00	
C. pisifera plumosa viridis	75 5 00	6 00	
balled, 4 to 5 ft. balled, 3 to 4 ft.	3 00 2 50		
balled, $1\frac{1}{2}$ to 2 ft.	1 00 75	8 00	
	3 00		
balled, 2½ to 3 ft.  C. sphaeroidea ericoides	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \\ 1 & 50 \end{array}$	10.50	
balled, 1 to 1½ ft	1 50 75	12 50	
CRYPTOMERIA Japonica elegans.	6 00		
(standards)	$\begin{array}{cccc} 2 & 50 \\ 2 & 00 \end{array}$		
balled, 3 ft. stem,	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	<b>1</b> 2 50	
boxed, 7 to 8 ft.	6 00 5 00		
balled, 5 to 6 ft.	3 50 3 50	30 00 25 00	
balled, 4 to 5 ft. balled, 3 to 4 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50 12 50	$150 00 \\ 100 00$
balled, 2 to 3 ft	<b>7</b> 5	6 00 4 00	50 00 30 00
	50 5 00	4 00	30 00
balled, 5 to 6 ft. balled, 4 to 5 ft.	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$		
CUPRESSUS: Cypress.			
C. benthami knightiana. KNIGHT'S CYPRESS. from 6 in. pots, 4 to 5 ft.	75	6 00	
C. quadalupensis glauca	$\begin{smallmatrix} 50\\2&00\end{smallmatrix}$		
C. macrocarpa. MONTEREY CYPRESSballed, 10 to 12 ft. balled, 6 to 8 ft.	$egin{array}{ccc} 2 & 50 \\ {f 1} & {f 5} 0 \end{array}$	$\begin{array}{c} 20 \ 00 \\ 10 \ 00 \end{array}$	150 00 75 00
balled, 4 to 6 ft. balled, 2 to 2½ ft.	<b>7</b> 5 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	50 00 30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40	3 00	$\begin{array}{c} 25 & 00 \\ 4 & 00 \end{array}$
(\$25.00 per 1,000)in flats of 100, 6 to 10 in.  C. sempervirens fastigiata. ITALIAN CYPRESS.			3 00
	4 00 4 00		
balled, 5 to 6 ft. balled, 4 to 5 ft.	$egin{array}{ccc} 2 & 50 \ 1 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 12 & 50 \end{array}$	100 00
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	10 00 7 50	<b>75</b> 00 50 00
JUNIPERUS: Juniper.			
J. bermudiana. BERMUDA JUNIPER	75		
J. chinensis. JAPANESE JUNIPERballed, 2 to 2½ ft. balled, 1½ to 2 ft.	$egin{array}{cccc} 1 & 50 \\ 1 & 25 \\ \end{array}$	10 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 1 & 00 \\ & 50 \end{array}$	8 00 4 00	
J. chinensis argenteo-variegata. VARIEGATED JAPANESE JUNIPER.	. = .		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$		
J. chinensis pendula. WEEPING JAPANESE JUNIPER. balled, 4 to 5 ft.	3 00		
balled, 1 to 1½ ft.	1 25		

J. chinensis procumbens aureo-variegata.	Each	Per 10	Per 100
GOLDEN CREEPING JAPANESE JUNIPER.	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$		
J. communis hibernica. IRISH JUNIPER14x16 in. box, 4 to 5 ft.	3 00		
balled, 4 to 5 ft. balled, 3 to 4 ft.	$egin{smallmatrix} 2 & 00 \\ 1 & 50 \end{bmatrix}$	$17 50 \\ 12 50$	$150 00 \\ 100 00$
balled, 2 to 3 ftfrom 5 in. pots, 1½ to 2 ft.	$\begin{array}{ccc} {f 1} & 00 \\ {f 50} \end{array}$	$\begin{smallmatrix}8&00\\4&00\end{smallmatrix}$	$\begin{array}{cc} 60 & 00 \\ 30 & 00 \end{array}$
J. sablna. SAVIN JUNIPER. balled, 4 to 5 ft. balled, 2 to 3 ft.	$\begin{array}{cc} 3 & 00 \\ 2 & 00 \end{array}$		
balled, 1 to 1½ ftfrom 5 in. pots, 1½ to 2 ft.	$\begin{array}{c} 1 & 00 \\ 75 \end{array}$	$\begin{smallmatrix} 8 & 00 \\ 6 & 00 \end{smallmatrix}$	60 00
J. virginiana glauca. BLUE VIRGINIA CEDAR.	60	5 00	40 00
J. virginiana pfitzerianaballed, 3 to 4 ft.  balled, 2 to 3 ft.  balled, 1½ to 2 ft.	$egin{smallmatrix} 2 & 50 \\ 2 & 00 \\ 1 & 50 \end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 17 & 50 \\ 12 & 50 \end{array}$	
LIBOCEDRUS chilensis. CHILEAN CEDAR.			
L. decurrens. INCENSE CEDAR; WHITE CEDAR.	6 00		
boxed, 10 to 12 ft.	$\begin{array}{ccc} 6 & 00 \\ 6 & 00 \end{array}$		
	$\begin{array}{c} 4 & 00 \\ 1 & 50 \end{array}$	12 50	
PICEA: Spruce. balled, 1½ to 2 ft.	1 25	10 00	
P. ajaensis. ALCOCK'S SPRUCEboxed, 8 to 10 ftboxed, 6 to 8 ft.	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$		
balled, 5 to 6 ft. balled, 4 to 5 ft.	$\frac{3}{4} \frac{00}{00}$		
P. alba coerulea	10 00		
	25 00 8 00		
	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \\ \end{array}$	10 00	
P. bicolor. TWO-COLORED SPRUCEballed, 4 to 5 ft.	$\begin{array}{c} 1 & 00 \\ 3 & 00 \end{array}$	8 00	
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	$\begin{array}{cc} 20 & 00 \\ 15 & 00 \end{array}$	
P. engelmanni	8 00 8 00		
boxed, 6 to 7 ftboxed, 5 to 6 ft.	$\begin{array}{ccc} 7 & 00 \\ 6 & 00 \end{array}$		
P. excelsa. NORWAY SPRUCE.	4 00	35 00	
	$\begin{array}{c} 4 & 00 \\ 3 & 50 \end{array}$		
	$\begin{array}{c}2&50\\8&00\end{array}$	70 00	600 00
	$\begin{array}{cccc} 7 & 00 \\ 6 & 00 \\ \end{array}$	$\begin{array}{ccc} 60 & 00 \\ 50 & 00 \\ \end{array}$	500 00
balled, 6 to 8 ft. balled, 4 to 6 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 25 & 00 \\ 15 & 00 \end{array}$	$\begin{array}{cccc} 200 & 00 \\ 125 & 00 \\ \end{array}$
P. excelsa pendula. WEEPING NORWAY SPRUCE. balled, 2 to 21/2 ft.	1 25	10 00	75 00
balled, 2 to 2½ ft. balled, 1½ to 2 ft.  P. maximowiczi boxed, 8 to 10 ft.	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \\ 8 & 00 \end{array}$	$\begin{array}{c} 17 & 50 \\ 12 & 50 \end{array}$	
boxed, 7 to 8 ft. balled, 5 to 6 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
P. orientalis. ORIENTAL SPRUCEballed, 1½ to 2 ft. balled, 1 to 1½ ft.	$\begin{array}{c} 1 & 50 \\ 1 & 25 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	$\begin{array}{ccc} 100 & 00 \\ 75 & 00 \end{array}$
P. polita. TIGER TAIL SPRUCE balled, 2 to 2½ ft. balled, 1½ to 2 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$17 50 \\ 12 50$	$150 00 \\ 100 00$
P. pungens. COLORADO SPRUCEboxed, 7 to 8 ftboxed, 6 to 7 ft.	10 00 8 00	12 90	100 00
boxed, 5 to 6 ft. boxed, 4 to 5 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
balled, 2 to 3 ft. balled, 1 to 1½ ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cc} 15 & 00 \\ 10 & 00 \end{array}$	80 00
P. pungens glauca. COLORADO BLUE SPRUCE	8 00	10 00	90.00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
boxed, 8 to 10 ft. boxed, 4 to 5 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
balled, 3 to 4 ft. balled, 2 to 3 ft.	5 00 3 00	$\begin{array}{cc}40&00\\25&00\end{array}$	
balled, 1 to 1½ ft.	1 50	$\tilde{1}^{3}_{2}$ $\tilde{5}^{0}_{0}$	
READ INSIDE FRONT COVER.			

PICEA: Spruce, Cont'd.	Each	Per 10	Per 100
P. pungens kosteriana. KOSTER'S BLUE SPRUCE.  boxed, 5 to 6 f	t. 8 00		
boxed, 4 to 5 f		12 50	
P. pungens kosteriana pendula. WEEPING BLUE SPRUCE.  balled, 1½ to 2 f			
P. sitchensis. MENZIES SPRUCE; SITKA SPRUCE.  boxed, 10 to 12 for the state of the	t. 2 50		
boxed, 8 to 10 fr boxed, 7 to 8 fr	7 00 6 00	$\begin{array}{cc} 60 & 00 \\ 50 & 00 \end{array}$	
P. smithiana (P. morinda)	t. 1 50 t. 1 25	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \\ 8 & 00 \end{array}$	
PINUS: Pine.			
P. canariensis. CANARY ISLAND PINE.			
from 5 in. pots, 3 to 4 ft		$\begin{array}{c} 6 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cccc} 50 & 00 \\ 30 & 00 \end{array}$
P. coulteri. BIG CONE PINEfrom 5 in. pots, 1½ to 2 ft	. 40	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	25 00
P. jeffreyi. JEFFREY PINEfrom 5 in. pots, 2 to 3 ft	. 40 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	95 00
P. laricio austriaca. AUSTRIAN PINEboxed, 10 to 12 fi	. 30 . 10 00	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	25 00
boxed, 8 to 10 ftboxed, 7 to 8 ft	7 00	2 44	47.0-
P. montana. SWISS MOUNTAIN PINEballed, 2 to 2½ ft		$\begin{array}{c}2&00\\12&50\end{array}$	15 00
balled, 1½ to 2 ft		$\begin{array}{ccc} 7 & 50 \\ 6 & 00 \end{array}$	
P. parryana. PARRY PINEballed, 3 to 4 ft	١.		10 00
P. pinaster (P. maritima). CLUSTER PINE.		12 50	
from 5 in pots, 4 to 5 fi		6 00	
from 5 in. pots, 3 to 4 ft		$\begin{array}{c} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{c} 30 & 00 \\ 25 & 00 \end{array}$
P. pinea. ITALIAN STONE PINEballed, 2 to 3 ft		$\begin{array}{cc} 10 & 00 \\ 6 & 00 \end{array}$	50 00
	. 75	5 00	
P. ponderosa. WESTERN YELLOW PINE		4 00	
from 5 in. pots, 1½ to 2 ft		$\frac{1}{3} \frac{00}{00}$	
P. radiata (P. insignis). MONTEREY PINEballed, 10 to 12 ft		25 00	200 00
balled, 8 to 10 fi		$\begin{array}{cc}20&00\\15&00\end{array}$	$175 00 \\ 125 00$
		$\begin{array}{cc} 4 & 00 \\ 4 & 00 \end{array}$	
P. sabiniana. DIGGER PINE; GRAY PINE.		3 50	
from 6 in. pots, 4 ft			
P. torreyana. SOLEDAD PINE; TORREY PINE.			
from 5 in pots, 2 to $2\frac{1}{2}$ ft from 5 in pots, 1\frac{1}{2} to 2 \frac{1}{2} ft from 5 in pots, 1\frac{1}{2} to 2 ft	. 75		
from 5 in. pots, 1 to 1½ ft		5 00	
PODOCARPUS macrophyllafrom 7 in. pots, 4 to 5 ftfrom 6 and 7 in. pots, 3 to 4 ft		10 00	
P. nageia (new)	. 75	6 00	
from 6 in. pots, 2 to 2½ ft			
PSEUDOTSUGA douglasi glauca. BLUE DOUGLAS SPRUCE.			
balled, 3 to 3½ ftballed, 1½ to 2 ft	2 00		
balled, 1 to 1½ ft	. 1 50		
SEQUOIA gigantea. CALIFORNIA BIG TREE	. 8 00		
20x20 in. box, 6 to 7 ft	. 6 00		
	. 15 00		
boxed, 8 to 10 ft boxed, 7 to 8 ft			
boxed, 6 to 7 ft	. 5 00	35 00	
bailed, 3 to 4 ft	. 2 50	20 00	
		$\begin{array}{cccc} 6 & 00 \\ 4 & 00 \end{array}$	25 00

•	Each	Per 10	Per 100
	ft. 8 00 ft. 5 00 ft. 4 00 ft. 4 00 ft. 3 50 ft. 3 00	101 10	101 100
balled, 2½ to 3balled, 1 to 1½ S. sempervirens. REDWOOD14x16 ln. box, 5 to 6	ft. 6 00 ft. 3 00 ft. 1 50 ft. 4 00		
boxed, 12 to 14 balled, 6 to 8 balled, 4 to 6 balled, 3 to 4 balled, 2 to 3	ft. 15 00 ft. 12 50 ft. 3 00 ft. 2 00 ft. 1 50 ft. 1 00 ft. 50	25 00 17 50 12 50 8 00 4 00	225 00 150 00 100 00 60 00 30 00
balled, 6 to 7 balled, 5 to 6 balled, 4 to 5	ft. 4 00 ft. 3 00 ft. 2 50 ft. 2 00		
	ft. 1 00 ft. 75	8 00 6 00	
T. baccata. ENGLISH YEW.	ft. 4 00 ft. 3 00 ft. 2 50 ft. 2 00 ft. 1 50 ft. 1 25 ft. 1 00 ft. 75 in. 50 ft. 4 00 ft. 2 50 in. 1 00	25 00 20 00 17 50 12 50 10 00 8 00 6 00 4 00	175 00 150 00 60 00 50 00 30 00
balled, 3 to 3½ to balled, 2½ to 3 to balled, 2½ to 3 to balled, 2 to 2½ to balled, 1½ to 2 to 2½ to 2 to 2½ to 2 to 2½ to 2 to 2	ft. 3 50 ft. 3 50 ft. 2 50	10 00 30 00 20 00 15 00 12 50 8 00	125 00 100 00
	ln. 60 in. 50	30 00 25 00 15 00 12 50 7 50 6 00 5 00 4 00	275 00 125 00 100 00 60 00 50 00 40 00 30 00
T. baccata fastigiata. IRISH YEW.  12x14 in. box, 4½ to 5 in 12x14 in. box, 3½ to 4 in 12x14 in. balled, 3½ to 4 in 12x14 in. balled, 2½ to 3 in 12x14 in. balled, 1½ to 2 in 12x14 in. balled, 1½ to 2 in 12x14 in. balled, 1½ to 2 in 12x14 in. balled, 1 to 1½ in 12x14 in. balled, 2 to 2½ in 12x14 in. balled, 2 to 2½ in 12x14 in. box, 4½ to 5 in 12x14 in. box, 4½ to 4 in. box, 4½ to 3 in 12x14 in. box, 4½ to 4 in. box, 4½ to 4 in. balled, 2 in. balled, 3 in. balled, 3 in. bal	ft. 3 50 ft. 2 50 ft. 2 00 ft. 1 75 ft. 1 25 ft. 1 00 n. 60 ft. 2 50 ft. 2 00	35 00 30 00 22 50 17 50 15 00 10 00 7 50 5 00 20 00 15 00 12 50	200 00 150 00 125 00 75 00 60 00 40 00
12x12 in. box, 3 to 4 for balled, 3 to 3½ for balled, 2½ to 3 for balled, 2 to 2½ for balled, 1½ to 2 for balled, 1½ to 2 for balled, 1 to 1½ for	ft. 2 50 ft. 2 00 ft. 1 50	27 50 22 50 17 50 12 50 7 50 5 00	$\begin{array}{cccc} 200 & 00 \\ 150 & 00 \\ 100 & 00 \\ 60 & 00 \\ 40 & 00 \\ \end{array}$

TAXUS: Yew, Cont'd.					Each'	Per 10	Per 100
T. cuspidata. JAPANESE YEW.from 5 in. pot		to to		ft. in.	.60 50	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cc} 40 & 00 \\ 30 & 00 \end{array}$
THUYA: Arbor Vitae T. giganteaGIANT ARBOR VITAEbox		to to	10	ft. ft.	7 00 5 00		
ball ball	led, 6 led, 5	to to	$\frac{7}{6}$	ft. ft.	$\begin{smallmatrix}3&50\\2&50\end{smallmatrix}$	$\begin{array}{ccc} 30 & 00 \\ 20 & 00 \end{array}$	
T, gigantea aurea. GOLDEN GIANT ARBOR	led, 3	to	5 4	ft. ft.	$\begin{array}{cc} 2 & 00 \\ 1 & 50 \end{array}$	<b>17</b> 50	
	x, 8 xed, 8	to to	$\frac{9}{10}$	ft. ft.	8 00 7 00		
box bal bal	lled, 6	to to to	8 7 6	ft. ft. ft.	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \\ 3 & 00 \end{array}$	25 00	
bal bal	lled, 4	to to	5 4	ft. ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{20}{20} \frac{00}{00}$	
T. occidentalis wareana. SIBERIAN ARBOR V	x, 3	to to	4	ft. ft.	5 00 3 50		
T. orientalis. CHINESE ARBOR VITAE.		to	5	ft.	3 00		
boxbal	xed, 8 led, 5	to to	$\frac{10}{6}$	ft. ft.	$\begin{array}{cccc} 5 & 00 \\ 1 & 50 \\ \end{array}$	12 50	$\frac{100}{75} \frac{00}{00}$
tal bal bal bal bal bal bal bal bal bal b	$\begin{array}{ccc} \text{lled}, & 3 \\ \text{xed}, & 8 \end{array}$	to to to	5 4 9	ft. ft. ft.	$egin{smallmatrix} 1 & 25 \\ 1 & 00 \\ 6 & 00 \end{smallmatrix}$	$\begin{array}{ccc} 10 & 00 \\ 7 & 50 \end{array}$	50 00
bal	xed, 7 lled, 6	to	8 7	ft.	5 00 3 50		
T. orientalis aurea. CHINESE GOLDEN ARBO	OR VII	rAE. to	5 6	ft. ft.	$\frac{2}{5} \frac{50}{00}$		
box bal	xed, 4 lled, 3	to to		ft. ft.	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$		
T. orientalis aureo-variegata box box box box box	xed, 7	to to to	10 8 7	ft. ft. ft.	$egin{smallmatrix} 6 & 00 \ 5 & 00 \ 4 & 00 \end{bmatrix}$		
T. orientalis filiformis stricta. JAPANESE ARI	$\begin{array}{cc} \mathrm{BOR} & \mathrm{V} \\ \mathrm{xed}, & 5 \end{array}$	TTAE to	6	ft.	5 00	40 00	
T. orientalis pendula. JAPANESE WEEPING box	$\begin{array}{ccc} { m ARBOI} \\ { m xed}, & 6 \end{array}$	to	7	ft.	4 00	35 00	
T. orientalis semperaurescens. EVERGOLDEN CHINESE ARBOR VITAE	lled, 5 E.	to	6	ft.	3 00		
THUYOPSIS dolobrata. HATCHET-LEAVED ARE	BOR V	½ to ITAE	3	ft.	2 50	20 00	
T. dolobrata variegatabal	lled, 2 lled. 2	to to to	2½ 2½ 2½ 2½	It.	$egin{array}{ccc} 2 & 00 \ 1 & 50 \ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$	100 00
balbal	lled, 1	½ to to	2 1 ½ 2	ft. ft.	$\frac{1}{75}$	8 00 6 00 6 00	60 00 50 00 50 00
from 4 and 5 in. pot	ts, 1		1 ½ 2	ft. ft. ft.	75 50	4 00	20 00
BROAD-LEAVED	EV	FR	GF	RF.	ENS		
This division includes all hard-wooded evergree are listed in preceding section, commencing at page	en trees					conife	rs, which
ABELIA grandiflora12x14 in. box	x, 3		4	ft.	Each 2 00	Per 10	Per 100
bal	11ed, 2	to		ft. ft. in.	$egin{array}{ccc} 1 & 50 \\ 1 & 25 \\ & 35 \end{array}$	$\begin{array}{cccc} 12 & 50 \\ 10 & 00 \\ 3 & 00 \end{array}$	25 00
ACACIA baileyana	ts, 8	to	9.	ft.	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$	1750 $1250$	20 00
	ts, 6	to	7	ft.	$\frac{1}{1} \frac{25}{00}$	8 00	
A. cavenia. CAVAN (new)	ts, u	to	7	ft.	7. 00	0 00	
A. cultriformisfrom 5 in. pot	ts, 3	to	31/2	ft.	1 50	0 00	
from 5 in. pot	ts, 3 ts, 1 ts, 4 ts, 3	to to to	3 ½ 1½ 5 4	ft. ft. ft. ft.	1 50 75 50 40	4 00 3 00	30 00 25 00
from 5 in. pot from 5 in. pot from 4 in. pot	ts, 3 ts, 1 ts, 4 ts, 3	to to to to	3½ 1½ 5 4 3	ft. ft. ft.	1 50 75 50	4 00	
A. cyanophylla. BLUE-LEAVED WATTLE.  from 6 and 7 in. por	ts, 3 ts, 1 ts, 4 ts, 3 ts, 2 ts, 1 ts, 6 ts, 5	to to to to to	3 ½ 1 ½ 5 4 3 2	ft. ft. ft. ft. ft. ft. ft.	1 50 75 50 40 30 25 75 60	4 00 3 00 2 50 2 00 6 00 5 00	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$
from 5 in. potential from 5 in. potential from 5 in. potential from 4 in. potential from 6 and 7 in. potential from 6 in. potential from 5 in. potential from 6 in. potential from 5 in. potential from 6 in. potential from 6 in. potential from 5 in. potential from 6 in. potential from 6 in. potential from 6 in. potential from 6 in. potential from 5 in. potential from 6 in. potential from 5 in. potential from 6 in. potential from 5 in. potential from 5 in. potential from 6 in. potential from 5 in. potential from 5 in. potential from 6 in. potential from 5 in. potential from 6 in. potential from 6 in. potential from 5 in. potential from 6 in. potential fro	ts, 3 tts, 1 ts, 4 ts, 3 ts, 2 tts, 1 ts, 6 tts, 5 tts, 4 tts, 2	to to to to to to to to to	3 ½ 1 ½ 5 4 3 2 8 6 5	ft. ft. ft. ft. ft. ft.	1 50 75 50 40 30 25	4 00 3 00 2 50 2 00 6 00	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \\ 15 & 00 \end{array}$
from 5 in. pot from 5 in. pot from 5 in. pot from 5 in. pot in. pot from 4 in. pot A. cyanophylla. BLUE-LEAVED WATTLE.  from 6 and 7 in. pot from 6 in. pot from 5 in. pot from 5 in. pot from 5 in. pot from 5 in. pot from 6 in. pot from 6 in. pot from 6 in. pot from 5 and 6 in.	ts, 3 tts, 4 tts, 4 tts, 2 tts, 2 tts, 5 tts, 4 tts, 4 tts, 4 tts, 3	to t	3½ 1½ 5 4 3 2 8 6 5 3	ft.	1 50 75 50 40 30 25 75 60 50 40	4 00 3 00 2 50 2 00 6 00 5 00 4 00	25 00 20 00 15 00 50 00
from 5 in. pote from 5 in. pote from 5 in. pote from 5 in. pote from 4 in. pote from 6 and 7 in. pote from 6 in. pote from 5 in. pote from 6 i	ts, 3 tts, 4 tts, 4 tts, 2 tts, 5 tts, 4 tts, 4 tts, 4 tts, 4 tts, 2 tts, 4 tts, 2 tts, 4 tts, 4 tts, 4 tts, 4 tts, 5 tts, 4 tts, 5 tts, 4 tts, 4 tts	to t	3½ 1½ 5 4 3 2 8 6 5 3 2 5 4 3 2	ft.	1 50 75 50 40 30 25 75 60 50 40	4 00 3 00 2 50 2 00 6 00 5 00 4 00	25 00 20 00 15 00 50 00

A. decurrens. BLACK WATTLE.	Each 75 60 50 40 30 60 30 40 35 30	Per 10 6 00 5 00 4 00 3 00 2 50 5 00 2 50 4 00 3 50 3 50 3 50 2 50	Per 100 .50 .00 40 00 30 00 25 00 .40 00 .30 00 .25 00 .40 00
from 7 in. pots, 8 to 9 ft.	1 25 1 00 75 60 50 40 40 35 25 20	10 00 8 00 6 00 5 00 4 00 3 00 3 00 2 50 2 00 1 50	70 00 50 00 40 00 30 00 25 00 20 00 15 00 12 00
A. neriifolia (A. floribunda)	2 00 1 50 1 25 1 00 75	12 50 6 00	6 00
from 5 and 6 in, pots, 4 to 6 ft.  from 5 in, pots, 3 to 4 ft.  from 4 and 5 in, pots, 2 to 3 ft.  from 4 in, pots, 1 to 2 ft.  A. pycnantha. GOLDEN WATTLE.  from 5 in, pots, 3 to 4 ft.  from 5 in, pots, 1 to 2 ft.	60 50 40 35 50 30	5 00 4 00 3 50 3 00 4 00 2 50	35 00 30 00 25 00 30 00 20 00
A. saligna	$\begin{array}{c} 60 \\ 50 \\ 35 \\ 150 \\ 125 \\ 100 \\ \end{array}$	5 00 4 00 3 00 12 50 10 00 8 00	8 00 40 00 30 00 25 00
from 4 and 5 in. pots, 3 to 4 ft.	$75 \\ 50$ 1 00  50  40  25	6 00 4 00 8 00 4 00 3 00 2 00	
ALECTRYON excelsum. NEW ZEALAND OAK. (new).	1 00 75 1 00 1 75 1 50 1 25 75 1 25	$\begin{array}{c} 8 & 00 \\ 6 & 00 \\ 8 & 00 \\ 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ 6 & 00 \\ \end{array}$	60 00 50 00
	1 00 75 60 50 40 30 50 60 2 50	8 00 6 00 5 00 4 00 3 50 2 50 4 00	40 00 30 00 20 00
10x12 in. box, 3 to 4 ft.	2 00 1 50 75 1 00 75 60 50 1 50 5 00	$\begin{array}{c} 6 & 00 \\ 8 & 00 \\ 6 & 00 \\ 5 & 00 \\ 4 & 00 \\ 12 & 50 \\ \end{array}$	30 00
18x18 in. box, 10 to 12 ft.   14x16 in. box, 7 to 8 ft.   14x16 in. box, 6 to 7 ft.   12x14 in. box, 6 to 7 ft.   boxed, 12 to 14 ft.   boxed, 8 to 10 ft.   balled, 7 to 8 ft.   from 7 in. pots, 5 to 6 ft.   from 6 in. pots, 3 to 4 ft.   from 5 in. pots, 2 to 3 ft.   READ INSIDE FRONT COVER.	4 00 3 00 2 50 4 00 3 00 2 50 1 00 60 50	$\begin{array}{cccc} 25 & 00 \\ 20 & 00 \\ 8 & 00 \\ 5 & 00 \\ 4 & 00 \end{array}$	

			•
BERBERIS darwini       from 4 in. pots, 4 to 6 in.         B. Ilicifolia       balled, 5 to 6 ft.         B. stenophylia       balled, 3 to 3½ ft.         balled, 2½ to 3 ft.	Each 50 1 50 1 50 1 50 1 25	Per 10 4 00 12 50 12 50 10 00	Per 100
BUDDLEIA globosa              3       to 4       ft.                1       to 2       ft.         B. variabilis <td< td=""><td>75 35 50 35</td><td>6 00 3 00 4 00 3 00</td><td>25 00 25 00</td></td<>	75 35 50 35	6 00 3 00 4 00 3 00	25 00 25 00
BUXUS: Box	30	3 00	20 00
B. balearica       .12x14 in. box, 4 to 5 ft.        balled, 4 to 5 ft.         B. fortunel rotundifolia       .balled, 4 to 5 ft.        balled, 3 to 4 ft.	$egin{smallmatrix} 3 & 00 \\ 2 & 50 \\ 2 & 00 \\ 1 & 50 \\ \end{bmatrix}$	20 00 15 00 12 50	
B. japonica. JAPANESE BOX10x10 in. box, 1½ to 2 ft. balled, 1 to 1½ ft.	1 25 75	6 00	40 00
B. japonica angustifolia. JAPANESE NARROW-LEAVED BOX.  12x12 in. box, 15 to 18 in.  balled, 1 to 1½ ft.  balled, 8 to 12 in.	1 75 75 50	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$	$\frac{40}{30} \frac{00}{00}$
B. sempervirens. BOXWOOD. (standards)	15 00 5 00 5 00 1 50 1 50 1 00 75 50	$\begin{array}{c} 12\ 50 \\ 12\ 50 \\ 7\ 50 \\ 6\ 00 \\ 4\ 00 \end{array}$	100 00 50 00 40 00 30 00
B. sempervirens arborescens. TREE BOXballed, 2 to 3 ft. B. sempervirens aureo-marginata. GOLDEN MARGINED BOX	$\begin{array}{ccc} 1 & 00 \\ 2 & 50 \\ 2 & 00 \end{array}$	7 50 17 50	
B. sempervirens elegans variegata. ELEGANT VARIEGATED BOX.  balled, 2½ to 3 ft.  balled, 2 to 2½ ft,  balled, 1 to 1½ ft.	2 00 1 50 1 00	7 50	
B. sempervirens suffruticosa. DWARF BOX.	75 7-	6 00	40.00
balled, 8 to 12 in. balled, 4 to 6 in.	75	$\begin{array}{cc} 6 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{cc} 40 & 00 \\ 10 & 00 \end{array}$
C. coccineus	75		
C. cunninghami	$\begin{array}{c} 60 \\ 75 \\ 60 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$	
C. hybridus	$\begin{array}{c} 75 \\ 60 \end{array}$	$\begin{array}{cc} 6 & 00 \\ 5 & 00 \end{array}$	50 00
from 5 in. pots, 3 to 4 ft.  from 4 in. pots, 1 to 2 ft.  C. lanceolatus from 6 in. pots, 5 to 6 ft.	50 30 75	$\begin{array}{ccc} 4 & 00 \\ 2 & 50 \\ 6 & 00 \end{array}$	
from 6 in. pots, 2 to 3 ft.  C. robustus	$\begin{array}{c} 40 \\ 75 \\ 100 \end{array}$	6 00	
CAMELLIA japonica.	2 00		
Double Plnk       .from 7 in. pots,       3 to 4 ft.          .from 6 in. pots,       2½ to 3 ft.         Double Red       .from 6 in. pots,       3 to 3½ ft.          .from 6 in. pots,       2½ to 3 ft.         Double White       .from 6 in. pots,       2 to 2½ ft.	$egin{smallmatrix} 3 & 00 \\ 2 & 50 \\ 3 & 00 \\ 2 & 50 \\ 2 & 00 \\ \end{bmatrix}$		
Seedlings	$\begin{array}{c} 1 \ 50 \\ 75 \\ 60 \\ 50 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \\ 4 & 00 \end{array}$	
CAMPHORA officinalls. CAMPHOR TREE16x18 in. box, 5 to 6 ft.	3 00		
boxed, 8 to 10 ft. balled, 6 to 8 ft. balled, 5 to 6 ft. balled, 4 to 5 ft. balled, 3 to 4 ft. balled, 2 to 3 ft. from 4 in. pots, 1 to 2 ft. from 4 in. pots, 6 to 12 in.	3 00 2 50 2 00 1 50 1 25 1 00 35 25	25 00 20 00 15 00 12 50 10 00 7 50 3 00 2 00	150 00 125 00 100 00 75 00 60 00
CARPENTERIA californicafrom 6 and 7 in. pots, 3 to 4 ftfrom 6 and 7 in. pots, 2 to 3 ft.	$\begin{array}{ccc} {f 1} & 25 \\ {f 1} & {f 00} \end{array}$	$\begin{smallmatrix}10&00\\8&00\end{smallmatrix}$	
CASSIA corymbosa	50 50	4 00 4 00	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	35 25 35 60	3 00 2 00 3 00 5 00	$\begin{array}{cc} 20 & 00 \\ 15 & 00 \end{array}$
C. tomentosa	$\frac{50}{40} \\ \frac{35}{5}$	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{cc} 25 & 00 \\ 20 & 00 \end{array}$

CASUARINA cunninghamianafrom 6 in. pots,	3	to	4	ft.	E	50		00	Per 100 30 00
from 6 in pots,	11/	to to	$\frac{2\frac{1}{2}}{2}$	ft. ft.		$\frac{40}{30}$		<b>00</b> 50	$\begin{array}{cccc} 25 & 00 \\ 20 & 00 \end{array}$
CEANOTHUS thyrsiflorus. CALIFORNIA WILD LIL	3	to		ft.	1	. 00		. 00	
	$\frac{2}{2}$	to to to	3	ft. ft. ft.		$\begin{array}{c} 75 \\ 60 \\ 40 \end{array}$	ā	00 00 00	$\begin{array}{ccc} 40 & 00 \\ 25 & 00 \end{array}$
White Flowering	2 <b>6</b>	to to	$\frac{3}{12}$	ft. in.	1	00 50	4	00	30 00
	4	to	6	in.		35	3	00	25 00
C. elegans from 5 and 6 in. pots,	1 4	to to to	$1\frac{1}{2}$	ft. ft. ft.		$\frac{40}{35}$	•)	$\begin{array}{c} 00 \\ 50 \\ 00 \end{array}$	20 00
C. fasciculatum	2 <b>4</b>	to to	3 5	ft. ft.		$\frac{50}{75}$	46	00 00	50 00
		to to to	$\frac{3}{2}$	ft. ft. ft.		$\frac{60}{50}$	4	00 00 00	$\frac{40}{30} \frac{00}{00}$
C. parqui	$\frac{2}{1.14}$	to to		ft. ft.	1	50 00		00	
baller baller	1, 1	to		ft. in.			19 6	00	
CINNAMOMUM: Cinnamon C. cassia. CASSIA-BARK TREE.									
	6 5	to to	6	ft. ft.	1	$\frac{50}{25}$		<b>5</b> 0	
C. loureiriballedballed		to to		ft. ft.		$\frac{25}{00}$	10	00	
CISTUS: Rock Rose C. albidus	1	to	1½	ft.		30	<u> </u>	00	15 00
C. ladaniferus maculatus. SPOTTED ROCK ROS	6 3	to to		in. ft.		$\frac{50}{50}$		00	30 00 30 00
from 5 in. pots,from 5 in. pots,	$^2_{f 1}$	to to	$\frac{3}{2}$	ft. ft.		$\begin{array}{c} 40 \\ 30 \end{array}$	3	00 50	$\begin{array}{cccc} 25 & 00 \\ 20 & 00 \end{array}$
C. monspeliensis	3 2 11/	to to to		ft. ft.		50 40	•)	00	
CNEORUM tricoccum. SPURGE OLIVE				ft.	•	50	4	00	
COPROSMA baueri balled balled	2 1, 3 1, 1	to to to	2½ 4	ft. ft.		$00 \\ 25 \\ 60$		00 00	80 00 40 00
	3 21/2	to to	3	ft. ft.		50 40	4	00 00	$\frac{30}{30} \frac{00}{00}$
C. bauerl variegata	$\frac{3}{2}$	to to	3	ft.		$\begin{array}{c} 25 \\ 00 \\ 75 \end{array}$		0.0	
cordia francisi (new)	6		$12^{1\frac{1}{2}}$	in.	•	75 60		00 00	
CORNUS capitata. EVERGREEN DOGWOOD.	3	to to		ft. ft.		$\frac{25}{00}$			
from 7 in. pots,from 6 and 7 in. pots,	5 4	to to	6 5	ft. ft.	1	$\frac{00}{75}$		$\begin{array}{c} 00 \\ 00 \end{array}$	50 00
from 5 and 6 in. pots,from 5 in. pots,	3 2	to to	3	ft.		60 50	4	00	40 00 30 00
CORONILLA emerus. SCORPION SENNA	1	to	2	ft.		40	3	00	25 00
C. glauca	$\begin{array}{c} 1 \\ 4 \\ 1 \end{array}$	to to to	$\frac{1\frac{1}{2}}{6}$	ft. ft.		50 60 35	5 3	00 00	
C. glauca variegatafrom 5 and 6 in. pots,from 5 in. pots,	$\frac{4}{2}$	to	6 3	ft.		$\frac{60}{40}$	5 3	00 00	$\begin{array}{ccc} 40 & 00 \\ 25 & 00 \end{array}$
CORYNOCARPUS laevigata. NEW ZEALAND LAUF		to	2	ft.	_	30	_	50	20 00
COTONEASTER acuminata (C. nepalensis)	1 1/2	to	2	ft.		00	8	00	
balled halled	1. 4	to to to	5 7 5	ft. ft. ft.		$00 \\ 00 \\ 50$		50 50	100 00
balled from 5 in. pots,	i, 3	to to	4	ft. ft.	1	$\frac{25}{75}$	10	00	80 00 40 00
C. angustifolia		to to	5 6 5	ft. ft.	3	00	20	0.0	150.00
balled		to to to	3 3	ft. ft. ft.	$\frac{2}{1}$	50 75 40	15	$\begin{array}{c} 00 \\ 00 \\ 00 \end{array}$	$150 \ 00 \ 125 \ 00 \ 20 \ 00$
C. buxifolia	1 3	to to	$\frac{1}{4}\frac{1}{2}$	ft.		$\frac{40}{50}$	3	00	25 00
balled balled		to	3	ft. ft.		75 25		00	$\begin{array}{ccc} {\bf 125} & 00 \\ {\bf 80} & 00 \end{array}$

COTONEASTER, Cont'd.  C. frigidaballed,	6 to	7 ft.	Each 2 50	Per 10 20 00	Per 100
balled, balled, C. horizontalisballed,	5 to 4 to	6 ft. 5 ft. 3 ft.	$\begin{array}{cccc} 2 & 00 \\ 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{c} 15 & 00 \\ 12 & 50 \\ 12 & 50 \end{array}$	$\begin{array}{ccc} 125 & 00 \\ 100 & 00 \end{array}$
balled, balled	2½ to 1½ to 1 to	3 ft. 2 ft. 1½ ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \\ & 75 \end{array}$	8 00 6 00	
from 5 in. pots,  C. microphylla	1 to 3 to	1½ ft. 4 ft.	$\begin{smallmatrix} & 60 \\ 2 & 00 \end{smallmatrix}$	5 00	40 00
balled, balled	4 to 3 to	5 ft. 4 ft.	$\begin{array}{c} 2 & 00 \\ 2 & 00 \\ 1 & 75 \end{array}$	15 00	
balled, balled, balled,	2 to 1½ to	2½ ft. 2 ft.	$\begin{array}{cccc} 1 & 15 \\ 1 & 50 \\ 1 & 25 \end{array}$	15 00	
from 4 in. pots, from 4 in. pots,	2 to 1½ to	2½ ft. 2 ft.	60 50	$\begin{smallmatrix} 5 & 00 \\ 4 & 00 \end{smallmatrix}$	$\frac{40}{30} \frac{00}{00}$
from 4 in, pots,  C. microphylla thymifoliaballed,	1 to 1 to	1½ ft. 1½ ft.	$\begin{array}{c} 40 \\ 1 \ 25 \end{array}$	3 50 10 00	33 00
C. pannosa	5 to 7 to	6 ft. 8 ft.	$\begin{array}{ccc} \widehat{4} & 00 \\ 5 & 00 \end{array}$	40 00	
boxed, balled,	6 to 5 to	7 ft. 6 ft.	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{ccc} 35 & 00 \\ 25 & 00 \end{array}$	
balled, from 5 in. pots,	4 to 1½ to	5 ft. 2 ft.	$\frac{2}{75}$	20 00	
CYTISUS: Broom	-				
C. albus. PORTUGAL BROOMfrom 5 and 6 in. pots,	5 to	6 ft.	1 00	8 00	
from 5 in. pots, from 5 in. pots,	4 to 3 to	5 ft. 4 ft.	75 60	6 00 5 00	50 00 40 00
from 4 in. pots,  C. canariensis from 6 in. pots.	1 to 5 to	2 ft. 6 ft.	$\frac{35}{75}$	3 00 6 00	20 00
from 5 in. pots, from 5 in. pots,	3 to 2 to		50 40	4 00 3 00	$\frac{30}{25} \frac{00}{00}$
C. racemosus (Genista racemosa). (new) from 4 in. pots,	4 to	6 in.	50	4 00	
C. scoparius. SCOTCH BROOM. from 4 and 5 in. pots,	4 to	6 ft.	50	4 00	35 00
from 4 in, pots, c. scoparius andreanus from 5 and 6 in. pots,	1 to 5 to	1½ ft. 6 ft.	$\begin{array}{c} 35 \\ 1 \ 25 \end{array}$	$\begin{smallmatrix}3&00\\10&00\end{smallmatrix}$	
from 5 in. pots, from 6 in. pots,	4 to 3 to	5 ft. 4 ft.	$\begin{array}{cc} 1 & 00 \\ & 75 \end{array}$	8 00 6 00	
from 4 and 5 in. pots,	2 to	3 ft.	60	5 00	
DAPHNE odora. WHITE DAPHNEballed, D. odora marginata. PINK DAPHNEballed,	1½ to 1½ to	2 ft. 2 ft.	$\begin{array}{cc} 1 & 50 \\ 2 & 00 \end{array}$		
DAPHNIPHYLLUM macropodumballed,	2½ to	3 ft.	1 50	<b>#</b> 0.00	
balled, balled,	$\frac{2}{1\frac{1}{2}}$ to	2½ ft. 2 ft.	$\frac{1}{1} \frac{25}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
from 6 in. pots, from 5 and 6 in. pots,	4 to 3 to	6 ft. 4 ft.	75 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	
DEERINGEA celosioides variegatafrom 5 in. pots,	2 to	3 ft.	50	4 00	30 00
DIOSMA ericoides. BREATH OF HEAVENballed,balled,	1½ to 1 to	2 ft. 1½ ft.	$\begin{array}{c}1&00\\75\end{array}$	8 00 6 00	
from 5 in. pots, from 4 in. pots.	1½ to 1 to	2 ft. 1½ ft.	75 50	$\begin{smallmatrix}6&00\\4&00\end{smallmatrix}$	
D. purpurea	1 to	1½ ft.	1 00		
DODONAEA cuneata	2 to 1 to	3 ft. 2 ft.	$\begin{array}{c} 75 \\ 60 \end{array}$		
DURANTA plumieri	2 to 1½ to	3 ft. 2 ft.	$\frac{50}{40}$	$\frac{4}{3} \frac{00}{50}$	
ECHIUM fastuosum	2 to	3 ft.	50	4 00	30 00
E. roseumfrom 5 in. pots, ELAEAGNUS pungens argentea16x18/in. box,	2 to 5 to	3 ft. 6 ft.	35 4 00	3 00	
	4 to 4 to	5 ft. 5 ft.	$\frac{1}{3} \frac{50}{50}$		
balled,	3 to 2 to	4 ft. 2½ ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00	
balled, from 4 in pots,	$1\frac{1}{2}$ to		1 00 60	8 00 5 00	40 00
E. pungens aurea balled, balled,	4 to 3 to	5 ft. 4 ft.	$\begin{array}{c} 3 & 50 \\ 3 & 00 \end{array}$	3 00	10 00
balled,		12 in.	1 00		
ERICA: Heath or Heather  E. mediterranea. MEDITERRANEAN HEATH.					
	2 to 1½ to	2½ ft. 2 ft.	$\begin{array}{cc} 2 & 00 \\ 1 & 25 \end{array}$	10 00	
balled,	1 to	1½ ft.	75 40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 50 & 00 \\ 25 & 00 \end{array}$
E. multiflora grandiflora from 5 in. pots,  from 5 in. pots,	1 to 1 to	1½ ft.	60 40	5 00 3 00	-0 00

E. montevidensis (E. fforibunda)	ESCALLONIA berteriana   boxed, 8 to 10 ft.   balled, 6 to 8 ft.   balled, 4 to 6 ft.   balled, 1 to 2 ft.   E. Crimson Flowering   balled, 4 to 6 ft.	Each 3 00 1 25 1 00 50 75	Per 10 25 00 10 00 7 50 4 00 6 00	Per 100 80 00 60 00 35 00 50 00
	balled, 1 to 2 ft.	$\begin{array}{c} 50 \\ 3 \ 00 \end{array}$		
Balled   1 to 132 ft   50   400   55 00   Erubra   balled   1 to 132 ft   50   400   55 00   400   Evirgata (E. philippiana), (new)   balled   1 to 132 ft   50   400   50 00   40 00   Evirgata (E. philippiana), (new)   balled   1 to 142 ft   50   400   40 00   EUCALYPTUS amygdalina angustifolia (E. linearis), from 6 in, pots, 4 to 6 ft   75   6 00   5 00   40 00   EUCALYPTUS amygdalina angustifolia (E. linearis), from 6 in, pots, 4 to 6 ft   75   6 00   5 00   40 00   Eucalyptia (E. incrassata angulosa), from 6 in, pots, 1 to 2 ft   55   50   E. angulosa (E. incrassata angulosa), from 5 in, pots, 4 to 6 ft   50   4 00   E. catroloora (E. largiflorens), from 5 in, pots, 4 to 6 ft   50   4 00   E. catroloora (E. maculata citriodora), LEMON-SCENTED GUM.    E. citriodora (E. maculata citriodora), LEMON-SCENTED GUM.   from 5 in, pots, 2 to 3 ft   10   8 00   E. catroloora (E. maculata citriodora), LEMON-SCENTED GUM.   from 5 in, pots, 2 to 3 ft   10   2 ft   10   E. catroloora (E. maculata citriodora), LEMON-SCENTED GUM.   from 5 in, pots, 2 to 3 ft   10   2 ft   10   E. catroloora (E. maculata citriodora), LEMON-SCENTED GUM.   from 5 in, pots, 2 to 3 ft   10   2 ft   10   E. catroloora (E. maculata citriodora), LEMON-SCENTED GUM.   from 5 in, pots, 2 to 3 ft   4 ft   40   2 50   E. catroloora, LEMON-SCENTED GUM.   from 5 in, pots, 2 to 3 ft   4 ft   40   2 50   E. catroloora, LEMON-SCENTED GUM.   from 5 in, pots, 2 to 4 ft   40   2 50   E. catroloora (E. catroloora), LEMON-SCENTED GUM.   from 5 in, pots, 2 to 4 ft   40   2 50   E. catroloora, LEMON-SCENTED GUM.   from 5 in, pots, 2 to 4 ft   40   2 50   E. catroloora, LEMON-SCENTED GUM.   from 6 in, pots, 2 to 5 ft   50   400   20 00   E. catroloora, LEMON-SCENTED GUM.   from 6 in, pots, 2 to 5 ft   6 ft   50   400   20 00   E. catroloora, LEMON-SCENTED GUM.   from 6 in, pots, 2 to 5 ft   6 ft   50   400   20 00   E. catroloora, LEMON-SCENTED GUM.   from 5 in, pots, 2 to 5 ft   6 ft   50   400   20 00   E. catroloora, LEMON-SCENTED GUM.   from 5 in, pots, 2 to 5	balled, 4 to 5 ft. from 7 in. pots, 4 to 5 ft. from 7 in. pots, 3 to 4 ft. from 5 in. pots, 1 to 2 ft. from 4 in. pots, 8 to 12 in.	$egin{smallmatrix} 2 & 00 \\ 1 & 50 \\ 1 & 25 \\ \hline & 75 \\ 50 \\ \hline \end{bmatrix}$	$\begin{array}{c} 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ 6 & 00 \\ 4 & 00 \end{array}$	
E. rubra	balled, 5 to 6 ft.	2 00	17 50	35 00
CUCALYPTUS amygdalina angustifolia (E. Ilnearis).	E. rubra	$\begin{array}{c} 1 & 25 \\ & 60 \\ & 60 \end{array}$	5 00	40 00
From 6 in, pots		50	4 00	
E. angulosa (E. incrassata angulosa) E. bicolor (E. largiforens). BLACK BOX of 80, 6 to 12 in, E. calophylia from 5 in, pots, 4 to 6 ft. 50 4 00  E. calophylia from 5 in, pots, 4 to 5 ft. 1 00 8 00  from 5 in, pots, 4 to 5 ft. 1 00 8 00  from 5 in, pots, 3 to 4 ft. 75 6 00  E. calophylia from 5 in, pots, 3 to 4 ft. 75 6 00  E. calophylia from 5 in, pots, 3 to 4 ft. 75 6 00  E. coriacea (E. paucifiora). WHITE GIT in, pots, 2 to 3 ft. 50 4 00  E. coriacea (E. paucifiora). WHITE GIT in, pots, 2 to 3 ft. 30 2 50 20 00  from 5 in, pots, 3 to 4 ft. 40 2 55 0  from 5 in, pots, 1 to 2 ft. 25 2 00 15 00  E. coryocalyx. SUGAR GUM. from 5 in, pots, 4 to 6 ft. 50 4 00 30 00  E. coryocalyx. SUGAR GUM. from 5 in, pots, 4 to 6 ft. 50 4 00 30 00  E. diversicolor (E. colossea). KARRI st of 50, 1 to 1½ ft. 40 30 25 00 25 00  E. diversicolor (E. colossea). KARRI st of 50, 1 to 1½ ft. 40 30 0 25 00  E. fictfolia. SCARLET-FLOWERING GUM. from 5 in, pots, 4 to 6 ft. 50 4 00 30 00  E. fictfolia. SCARLET-FLOWERING GUM. from 6 in, pots, 4 to 6 ft. 50 4 00 30 00  E. globulus. BLUE GUM. from 6 in, pots, 4 to 6 ft. 50 4 00 30 00  E. globulus. BLUE GUM. from 6 in, pots, 4 to 6 ft. 40 3 50 0 25 00  E. globulus. BLUE GUM. from 6 in, pots, 5 to 4 ft. 40 3 50 0 25 00  E. globulus. BLUE GUM. from 5 in, pots, 4 to 6 ft. 50 4 00 30 00  E. globulus. Grompacta. BUSHY BLDG CHA. pots, 4 to 6 ft. 50 4 00 30 00  E. globulus compacta. BUSHY BLDG CHA. pots, 5 to 6 ft. 75 6 00 50 00  From 6 in, pots, 5 to 6 ft. 75 6 00 50 00  E. globulus compacta. BUSHY BLDG CHA. pots, 6 to 7 ft. 50 6 00 50 00  E. globulus Compacta. BUSHY BLDG CHA. pots, 6 to 7 ft. 50 6 00 50 00  E. globulus Compacta. BUSHY BLDG CHA. pots, 6 to 7 ft. 50 6 00 50 00  E. globulus Compacta. BUSHY BLDG CHA. pots, 6 to 7 ft. 50 6 00 50 00  E. globulus Compacta. BUSHY BLDG CHA. pots, 6 to 7 ft. 50 6 00 50 00  E. globulus Compacta. BUSHY BLDG CHA. pots, 6 to 7 ft. 50 6 00 50 00  E. globulus Compacta. BUSHY BLDG CHA. pots, 6 to 7 ft. 50 6 00 50 00  E. globulus Compacta. BUSHY BLDG CHA. pots, 6 to 7	from 6 in. pots, 4 to 6 ft. from 6 in. pots, 3 to 4 ft.	60		
E. calophylla	E. angulosa (E. incrassata angulosa),from 5 in. pots, 4 to 6 ft.	50	4 00	
From 5 in, pots, 3 to 4 ft. 5 ft. 1 00	in flats of 80, 6 to 12 in.  E. calophylla	50	4 00	4 00
E. coriacea (E. pauelflora). WHITE GUM.	from 5 in. pots, 4 to 5 ft.  from 5 in. pots, 3 to 4 ft.  from 5 in. pots, 2 to 3 ft.	75	6 00	
E. corynocalyx. SUGAR GUM. from 5 in. pots. 4 to 6 ft. 50 4 00 30 00 25 00 1 to 1½ ft. 40 300 25 00 1 to 1½ ft. 50 4 00 35 00 1 to 1½ ft. 5	E. coriacea (E. pauciflora). WHITE GUM	30	2 - 50	
E. diversicolor (E. colossea). KARI.  from 5 in, pots, from 6 in, pots, fr	E. corynocalyx. SUGAR GUMfrom 5 in. pots. 4 to 6 ft.	50	4 00	$\begin{array}{c} 3 & 00 \\ 30 & 00 \\ 25 & 00 \end{array}$
From 5 in, pots,   4 to 6 ft.   50   4 00   30 00   25 00	E. diversicolor (E. colossea). KARRI.	60	5.00	
from 7 in, pots,   1 to 5   ft,   1 50	from 5 in. pots, 4 to 6 ft. from 5 in. pots, 3 to 4 ft.	50	4 00	30 00
E. globulus. BLUE GUM. from 5 in. pots. 4 to 6 ft. 50 4 00 25 00 from 5 in. pots. 4 to 6 ft. 40 3 50 30 00 from 5 in. pots. 3 to 4 ft. 35 3 00 025 00 ger 1,000). in flats of 80, 1 to 1½ ft. 30 00 25 00 ger 1,000 from 6 and 7 in. pots. 5 to 6 ft. 75 6 00 50 00 from 6 in. pots. 5 to 6 ft. 75 6 00 50 00 from 6 in. pots. 5 to 6 ft. 75 6 00 50 00 from 6 in. pots. 3 to 4 ft. 50 4 00 from 6 in. pots. 4 to 5 ft. 60 5 00 for 6 in. pots. 5 to 6 ft. 75 6 00 50 00 from 6 in. pots. 3 to 4 ft. 50 4 00 from 6 in. pots. 3 to 4 ft. 50 4 00 from 5 in. pots. 4 to 6 ft. 50 4 00 30 00 from 6 in. pots. 4 to 6 ft. 50 4 00 30 00 from 5 in. pots. 5 ft. 60 ft. 75 ft. 60 5 00 from 6 in. pots. 5 ft. 60 ft. 50 6 ft.		$1 \ 25$	0.00	
E. globulus compacta. BUSHY BLUE GUM.  from 6 and 7 in. pots, 6 to 8 ft. 1 00 8 00 60 00  from 6 in. pots, 5 to 6 ft. 75 6 00 50 00  from 6 in. pots, 4 to 5 ft. 60 5 00  from 6 in. pots, 3 to 4 ft. 50 4 00  (\$85.00 per 1.000)	E. globulus. BLUE GUMfrom 5 in. pots, 6 to 7 ftfrom 5 in. pots, 4 to 6 ftfrom 5 in. pots, 3 to 4 ft.	50 40	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$
(\$85.00 per 1,000) in flats of \$0. 1½ to 2 ft.   E. gunni. CIDER GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. lehmanni from 5 and 6 in. pots, 4 to 6 ft. 60 5 00   from 5 in. pots, 2 to 3 ft. 40   (\$35.00 per 1,000) in flats of \$0, 3 to 6 in.   E. obliqua. MESSMATE GUM in flats of \$0, 3 to 6 in.   E. occidentalis. FLAT-TOPPED YATE.   from 5 in. pots, 4 to 5 ft. 60 5 00   E. piperita. PEPPERMINT STRINGY BARK.   in flats of \$0, 3 to 6 in.   E. polyanthemos. RED BOX from 5 in. pots, 4 to 5 ft. 75   from 5 in. pots, 5 in. pots, 6 ft. 75   E. polyanthemos. RED BOX from 5 in. pots, 4 to 5 ft. 75   from 5 in. pots, 3 to 4 ft. 60 5 00 40 00   E. robusta. SWAMP MAHOGANY.   from 5 in. pots, 4 to 6 ft. 50 4 00 36 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. rostrata. RED GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. rostrata. DESERT GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. siderophloia. LARGE-LEAVED IRONBARK.   from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. sideroxylon. RED IRONBARK.   from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. sideroxylon. RED IRONBARK.   from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. sideroxylon. RED IRONBARK.   from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. sideroxylon. RED IRONBARK.   from 5 in. pots, 4 to 6 ft. 50 4 00 30 00   E. sideroxylon. RED IRONBARK.	E. globulus compacta. BUSHY BLUE GUM.	75	6 00	60 00
E. lehmanni			4 00	10 00
E. obliqua. MESSMATE GUM. in flats of 80, 3 to 6 in.  E. occidentalis. FLAT-TOPPED YATE.	E. lehmannifrom 5 and 6 in. pots, 4 to 6 ft.	60	5 00	30 00
E. piperita. PEPPERMINT STRINGY BARK.	E. obliqua. MESSMATE GUMin flats of 80, 3 to 6 in. E. occidentalis. FLAT-TOPPED YATE.	<b>7</b> 5		
E. polyanthemos. RED BOX	E. piperita. PEPPERMINT STRINGY BARK.		5 00	
E. robusta. SWAMP MAHOGANY.	E. polyanthemos. RED BOXfrom 5 in. pots, 4 to 5 ft. ft. from 5 in. pots, 3 to 4 ft.	60		
E. rostrata. RED GUM	E. robusta. SWAMP MAHOGANY. from 5 in. pots, 4 to 6 ft.	50	4 00	36 00
(\$35.00 per 1,000) in flats of \$0, 2 to 2½ ft. 4 00  E. rudis. DESERT GUM from 5 in. pots, 4 to 6 ft. 50 4 00 30 00  from 5 in. pots, 3 to 4 ft. 40 3 00 25 00  (\$35.00 per 1,000) in flats of \$0, 1½ to 2 ft. 4 00  E. siderophloia. LARGE-LEAVED IRONBARK.  from 5 in. pots, 4 to 6 ft. 60 5 00  E. sideroxylon. RED IRONBARK.  from 5 in. pots, 4 to 6 ft. 50 4 00 30 00	E. rostrata. RED GUMfrom 5 in. pots, 4 to 6 ftfrom 5 in. pots, 3 to 4 ft.	$\frac{50}{40}$	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	
(\$35.00 per 1,000)	(\$35.00 per 1,000)	50	4 00	$\begin{smallmatrix}4&00\\30&00\end{smallmatrix}$
E. sideroxylon, RED IRONBARK.  from 5 in. pots, 4 to 6 ft. 60 5 00  20 00	(\$35.00 per 1.000)in flats of 80, $1\frac{1}{2}$ to 2 ft.	40	3 00	
from 5 in. pots, 4 to 6 it. 50 4 00 30 00	E. sideroxylon, RED IRONBARK.			
	trom 5 in. pots, 4 to 6 it.	50	4 00	30 00

		- 40	70 400
EUCALYPTUS, Cont'd.	Each .	Per 10	Per 100
E. tereticornis. GRAY GUM; FLOODED GUMfrom 5 in. pots, 6 to 7 ft.	75	6 00	
	$\begin{array}{c} 50 \\ 40 \end{array}$	4 00 3 00	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$
from 5 in. pots, 2 to 3 ft.	30	2 50	_
(\$20.00 per 1,000)in flats of 80, 6 to 12 in.  E. viminalis. MANNA GUMfrom 5 in. pots, 6 to 7 ft.	60	5 00	2 50
from 5 in. pots, 4 to 6 ft.	50	<b>4 0</b> 0	30 00 4 00
E. viminalis fertilisfrom 5 in. pots, 6 to 7 ft.	75	6 00	1 00
from 5 in. pots, 3 to 4 ft.  E. vlrgatain flats of 80, 6 to 12 in.	50	4 00	4 00
EUGENIA myrtifolia (E. australis). BRUSH CHERRY.			
balled, 3 to 4 it.	$\begin{smallmatrix}2&00\\1&50\end{smallmatrix}$		
balled, 2 to 3 ft.  from 5 and 6 in. pots, 1 to 2 ft.	75	6 00	
from 5 and 6 in. pots, 6 to 12 in.	50	4 00	
E. uniflora. SURINAM CHERRY. (new).  from 4 in. pots, 1½ to 2 ft.	1 00	8 00	
$1  ext{to } 1  ext{$12$ ft.}$	75	6 00	
EUONYMUS japonicusballed, 6 to 8 ft. balled, 5 to 6 ft.	$\frac{1}{75}$	8 00 6 00	$\begin{array}{ccc} 60 & 00 \\ 50 & 00 \end{array}$
balled, 6 to 12 in.	50	4 00	35 00
E. japonicus albo-marginatus. SILVER-MARGINED EUONYMUS	2 00		
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{array}{cc}1&25\\1&00\end{array}$	$\begin{array}{c} 10 & 00 \\ 7 & 50 \end{array}$	$\begin{array}{cc} 75 & 00 \\ 50 & 00 \end{array}$
balled, 6 to 12 in.	60	5 00	40 00
E. japonicus albo-variegatus. SILVER VARIEGATED EUONYMUS.	75		
balled, 4 to 6 ft.	75 50	6 00 4 00	$\frac{50}{35} \frac{00}{00}$
E. Japonicus aureo-marginatus. GOLDEN EUONYMUS.		4 00	35 00
	$egin{array}{ccc} 1 & 50 \ 1 & 25 \end{array}$	10 00	75 00
balled, 3 to 4 ft.	75	6 00	50 00
balled, 2 to 3 ft. balled, 1½ to 2 ft.	60 50	5 00 4 00	40 00
E. japonicus microphylius (E. pulchelius).	1 50		
	1 00	8 00	60 00
balled, 6 to 12 in. balled, 4 to 6 in.	75 50	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$	35 00
E. japonicus microphylius variegatusbaned, 6 to 8 in.	75 50	4 00	
F ianonicus viridi-variegatus. DUC D'ANJOU.			
balled, 6 to 8 ft. balled, 4 to 6 ft.	$\begin{array}{c} 1 & 25 \\ 1 & 00 \end{array}$	$\begin{array}{ccc} {\bf 10} & {\bf 00} \\ {\bf 7} & {\bf 50} \end{array}$	$\begin{array}{ccc} 75 & 00 \\ 50 & 00 \end{array}$
baned, 6 to 12 in.	60	5 00 6 00	50.00
E. radicans argenteo-marginatusballed, 1 to 1½ ftballed, 6 to 8 in.	75 50	4 00	50 00
FATSIA: Aralia			
F. japonica (Aralia sieboldi)from 8 in. pots, 5 to 6 ft.	1 50 75	6 00	<b>5</b> 0 00
from 5 and 6 in pots, 1½ to 2 ft.	50	4 00	30 00
from 4 and 5 in. pots, 1 to 1½ ft. F. japonica variegata	$\begin{smallmatrix} 40\\1&25\end{smallmatrix}$	3 00	25 00
E. papyrifera. CHINESE RICE PAPER TREE.	1 00		
from 5 and 6 in. pots, 2½ to 3 ft.	75		
from 4 in. pots, 1½ to 2 it.	50		
FICUS elastica. INDIA RUBBER PLANTfrom 10 in. pots, 6 ft.	2 50		
from 7 in. pots, 4 ft.	2 00		
	$\begin{array}{cc} 1 & 25 \\ 1 & 00 \end{array}$		
$\dots$ from 5 in pots, 1 to $1\frac{1}{2}$ ft.	75	<b>6 0</b> 0	
F. macrophylia. MORETON BAY FIGfrom 8 and 9 in. pots, 5 to 5½ ft.	2 00		
F. rubiginosa (F. australis). (new)	1 00		
$\frac{27}{2}$ to 3 it.	$\begin{smallmatrix}2&00\\1&50\end{smallmatrix}$		
F. ulmifolia. (new)	$\frac{1}{2} \frac{50}{50}$		
GARRYA ellipticafrom 5 in. pots, 1 to 2 ft.	1 50		
GENISTA: Broom			
G. aetnensis	$\begin{array}{c} 1.00 \\ -75 \end{array}$	8 00	
from 6 in, pots. 2 to 3 ft.	60		
G. monosperma. BRIDAL VEIL. from 6 in. pots, 4 to 5 ft. from 6 in. pots. 3 to 4 ft.	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	8 00	
from 6 in. pots. 2 to 3 ft. from 4 in. pots, 6 to 12 in.	75 50	4 00	
······································	50	- 00	

					Each	Per 10	Per 100
GREVILLEA robusta. SILK OAK.	7	+0	0	£ £			1 61 100
from 7 and 8 in. pots, from 7 in. pots, from 7 in. pots, from 7 in. pots, from 5 in. pots, in flats of 100, G. thelemanniana from 6 in. pots, from 4 in. pots,	$egin{smallmatrix} 7 & 5 & -4 & 2 & 12 & 2 & 1 & 1 & 1 & 1 & 1 & 1 & $	to to to to to to	8 5 3 15 3 1½	ft. ft. ft. ft. in. ft.	1 25 75 60 40 5 1 50 75	10 00 6 00 5 00 3 50 12 50 6 00	25 00 10 00 50 <b>0</b> 0
from 4 in. pots,	6	to		in.	60	5 00	40 00
HAKEA suaveolens (H. pectinata)	6 5 3	to to to	8 6 4	ft. ft. ft.	1 00 75	8 00	60 00
HETEROCENTRON mexicanum (Heeria rosea).	v	ιο	1	11.	60		
from 4 and 5 in. pots,from 4 in. pots,			$\frac{1}{6}\frac{1}{2}$	ft. in.	$\begin{array}{c}1&00\\75\end{array}$		
HYMENOSPORUM flavum	4	to to	5 3	ft.	1 25		
HYPERICUM moserianumballed,	2 1	-	$1\frac{1}{2}$	ft. ft.	75 60	5 00	40 00
from 5 in. pots,from 4 and 5 in. pots,	$\frac{1}{6}$	to to	$1\frac{1}{2}$	ft. in.	50 35	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	25 00
ILEX: Holly							
balled, l. aquifolium Golden Queen balled, l. aquifolium Golden Variegated balled, l. aquifolium pendula variegata balled, l. aquifolium Scotch Golden balled, l. aquifolium serratifolia aurea balled, l. aquifolium serratifolia aurea balled, l. aquifolium Silver-Margined 16x18 in. box, balled, l. aquifolium Silver-Margined 16x18 in. box, balled, l. aquifolium Silver-Margined 16x18 in. pots, from 8 in. pots, from 7 and 8 in. pots,	5378643212642654335112121543 3214	to t	$\frac{1}{8}$ $\frac{6}{4}$ $\frac{3}{2}$ $\frac{2}{3}$ $\frac{7}{5}$ $\frac{5}{4}$ $\frac{4}{6}$ $\frac{6}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{2}{6}$ $\frac{5}{4}$ $\frac{4}{3}$ $\frac{2}{2}$	ft. ftt. ftt. ftt. ftt. ftt. ftt. ftt.	5 50 3 50 5 50 5 50 3 50 2 50 1 50 1 00 1 50 2 50 3 50 2 50 3 50 2 50 3 50 2 50 3 50 4 150 5 00 6 00	40 00 30 00 20 00 17 50 12 50 8 00	250 00 175 00 159 00 100 00 60 00
	$\frac{5}{2}$	to to	$\frac{6}{3}$	ft. ft.	$\begin{array}{c} 75 \\ 40 \end{array}$	$\begin{array}{cc} 6 & 00 \\ 3 & 50 \end{array}$	
	3	to	4	ft.	<b>7</b> 5		
potted,   potted,   potted,   potted,   potted,   potted,   boxed,   balled,   balled,   balled,   balled,   from 5 in. pots,   from 5 in. pots,   from 5 in. pots,   from 4 in. pots,	3½ 2½ 8 6 5 3 2	to	8 6 5 4 3 10 8 6 4 3 2 2	ft. ft. ft. ft. ft. ft. ft. ft. ft.	20 00 12 50 2 00 1 50 1 25 3 50 2 50 2 00 75 50 30	15 00 12 50 10 00 30 00 20 00 17 50 6 00 4 00 2 50 4 00	175 00 150 00 20 00
from 2 in. pots,	1	to	1½	ft.	25	$\stackrel{\bullet}{2}$ 00	15 00
(\$50.00 per 1,000)in flats of 100,	2 3	to to	<b>3</b> 8	ft. in.	. 75	6 00	6 00
LEUCAENA glauca (Acacia leucocephala)	6	to		in.	50	4 00	

LIGUSTRUM: Privet	0	L - 01/	6.	Each	Per 10	Per 100
L. coriaceum		to 2½ to 6	ft. ft.	$\begin{array}{cc}2&00\\1&25\end{array}$	10 00	
	_	to 2½ to 2	ft. ft.	$\frac{40}{30}$	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$	20 00
in flats, L. lucidum tricolor. THREE-COLORED PRIVET.			ft.		- 00	10 00
L. lucidum variegatum. VARIEGATED PRIVET.	2	to 3	ft.	1 00		
		to 10	ft.	2 00	15 00	
L. ovalifolium. CALIFORNIA PRIVET.	_	to 8	ft.	1 50	12 50	
naked roots,naked roots,	3 1	to 6 to 4	ft. ft.	$\begin{array}{c} 50 \\ 40 \end{array}$	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$	39 00
	-	to 3 to 1½	ft. ft.	35	3 00	$\frac{20}{10} \frac{00}{00}$
(\$50.00 per 1,000)naked roots, L. sinense. CHINESE PRIVETballed,	_	to 12 2	in. ft.	75	6 00	6 00
balled,	11/2	to 2 to 1½	ft.	50 35	4 00 3 00	
L. spicatum macrophyllum18x18 in. box,18x18 in. box,	7 1	to 8	ft.	$\begin{array}{cccc} 4 & 00 \\ 3 & 00 \end{array}$	3 00	
boxed, balled,	6 1	0 7 10 3	ft.	3 00	0.00	
L. vulgare. EVERGREEN or ENGLISH PRIVETnaked roots.			ft.	75 7	6 00	
naked roots	3 1	to 6	ft. ft.	50 40	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	
naked roots, naked roots,		$0 \ 1\frac{1}{2}$		25	2 00	10 00
(\$50.00 per 1,000)naked roots, LYONOTHAMNUS floribundus asplenifolius. ISLAND 1		to 12	in.			6 00
from 4 in. pots,		to ,8	in.	60	5 00	
MAGNOLIA grandifloraballed,balled,		to 6	ft. ft.	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	95 00	
balled, balled,	3 t	o 4	ft.	2 00	$\begin{array}{ccc} 25 & 00 \\ 15 & 00 \\ \end{array}$	125 00
balled,	1½ t	0 3	ft. ft.	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{array}{c} 12 & 50 \\ 8 & 00 \end{array}$	$\begin{array}{c} 100 & 00 \\ 60 & 00 \end{array}$
M. grandiflora lanceolata (M. exoniensis)balled,	2 t	to 12 to 3	in. ft.	$\begin{array}{c} 50 \\ 1.75 \end{array}$	$\begin{array}{c} 4 & 00 \\ 15 & 00 \end{array}$	30 00
M. grandiflora gallssoniensisballed, balled,	$\frac{1\frac{1}{2}}{1\frac{1}{2}}$ t	0 2	ft. ft.	$egin{array}{ccc} {f 1} & {f 50} \ {f 1} & {f 50} \end{array}$		
MAHONIA aquifolium. OREGON GRAPEballed,	1 t 1½ t	$\begin{array}{ccc} 0 & 1\frac{1}{2} \\ 0 & 2 \end{array}$	ft. ft.	1 25	10 00	
balled,	1 t	0 1½ 0 18	ft.	1 00 75	8 00	
M. japonica (M. beali). JAPANESE MAHONIA. balled,			in.	1 50	d# 00	
balled,		0 4	ft. ft.	$\begin{array}{cc} 2 & 00 \\ 1 & 50 \end{array}$	15 00	
MAYTENUS boaria (M. chilensis). MAYTENfrom 6 in, pots.	4 t	.0 5	ft.	1 50		
	3 t	0 4	ft. ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
MELALEUCA armillaris 5 in. pots,		0 6	ft.	60	5 00	49 00
from 4 and 5 in. pots,from 4 and 5 in. pots,		o 4 .0 3	ft. ft.	$\frac{50}{40}$	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{c} 30 & 00 \\ 25 & 00 \end{array}$
M. decussata	-	$\begin{array}{ccc} 0 & 2 \\ 0 & 6 \end{array}$	ft. ft.	$\frac{30}{75}$	$\begin{array}{ccc} 2 & 50 \\ 6 & 00 \end{array}$	20 00
	3 t	0 4	ft. ft.	50 40	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$
M. hypericifolia	1 t	0 2	ft. ft.	$\frac{30}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
	2 t	0 3 0 12	ft.	40	3 00	$\begin{array}{cc} 30 & 00 \\ 25 & 00 \end{array}$
M. wilsonifrom 5 in. pots,	6 t	0 7	in. ft.	50 75	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \\ \end{array}$	00.00
from 5 in. pots, from 5 in. pots,	3 t	0 5 0 4	ft.	$\frac{50}{40}$	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{c} 30 & 00 \\ 25 & 00 \end{array}$
MICHELIA fuscata (Magnolia fuscata). BANANA SHR		0 3	ft.	35	3 00	
from 8 in. pots, from 5 in. pots,	1½ t 1½ t		ft. ft.	$\begin{array}{cc}2&00\\1&50\end{array}$	12 50	
MYOPORUM laetumfrom 7 in. pots,	6 t	0 7	ft.	1 00	8 00	
from 6 and 7 in. pots,from 6 and 7 in. pots,	$\begin{array}{cc} 4 & t \\ 2 & t \end{array}$	0 6 0 3	ft. ft.	75 50	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cc} 50 & 00 \\ 30 & 00 \end{array}$
MYRTUS: Myrtle M. communis. COMMON MYRTLEballed,	1 t	0 1½	ft.	75	6 00	50 00
from 5 in. pots, from 4 in. pots,	1 to	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		60 35	5 00 3 00	
M. communis flore pleno. DOUBLE-FLOWERING balled,	MYRT	LE.			5 VV	25 00
from 4 in, pots,	1 to			$\begin{array}{c} 1 \ \ 00 \\ 75 \end{array}$		
	1½ to		ft.	1 25	0.00	
balled, from 4 in. pots,	1 to		ft.	$\begin{array}{c} 1 & 00 \\ 50 \end{array}$	$\begin{array}{c} 8 & 00 \\ 4 & 00 \end{array}$	30 00

							Ea	ch	Per	10	Per :	100
M. communis variegata.	b	alled, 1	L ½		2	ft.	1	25	10	00	_ ** .	
M. luma (Eugenia apicula	ita). LUMAb	alled,	1 6	to to	$\frac{1\frac{1}{2}}{12}$	ft. in.		$\frac{00}{40}$		00 00	25	00
NANDINA domestica	b	alled, 4	3	to to	$\frac{4}{5}$	ft.	2	$\begin{array}{c} 00 \\ 00 \end{array}$				
		alled, 2	3	to	3	ft. ft.	1	$\frac{50}{00}$	12 8	00		00
			1 8	to	$\frac{1\frac{1}{2}}{12}$	ft. in.		$\frac{60}{50}$		$\frac{00}{00}$		$\frac{00}{00}$
NERIUM oleander		alled, 3	4 3	to to	$\frac{6}{4}$	ft. ft.		00 50	$\frac{17}{12}$		$\frac{150}{100}$	
Double Pink	Henry Mares	alled,	2		3 Iad.	ft. Salu		00	8	00	60	00
Single White Claude Blanc De Brun Dr. Golfin	Lilacinum Mad. Chas. Balt Mad. Dubois Mad. Peyre	tet		1	Nota:	nna ire C Mar	ava		lorun e	1		
N. oleander Prof. Durand	l. (yellow)		4	4	11/	£±						
N. oleander Varlegated .		oots,	$11\frac{1}{2}$	to to	$\frac{1}{2}\frac{1}{2}$	ft.		75				
OSMANTHUS aquifolium		oalled, :	$\frac{3}{2}$	to to	4 3	ft. ft.	2	$\frac{50}{00}$				
O. aquifolium ilicifolius.		oalled,	5	to	6	ft.		00				
O fragrans (Olas fragrans		oalled,	$\frac{3}{2}$	to	4 3	ft. ft.		$\frac{00}{50}$				
O. fragrans (Olea fragram White Flowering Yellow Flowering		oalled, oalled, oalled,	1½ 6 5	to	2 7 6 5	ft. ft. ft. ft.	3	$50 \\ 00 \\ 50 \\ 25$				
PAVONIA hastata	from 5 in. 1	pots,	4 5	to	6	ft.	-	75	6	00		
PERSEA Indica			$3$ $2\frac{1}{2}$	to to	4 3	ft. ft.	1	50 00	8	00		
PHILLYREA latifolia	from 5 in. p	pots,	$\frac{2}{1}$	to to	21/2 2	ft. ft.		75 35		00	25	00
PHOTINIA arbutifolia (Hete CHRISTMAS BERRY; T	romeles arbutifolia). OYON.		2½		3	ft.	1	00		00	20	00
P. serrulata		pots, pots, pots, pots, palled,	2 1 ½ 1 ½ 1 6 5 4	to	$\frac{2\frac{1}{2}}{2}$ $\frac{1\frac{1}{2}}{2}$	ft. ft.	1	75 60 50 40 50 25	$\begin{array}{c} 6 \\ 5 \\ 4 \end{array}$	00 00 00 00 00 50		00
		oalled,	3	to	4	ft.	1	00	8	00		
PIMELEA ferruginea (P. de	$\dots \dots $ from $5$ in. $1$	pots, pots,	$^2_{1\frac{1}{2}}_{16}$	to to to	2½ 1½ 1½	ft.	1	50 25 00 75				
PISTACIA lentiscus. MASTI		nots.	4	to	5	ft.		<b>7</b> 5	6	00		
	from 5 in.	pots,	3 2	to to	3	ft. ft.		50 40	4	00		
PITTOSPORUM crassifolium		balled,	$\frac{2}{1}\frac{1}{2}$		5 21	ft. ft.		60 50	4	00	30	00
P. eugenioides. (standar (bushy)	rds)20x20 in. ]	box, balled, balled, balled,	8 9 2 1½ 1	to to to to	10 3 2 11/2	in. ft. ft. ft. ft.	5	$     \begin{array}{r}       40 \\       00 \\       75 \\       60 \\       50     \end{array} $	6 5	00 00 00 00	50 40	00
P. heterophyllum		pots, pots, pots,	1½ 3 2 1	to to to	2 4 3 2	ft. ft. ft. ft.	1	$\frac{00}{75} \\ 50$			10	00
P. phillyraeoides. NARF	${ m COW\text{-}LEAVED\ PITT} \ { m from\ 5} { m in.} \ { m in.$	OSPOR pots,	∪M 4	to	5	ft.		25	10	00		
P. tenuifolium (P. nigri	cans)16x18 in. ]	box. boxed, 1	2 6 0 8	to to to		ft. ft. ft. ft.	3	00 50 00 50			•	
P. tobira. JAPANESE I		balled,	1½ 1		$\frac{1}{2}$ $\frac{1}{2}$	ft.	3	60 50		<b>00</b> 00	30	00
P. LODIIA. JAFANESE I	12x14 1n,	boxed, balled,	2½ 3 2 1	to to to to	$\frac{3}{4}$ $\frac{3}{3}$ $\frac{1\frac{1}{2}}{2}$	ft. ft. ft. ft.	1	$00 \\ 00 \\ 50 \\ 00$				
	READ INSIDE F		СО	VE	R.							

PITTOSPORUM, Cont'd.	Tile - le	<b>33 3</b> 0	70 . 100
P. tobira variegatum	Each 3 00	Per 10	Per 100
balled, 2 to 3 ft.	$\begin{array}{c}2&50\\2&00\end{array}$	15 00	
balled, 1½ to 2 ftballed, 1 to 1½ ft.	$\begin{array}{cc}1&50\\1&25\end{array}$	$\begin{array}{cc} 12 & 50 \\ 10 & 00 \end{array}$	
P. undulatum. VICTORIAN BOX.  from 4 in. pots, 6 to 12 in.	50	4 00	30 00
POLYGALA brachypodafrom 5 in. pots, 5 to 6 ft.	50	4 00	30 00
P. dalmaisianaballed, 3 to 4 ftballed, 1 to 1½ ft.	$\begin{array}{cc} 2 & 00 \\ & 60 \end{array}$	5 00	40 00
	$\frac{50}{40}$	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{c} 30 & 00 \\ 25 & 00 \end{array}$
P. virgata speciosafrom 5 in. pots, 5 to 6 ft.	60	5 00	
PRUNUS ilicifolia. CALIFORNIA EVERGREEN CHERRYfrom 6 in. pots, 2 to 2½ ft.	75	6 00	50 00
from 5 and 6 in. pots, 1½ to 2 ftfrom 4 in. pots, 1 to 1½ ft.	60 50	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 40 & 00 \\ 35 & 00 \end{array}$
P. ilicifolia integrifolia. CATALINA CHERRY. 6 to 12 in.	35	3 00	25 00
from 6 in. pots, 3 to 4 ft.	1 00	c 00	-0.00
	75 35	$\begin{array}{c} 6 & 00 \\ 3 & 00 \end{array}$	20 00
P. laurocerasus. ENGLISH LAURELballed, 5 to 6 ftballed, 4 to 5 ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{c} 25 & 00 \\ 15 & 00 \end{array}$	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 1 \ 50 \\ 1 \ 00 \end{array}$	$\begin{array}{c} 12 \ 50 \\ 8 \ 00 \end{array}$	60 00
P. laurocerasus camelliaefolia. CAMELLIA-LEAVED LAUREL.	75	6 00	50 00
boxed, 6 to 8 ft. balled, 5 to 6 ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{cc} 25 & 00 \\ 15 & 00 \end{array}$	
P. laurocerasus latifolia. LARGE-LEAVED LAUREL.		15 00	
	$\begin{array}{cc} 8 & 00 \\ 5 & 00 \end{array}$		
	$\begin{array}{cccc} 4 & 00 \\ 4 & 00 \end{array}$	35 00	300 00
balled, 5 to 6 ft. balled, 4 to 5 ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	$\begin{array}{ccc} 200 & 00 \\ 150 & 00 \end{array}$
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 15 & 00 \\ 12 & 50 \end{array}$	100 00
balled, 1 to 2 ft.	1 00	7 50	60 00
balled, 5 to 6 ft.	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 35 & 00 \\ 25 & 00 \end{array}$	
P. lusitanica. PORTUGAL LAUREL.	1 50	12 50	
$16 \times 18$ in. box, 4 to 5 ft. $14 \times 16$ in. box, 3 to 4 ft.	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
balled, 5 to 6 ft. balled, 4 to 5 ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	$\begin{array}{ccc} 200 & 00 \\ 150 & 00 \end{array}$
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50 8 00	100 00 60 00
balled, 1½ to 2 ft.	75	6 00	00 00
PSIDIUM: Guava P. cattleianum. STRAWBERRY GUAVA.			
	$\frac{1}{75}$	8 00 6 00	
P. friedrichsthallanum. (new)from 6 in. pots, 6 to 12 in.	$\begin{smallmatrix} 50\\50\\2&00\end{smallmatrix}$	4 00	30 00
$1 \cdot 1 \cdot$	1 50		
PYRACANTHA (Crataegus): Evergreen Hawthorn	1 25		
P. coccinea. BURNING BUSHboxed, 6 to 7 ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	25 00	
balled, 4 to 5 ft.	2 00	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \\ \end{array}$	# 00 00
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{array}{c} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{array}{c} 12 & 50 \\ 8 & 00 \end{array}$	$\begin{array}{c} 100 & 00 \\ 60 & 00 \end{array}$
$\cdots$ from 5 in. pots, 3 to 4 ft. $\cdots$ from 5 in. pots, $1\frac{1}{2}$ to 2 ft.	$\begin{array}{c} 60 \\ 40 \end{array}$	$\begin{array}{cc} 5 & 00 \\ 3 & 50 \end{array}$	40 00
P. coccinea lalandiboxed, 6 to 7 ft. balled, 4 to 5 ft.	$\begin{smallmatrix}3&50\\2&50\end{smallmatrix}$		
balled, 3 to 4 ft. balled, 2 to 3 ft.	$\begin{smallmatrix}2&00\\1&50\end{smallmatrix}$	12 50	
from 5 in. pots, 3 to 4 ft.	1 00	15 00	
P. crenulata. CHINESE EVERGREEN HAWTHORN.	50		
14x16 and $16x16$ in, box, $x = 5$ to $x = 6$ ft. $x = 6$ to $x = 6$ ft. $x = 6$ to $x = 6$ ft.	$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
boxed, 6 to 7 ft. boxed, 5 to 6 ft.	$\begin{array}{cc} 3 & 50 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$	
	2 00 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	150 00
	75 75	6 00 6 00	50 00 50 <b>0</b> 0
from 6 in. pots, 3 to 4 ft.	60	5 00	40 00
	$\begin{array}{c} 50 \\ 40 \end{array}$	4 00 3 00	30 <b>00</b> 25 00

QUERCUS: Oak Q. acuta	. balled.	1½	to	2	ft.	$_{1}^{\mathrm{Ea}}$	$^{ m ch}_{ m 00}$	Per	10	Per 1	100	
from 5 in	pots,	11/2			ft. in.		75 50	6 4				
Q. agrifolia. CALIFORNIA LIVE OAK.						1	25	10		75	00	
	pots,	5 4	to to		ft.		00	8	00			
Q. cuspidatafrom 5 in.	pots,	$\frac{3}{1\frac{1}{2}}$	to to	$\frac{4}{2}$	ft. ft.	1	$75 \\ 50$	6	00	50	00	
O glauca	.balled.	3 2	to to	$\frac{4}{3}$	ft. ft.		$\frac{00}{50}$	12	50			
g. giatea	, рацец,	$1\frac{1}{2}$	to	2	ft.	1	25					
Q. "Holly-Leaved"	pots, pots,	6 4	to to	$\frac{7}{5}$	ft.		$\frac{50}{00}$	12 8	00	-		
	pots,	3 2	to to	4 3	ft. ft.		$\frac{75}{60}$		00 00	50	00	
·	pots,	1½ 2	to to	$\frac{2}{3}$	ft. ft.		$\frac{50}{75}$		00		00	
Q. suber. CORK OAK	pots,	ĩ	to	2	ft.		50		00	= = =	00	
RAPHIOLEPIS japonica (R. ovata)from 6 in.	.balled.	8	to to	$\frac{12}{3}$	in. ft.	1	$\frac{50}{00}$		00 00	35	00	
from 6 in.	pots,		to	$\frac{3}{2}$	ft.	-	<b>7</b> 5	_	00			
RHAMNUS purshiana californica. CASCARA; CALIFORNIA WILD COFFEE.												
from 6 in.	pots,	3	to to	4 3	ft. ft.	1	$\begin{array}{c} 00 \\ 75 \end{array}$		00 00		00 00	
from 5 and 6 in. from 5 and 6 in. from 5 and 6 in.	pots,	$1\frac{1}{2}$	to	2	ft.		50		00	90	00	
	pots, pots,	$\frac{1}{6}$	to	$12^{1\frac{1}{2}}$	in.		$\begin{array}{c} 75 \\ 50 \end{array}$	4	00	•		
RHODODENDRON	pots,	$\frac{3}{2}$	to to	$\frac{3\frac{1}{2}}{2\frac{1}{2}}$			$\begin{array}{c} 50 \\ 50 \end{array}$					
	pots,	4	to	472	It.	44	90					
from 6 in. from 5 and 6 in.	pots,	1	to	3½ 2	ft.		$75 \\ 50$	4	00	30	00	
PUSCUS acujeatus. BUTCHER'S BROOM	.balled.	2	to	3	ft.		<b>7</b> 5				-	
	.balled,	$1\frac{1}{2}$	to	2	ft.		50	4	00			
SCHINUS: Pepper Tree S. moile. CALIFORNIA PEPPER TREE.	_	_										
	pots,	$\frac{7}{6}$	to to	8 7	ft. ft.	1	$\begin{array}{c} 25 \\ 75 \end{array}$	10 6	00 00	50	00	
from 6 in. from 6 in.	pots,	$\frac{5}{4}$	to to	$\frac{6}{5}$	ft. ft.		$\frac{60}{50}$		00 00		00	
in flats of	80,	11/2		$\frac{3}{2}$	ft.		00	1	00		00	
S. terebinthifollus. BRAZILIAN PEPPER from 8 and 9 in.	pots.	7	to	8	ft.		75					
irom 6 in.	pots,	6 na)	to	7 new)	ft.		60					
SOPHORA tetraptera microphylla (Edwardsia r	pots,	2	to	3	ft.	1	00					
SPARTIUM junceum. SPANISH BROOM.	pots,	1	to	2	ft.		75					
from 6 in.	pots,	6 5	to to	$\frac{7}{6}$	ft. ft.	1	$\frac{00}{75}$		$\frac{50}{00}$			
from 6 in	pots,	4	to	5	ft.		60	5	00		00	
from 5 inin flats of	pots, 100,	$\frac{3}{1\frac{1}{2}}$	to to	4 2	ft. ft.		50	4	00		00 00	
STATICE arborescensfrom 4 in.	pots,			1	ft.		<b>75</b>					
STERCULIA (Brachychiton). S. acerifolia. FLAME TREE.												
from 6 and 7 in.	pots,	$\frac{3}{1}$	to to	$\frac{4}{2}$	ft. ft.	1	$\frac{25}{75}$					
S diversifolia, BOTTLE TREE.		_		_		4						
defoliated, naked defoliated, naked defoliated, naked	roots,	$\frac{4}{2}$	to to	5 3	ft. ft.	1	$\frac{50}{75}$	_				
from 4 in	. pots,	6	to	10	in.		30	2	50	20	00	
SUTHERLANDIA frutescens. BLADDER SEN	pots,	1	to	$1\frac{1}{2}$	ft.		75					
SYZYGIUM operculatum. (new)from 6 in.	. pots,	2	to	21/2			50	10	00			
.TEMPLETONIA retusa	pots,	$^3_{1\frac{1}{2}}$	to	$\frac{4}{2}$	ft. ft.	1	$\frac{25}{75}$	10	00			
	pots,	1 8	to to	$\frac{11_{2}}{12}$	ft. in.		$\frac{60}{50}$	4	00			
TRISTANIA conferta. BRISBANE BOX.		0					<b>~</b> 0	10	<b>~</b> ^			
		or F		. 4	ft.	Ţ	50	12	90			
from 6 in.	pots,	OI E		1	ft.		75		00			
VERONICA decussata	.balled,	6 6	to to	$\frac{12}{12}$	in. in.	1	$\frac{50}{00}$		00 00	35	00	
V. elliptica	balled,	6	to	3	ft.	_	$75 \\ 50$	6	00 00			
V. speciosa andersoni	.balled.	3	to	4	ft.	1	0 <b>0</b>	8	00	60	00	
	balled,	6	to	12	in.		50	4	00			

VERGILIA						
VERONICA, Cont'd.				Each	Per 10	Per 100
V. speciosa imperialis. IMPERIAL VERONICA.						
balled,	3	to 4	ft.	1 00	7 50	$50 \ 00$
balled,	2	to 3	ft.	75	6 00	
balled,	$1\frac{1}{2}$		ft.	60	5 00	$40 \ 00$
balled,	6	to 12	in.	50	4 00	30 - 00
V. speciosa variegataballed,	6	to 12	in.	60	$5 \ 00$	40 00
V. traversiballed,	6	to 12	in.	60	5 00	40 00
VIBURNUM odoratissimumboxed,	5	to 6	ft.	3 50		
from 4 in, pots,	6	to 8	in.	60	5 00	
V. sandankwa (V. ellipticum)12x14 in. box,	3	to 4	ft.	2 00		
boxed,	5	to 6	ft.	3 00		
balled,	3	to 4	ft.	1 50	12 50	
V. tinus. LAURUSTINUSballed,	6	to 8	ft.	2 50	20 00	175 00
balled,	4	to 6	ft.	2 00	15 00	
balled,	3	to 4	ft.	1 00	7 50	<b>50</b> 00
balled,	2	to 3	ft.	<b>7</b> 5	6 00	40 00
balled,	$1\frac{1}{2}$	to 2	ft.	60	5 00	$35 \ 00$
V. tinus lucidum (Laurustinus grandiflora)boxed,	8	to 10	ft.	3 00	27 - 50	
boxed,	7	to 8	ft.	$2 \ 50$	$22 \ 50$	
balled,	4	to 5	ft.	$2 \ 00$	15 00	
balled,	3	to 4	ft.	1 50	12 50	
V. tinus strictum (Laurustinus rotundifolia).						
balled,	6	to 8	ft.	2 00	17 50	$150 \ 00$
balled,	4	to $5$	ft.	1 50	12 50	100 00
balled,	3	to 4	ft.	$1 \ 25$	$10 \ 00$	75 - 00
V. tinus variegatumballed,	3	to 4	ft.	$1 \ 25$		
ballcd,	2	to 3	ft.	1 00	8 00	
VITEX agnus-castus. CHASTE TREE.						
from 5 in. pots,	4	to 5	ft.	1 00		
from 5 in. pots,	3	to 4	ft.	75		
WIGANDIA macrophylla. LARGE-LEAVED WIGAND	ΤΔ	(new)				
from 4 in. pots,	6	to 10	in.	50	4 00	
pots,	0	10 10	111.	50	4 00	

# DECIDUOUS ORNAMENTAL TREES

Please note that all trees in this class over 12 to 14 feet tall are graded and quoted according to their diameter measured at 4 feet above the ground. As a rule, such trees have been headed back to 9 feet and have good heads. With proper handling and after-care there should be little or no loss in using these large trees.

	Diameter in inches Heigh	nt in feet	Each	Don 10	T) and 100
ACER	: Maple	it in reet	Each	Per 10	Per 100
	·				
Α.	campestre. ENGLISH CORK-BARKED MAPLE.				
	3 to 4		2 50	20 00	
	2½ to 3		2 00	15 00	
	2 to 2½	4 - 44	1 50	12 50	20.00
		to 14	1 00	8 00	60 00
	10	to 12	<b>7</b> 5	6 00	50 00
Α.	macrophyllum. OREGON or LARGE-LEAVED MAJ	PLE.			
	3 to 4		2 50	$20 \ 00$	
	2½ to 3		2 00	15 00	
	8	to 10	1 00		
	6	to 8	75		
A.	negundo californicum. CALIFORNIA BOX ELDER.				
	4 to 6		3 00	25 00	
	3 to 4		2 50	20 00	
			2 00	$\overline{15}$ $\overline{00}$	
	12	to 14	1 25		
	10	to 12	1 00		
	8	to 10	75		
Α.	platanoides. NORWAY MAPLE., 3 to 4		2 50	20 00	
	2½ to 3		$\frac{2}{2} \frac{30}{00}$	$\frac{20}{15} \frac{00}{00}$	
	2 to 2½		$\frac{1}{1} \frac{50}{50}$	$\begin{array}{c} 13 & 00 \\ 12 & 50 \end{array}$	
		to 14	1 25	$\frac{12}{10} \frac{30}{00}$	80 00
		to 12	1 00	8 00	60 00
		to 10	75	6 00	50 00
Δ	platanoides schwedleri. SCHWEDLER'S PURPLE-I			0 00	00 00
۸.	platanoides serwedier: SCHWEDLER S FORFLE-1	to 12	MAPLE.	10 50	100 00
	8	to 10	$\begin{array}{c} 1 & 50 \\ 1 & 25 \end{array}$	12 50	100 00
	6	to 8	1 00	$\begin{array}{ccc} 10 & 00 \\ 8 & 00 \end{array}$	80 00
Α.		10 0	1 00	8 00	
А.	pseudo-platanus. SYCAMORE MAPLE.				
	3 to 4		2 50	20 00	
	2½ to 3		2 00	15 00	
	2 to 2½	40.14	1 50	12 50	00.00
	12	to 14	. 1 25	10 00	80 00
		to 12	1 00	8 00	

Diameter in				
	t in feet to 14 to 12 to 8	Each 2 50 2 00 1 50	Per 10	Per 100
A. saccharinum (A. dasycarpum). SILVER MAPLE; So	to 6	1 25	10 00	75 00
	to 14 to 12 to 10 to 8 to 14 to 12 to 10	3 00 2 50 2 00 1 50 1 00 75 60 50 1 25 1 00 75	27 50 20 00 15 00 12 50 7 50 6 00 5 00 4 00 10 00 8 00 6 00	50 00 40 00 35 00 25 00 80 00 60 00 50 00
AESCULUS californica. CALIFORNIA BUCKEYE.	to 8	60	5 00	40 00
Ae. carnea. RED-FLOWERING HORSE CHESTNUT.	to 14 to 10 to 8	2 50 2 00 1 50 1 00 75	15 00	
4 to 6	to S to 6	7 50 1 25 1 00	10 00 8 00	60.00
Ae. hippocastanum. EUROPEAN HORSE CHESTNUT.  4 to 6	to 14 to 10 to 8	4 00 3 00 2 50 2 00 1 75 1 25 1 00	35 00 25 00 20 00 17 50 10 00 8 00	60 00
4	to 6	<b>7</b> 5	6 00	50 00
ALBIZZIA julibrissin (Acacia julibrissin). CONSTANTINO	PLE ACACI to 14 to 12 to 10	A. 1 50 1 25 1 00	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$	
BETULA: Birch B. alba. EUROPEAN WHITE BIRCH.	to 14	5 00 4 00 3 00 2 50 2 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
B. alba fastigiata. UPRIGHT BIRCH.	to 12 to 10 to 8 to 6	1 75 1 25 1 00 75	$\begin{array}{c} 15 & 00 \\ 10 & 00 \\ 8 & 00 \\ 6 & 00 \end{array}$	80 00 60 00 50 00
B. lenta. SWEET or CHERRY BIRCH.		6 00 2 50	20 00	
B. papyrifera. CANOE BIRCH; PAPER BIRCH. 4 B. populifolia. AMERICAN WHITE BIRCH. 3	to 14 to 12 to 6 to 4	2 00 1 50 1 25 75 75	17 50 6 00 6 00	
CARPINUS: Hornbeam C. betulus. EUROPEAN HORNBEAM.				
	to 14 to 12 to 14 to 12 to 10	3 00 2 50 2 00 1 25 1 00 1 50 1 25 1 00	27 50 20 00 15 00 10 00 8 00 12 50 10 00	
C. sativa. ITALIAN or SPANISH CHESTNUT.		0 80	00.00	
$\begin{array}{c} 3 & \text{to 4} \\ 2\frac{1}{2} & \text{to 3} \\ 2 & \text{to } 2\frac{1}{2} \\ \end{array}$	to 14 to 12 to 10	2 50 2 00 1 50 1 25 1 00 75	$egin{array}{cccc} 20 & 00 \\ 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ 7 & 50 \\ 6 & 00 \\ \end{array}$	100 00 80 00 60 00 50 00

CASTANEA: Chestnut, Cont'd. Diameter in	
inches Height in fee C. sativa variegata. VARIEGATED CHESTNUT10 to 12	Each Per 10 Per 100
6 to 8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CATALPA bignonloides	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2½ to 3 2 to 2½	1 50 12 50
	$egin{array}{cccccccccccccccccccccccccccccccccccc$
C. speciosa	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2½ to 3 2 to 2½	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
to 14	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	75 6 00 50 00
CEDRELA sinensis	4 00 3 00
CELTIS australis 3 to 4	2 50 20 00
2½ to 3 	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
C. occidentalis. AMERICAN NETTLE TREE or HACKBERE	2 50 20 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CERCIS: Judas Tree	1 00 3 00
C. slilquastrum. EUROPEAN JUDAS TREE.	5 00
	$egin{array}{cccccccccccccccccccccccccccccccccccc$
6 to 8	1 25 10 00
CLADRASTIS tinctoria (Virglia lutea). YELLOW WOOD.	2 50
CRATAEGUS: Thorn; Hawthorn	1 50
C. cordata. WASHINGTON THORN 2 to 2½	2 50 20 00
	$egin{array}{ccccc} 2 & 00 & & 17 & 50 \\ 1 & 50 & & 12 & 50 \\ \end{array}$
8 to 10	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
C. crus-galli. COCKSPUR 2½ to 3 2 to 2½	3 00 2 00
	$egin{array}{cccccccccccccccccccccccccccccccccccc$
C. monogyna paull. PAUL'S DOUBLE SCARLET THORN.	2 20 20 00
3 to 4	$\frac{1}{2}$ $\frac{1}{00}$ $\frac{1}{15}$ $\frac{1}{00}$ $\frac{1}{25}$ $\frac{1}{00}$
2 to 2½	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$egin{array}{cccccccccccccccccccccccccccccccccccc$
C. monogyna stricta. PYRAMIDAL THORN12 to 14	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
C. nlgra 2 to 2½	$egin{array}{cccccccccccccccccccccccccccccccccccc$
10 to 12	$egin{array}{cccccccccccccccccccccccccccccccccccc$
C. oxyacantha. ENGLISH HAWTHORN10 to 12	1 25 10 00
8 to 10 to 8	$\begin{array}{cccc} 1 & 00 & & 8 & 00 \\ 75 & & 6 & 00 \end{array}$
C. oxyacantha flore pleno. DOUBLE WHITE HAWTHORN.	1 50 12 50
C. rubra splendens 3 to 4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2½ to 3 2 to 2½	$egin{array}{cccccccccccccccccccccccccccccccccccc$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
10 to 12	1 75 15 00
	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$
DIOSPYROS: Persimmon D. lotus	1 25 10 00
10 to 12	1 00 8 00
FAGUS: Beech	75 6 00 50 00
F. sylvatica. EUROPEAN BEECH 3 to 4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	1 00 8 00
	<b>75 6 0</b> 0

F. sylvatica heterophylla. CUT-LEAVED BEECH10	ht in feet to 12 to 10	Each 2 00 1 75	Per 10	Per 100
F. sylvatica purpurea. PURPLE-LEAVED BEECH; Co				
	to 8 to 6	$\begin{array}{cc} 2 & 00 \\ 1 & 50 \end{array}$		
FRAXINUS: Ash F. americana. AMERICAN WHITE ASH.				
$egin{array}{cccccccccccccccccccccccccccccccccccc$	to 14	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 <b>00</b> 15 <b>0</b> 0 12 50 10 <b>00</b>	100 00 80 00
	to 12 to 10	1 <b>0</b> 0 75	8 00 6 0 <b>0</b>	
F. excelsior. EUROPEAN ASH 2½ to 3 2 to 2½	to 14	$egin{array}{ccc} 2 & 00 \ 1 & 50 \ 1 & 25 \end{array}$	$15 00 \\ 12 50 \\ 10 00$	125 00 100 00
	to 12 to 10	1 00 75	8 00	80 <b>00</b> 60 <b>0</b> 0
GINKGO biloba. MAIDEN HAIR TREE. 4	to 6	1 00 75	6 00 8 00 6 00	
GLEDITSCHIA: Honey Locust G. japonica. JAPANESE HONEY LOCUST	10 1		0 00	
2 to 21/6	1. 4.	2 50 1 50		
G. triacanthos. COMMON HONEY LOCUST12	to 14 to 14	$\begin{array}{ccc} 1 & 25 \\ 1 & 25 \end{array}$	10 00	
	to 12 to 10	$\begin{array}{cc} 1 & 00 \\ & 75 \end{array}$	8 00 6 00	
G. triacanthos inermis. THORNLESS HONEY LOCUS	to 8 T.	60	5 00	
····· 2½ to 3		$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	20 <b>00</b> 15 <b>00</b>	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to 14 to 12	$\begin{array}{cc} 1 & 25 \\ 1 & 00 \end{array}$	10 00	
GYMNOCLADUS canadensis. KENTUCKY COFFEE TREI	E. to 14	1 50		
$egin{array}{cccccccccccccccccccccccccccccccccccc$	to 12 to 10	1 25 1 00	8 00	
HICORIA minima (Carya amara). SWAMP HICKORY.			0 00	
	to 14 to 12 to 10 to 8	1 50 1 25 1 00 75	10 00	
JUGLANS: Walnut J. californica. CALIFORNIA BLACK WALNUT.	-	••		
	to 14 to 12	2 50 2 00 1 50 1 25 1 00	20 00 15 00 12 50 10 00 8 00	125 00 100 00 80 00 60 00
	to 10 to 8	75 60	6 00 5 <b>00</b>	50 00 40 00
J. nigra. AMERICAN BLACK WALNUT.		3 00	27 50	
	to 14	$\begin{array}{cc}2&50\\1&25\end{array}$	$\begin{array}{ccc} 20 & 00 \\ 10 & 00 \end{array}$	80 00
	to 12 to 10	1 00 75	8 00 6 0 <b>0</b>	60 00 50 00
J. regia laciniata. CUT-LEAVED ENGLISH WALNUT.	to 8	60	5 00	40 00
	to 10 to 8	$\begin{array}{cc} 1 & 25 \\ & 75 \end{array}$	$\begin{smallmatrix} 10 & 00 \\ 6 & 00 \end{smallmatrix}$	50 <b>00</b>
ABURNUM vulgare. GOLDEN CHAIN. 4 to 6	to 6	60 3 <b>0</b> 0	5 00 27 50	40 00
		2 50 2 <b>0</b> 0	20 00 15 00	195 00
	to 12 to 10	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00	125 00
	to 8 to 4	1 00		
L. vulgare aureum. GOLDEN-LEAVED LABURNUM.	to 8	50 1 25		
4 ARIX: Larch	to 6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
L. decidua. EUROPEAN LARCH 3 to 4		2 50		
from 6 in. pots, 2  Lentdenis IAPANESE LAPCH	to 2½ to 2	75 50	4 00	
L. leptolepis. JAPANESE LARCH	to 3	75	6 00	
from 5 in. pots, 1½	to 2	60	5 00	

Diameter in				
inches Height He	to 14 to 12 to 10 to 8 to 6 to 4 to 3	Each 2 00 1 75 1 50 1 25 1 00 75	Per 10 17 50 15 00 12 50 10 00 8 00 6 00 5 00	Per 100
LIRIODENDRON tullpifera. TULIP TREE.	to 0	5 00	$\begin{array}{cc} 40 & 00 \\ 10 & 00 \end{array}$	75 00
	to 8 to 6 to 4	$egin{array}{ccc} 1 & 25 \\ 1 & 00 \\ 75 \end{array}$	8 00 6 00	75 00 60 00
MAGNOLIA acuminata. CUCUMBER TREE	to 2½	50		
M. hypoleuca	to 10 to 8 to 6 to 4	$egin{array}{ccc} 2 & 50 \\ 2 & 00 \\ 1 & 50 \\ 1 & 25 \\ \end{array}$		
	TREE.	2 00	15 00	
	to 9 to 8 to 7 to 6 to 5	1 75 1 50 1 25 75 60	$\begin{array}{cccc} 15 & 00 \\ 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ 6 & 00 \\ 5 & 00 \\ \end{array}$	
MORUS: Mulberry M. alba. WHITE MULBERRY6	to 8	75		
M. "Lick's American" 3 to 4 2 4 10 2 1/2 10 10 M. "New American" 3 to 4	to 6 to 14 to 12	$\begin{array}{c} 60 \\ 2 50 \\ 1 50 \\ 1 00 \\ 75 \\ 2 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 12 & 50 \\ 8 & 00 \\ 6 & 00 \\ 20 & 00 \end{array}$	50 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to 14	$\begin{array}{cc} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{array}{cc} 12 & 50 \\ 8 & 00 \end{array}$	60 00
OSTRYA virginica. HOP HORNBEAM; IRONWOOD10	to 12 to 12 to 10	$75 \\ 1 25 \\ 1 00$	6 00	50 00
PAULOWNIA imperialis. EMPRESS TREE	to 10 to 8 to 6	$\begin{array}{cccc} 2 & 00 \\ 1 & 50 \\ 1 & 25 \end{array}$		
PHELLODENDRON amurense. CHINESE CORK TREE.			10.00	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	to 14 to 12 to 10 to 8	$egin{array}{ccc} 1 & 25 \\ 1 & 00 \\ & 75 \\ & 60 \\ \end{array}$	$     \begin{array}{ccc}       10 & 00 \\       8 & 00 \\       6 & 00 \\       5 & 00     \end{array} $	$\begin{array}{ccc} 50 & 00 \\ 40 & 00 \end{array}$
PISTACIA: Pistachio				10 00
P. atlantica	to 4	50 1 00	4 00 8 00	
P. mutica	to 3	50	8 00	
PLATANUS: Sycamore; Plane Tree P. occidentalls. AMERICAN PLANE; BUTTONWOOD.				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to 14 to 12	$egin{array}{cccc} 3 & 00 \\ 2 & 50 \\ 2 & 00 \\ 1 & 50 \\ 1 & 25 \\ 1 & 00 \\ \end{array}$	$egin{array}{cccc} 27 & 50 \\ 20 & 00 \\ 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ 8 & 00 \\ \end{array}$	80 00 60 00
P. orlentalis. EUROPEAN SYCAMORE; ORIENTAL PI	to 10 LANE.	75	6 00	50 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to 14	$egin{array}{cccc} 4 & 00 \\ 3 & 00 \\ 2 & 50 \\ 2 & 00 \\ 1 & 25 \\ \end{array}$	$\begin{array}{cccc} 35 & 00 \\ 27 & 50 \\ 22 & 50 \\ 17 & 50 \\ 10 & 00 \end{array}$	. 80 00
(\$600.00 per 1,000)	to 12 to 10 to 8 to 4	$\begin{array}{cc} 1 & 00 \\ & 85 \\ & 75 \\ & 75 \end{array}$	8 00 7 00 6 00	70 00 60 00 50 00
POPULUS: Poplar P. alba bolleana. BOLLES' SILVER POPLAR.		F ^^	40.00	
	to 14	$\begin{array}{ccc} 5 & 00 \\ 3 & 50 \\ 1 & 50 \\ 1 & 25 \end{array}$	40 00 12 50	
10 8 8 6	to 12 to 10 to 8	$egin{smallmatrix} 1 & 25 \\ 1 & 00 \\ & 75 \end{smallmatrix}$	$     \begin{array}{ccc}       10 & 00 \\       8 & 00 \\       6 & 00     \end{array} $	
P. alba nivea. SILVER or WHITE POPLAR.		$\begin{array}{cc} 2 & 50 \\ 1 & 50 \end{array}$	20 00	

	Diam	oton in				
p			ht in feet	Each	Per 10	Per 100
•		$\begin{array}{cccc}12 \\10 \\8 \end{array}$	to 14 to 12 to 10 to 8	$\begin{array}{c} 1 & 00 \\ 75 \\ 60 \\ 50 \end{array}$	8 00 6 00 5 00 4 00	$\begin{array}{cc} 60 & 00 \\ 50 & 00 \end{array}$
	deltoides carolinensis. CAROLINA POF	PLAR.  to 8  to 6  to 4  to 3  to 2½	to 14 to 12 to 10 to 8	4 00 3 00 2 50 2 00 1 50 1 00 75 60 50	35 00 27 50 20 00 15 00 12 50 8 00 6 00 5 00 4 00	250 00 175 00 125 00 100 00 60 00 50 00 40 00 30 00
Ρ.		to 2½12108	to 14 to 12 to 10 to 8	4 00 3 00 2 50 2 00 1 50 1 00 75 60 50	35 00 27 50 20 00 15 00 12 50 8 00 6 00 5 00 4 00	125 00 100 00 60 00 50 00 40 00 30 00
	NUS amygdalus flore pleno. DOUBLE-F		to 6 to 4	75 50	$\begin{smallmatrix}6&00\\4&00\end{smallmatrix}$	50 00
Р	cerasus ranunculiflora	to 2½ 6 4	to 8 to 6	$\begin{array}{c} 1 & 50 \\ & 75 \\ & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 6 & 00 \\ 4 & 00 \end{array}$	
	pseudo-cerasus. JAPANESE FLOWER	$\begin{array}{cccc}12 \\10 \\8 \end{array}$	to 14 to 12 to 10	$egin{smallmatrix} 2 & 00 \\ 1 & 50 \\ 1 & 25 \end{bmatrix}$	15 00	
	pseudo-cerasus flore pleno. JAPANESI		INK CHERI to 12	RY. 1 50	12 50	
	persica. FLOWERING PEACH. Double White  Versicolored Assorted  Camellia-Flowered Double Red		to 4 to 3 to 3 to 6 to 4 to 3 Double Rose	75 50 75 75 60 50	6 00 4 00 6 00 5 00 4 00	50 00
Р	4	PURPLE-LE	EAVED PLU	4 00	35 00	
	3 		to 8 to 6 to 4 to 3	$egin{array}{cccc} 3 & 00 \\ 1 & 00 \\ 75 \\ 60 \\ 50 \\ \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 6 & 00 \\ 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 50 & 00 \\ 40 & 00 \end{array}$
۲	. cerasifera laciniata. CUT-LEAVED P	4	to 6 to 4	$\begin{array}{cc}1&00\\75\end{array}$		
P	. "Vesuvius." BURBANK'S PURPLE-L	EAVED PLU		75 60	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$	50 00
	ROCARYA stenoptera. (new)from 6 i	in. pots,	4	1 50		
P	JS: Apple . atropurpurea . "carnea pleno" . coronaria. FRAGRANT GARLAND floribunda halllana . floribunda scheideckeri		to 6 to 4 to 8 to 8 to 6 to 8	75 75 75 75 60 75	6 00 6 00 5 00 6 00	
	. ioensis bechteli. BECHTEL'S DOUBLI	E-FLOWERI		9 50	5 00	
P	. kaldo	in. box. 4	to 6 to 5 to 6 to 4	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \\ & 75 \\ & 60 \end{array}$	6 00	
F	nledwetzkyana spectabilis	8 8	to 10 to 10 to 6	75 1 00 60	$\begin{array}{ccc} 6 & 00 \\ 8 & 00 \\ 5 & 00 \end{array}$	
	spectabilis albo pleno spectabilis roseo pleno	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to 12 to 8 to 6 to 10	$\begin{array}{c} 1 & 25 \\ & 75 \\ & 60 \\ 1 & 00 \end{array}$	10 00 6 00 5 00 8 00	
	spectabilis roseo pieno	4	to 6	60	5 00	

Diameter in inches Heigh	ht in feet	Each	Per 10	Per 10
Q. cerris. TURKEY OAK	to 14 to 12 to 10	$egin{smallmatrix} 2 & 00 \\ 1 & 50 \\ 1 & 25 \\ 1 & 00 \\ \end{matrix}$		
Q. douglasi. CALIFORNIA WHITE OAK	to 14 to 12 to 10	$\begin{array}{c} 2 & 50 \\ 2 & 00 \\ 1 & 25 \\ 1 & 00 \\ 75 \end{array}$	20 00 15 00 10 00 8 00 6 00	
Q. garryana. OREGON OAK 2 to 2½	to 14 to 12 to 10	1 50 1 25 1 00 75	$\begin{array}{c} 12 \ 50 \\ 10 \ 00 \\ 8 \ 00 \\ 6 \ 00 \end{array}$	
Q. kelloggi (Q. californica). CALIFORNIA BLACK OAI  2 to 2½  12  10  8 6	to 14 to 12 to 10 to 8	$egin{array}{cccc} 2 & 00 \\ 1 & 50 \\ 1 & 25 \\ 1 & 00 \\ \hline & 75 \\ \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \\ 8 & 00 \\ 6 & 00 \end{array}$	
Q. lobata. CALIFORNIA WEEPING or VALLEY OAK  3 to 4 2½ to 3 2 to 2½ 10 2½ 10 8  Q. macrocarpa. BUR OAK. 3 to 4	to 14 to 12 to 10	2 50 2 00 1 50 1 25 1 00 75 2 50	20 00 15 00 12 50 10 00 8 00 6 00 20 00	$\begin{array}{c} 125 \ 0 \\ 100 \ 0 \\ 80 \ 0 \\ 60 \ 0 \\ 50 \ 0 \\ \end{array}$
Q. palustris. PIN OAK 3 to 4 2½ to 3 8	to 14 to 12 to 10	$\begin{array}{cccc} 2 & 00 \\ 1 & 25 \\ 1 & 00 \\ & & 75 \\ 2 & 50 \\ 2 & 00 \\ \end{array}$	15 00 10 00 8 00 6 00 20 00 15 00	125 0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to 14 to 12 to 10	1 50 1 25 1 00 75	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \\ 8 & 00 \\ 6 & 00 \\ \end{array}$	100 0 80 0 60 0
Q. rubra. RED OAK. 3 to 4 2½ to 3 2 to 2½ 10 10 Q. serrata 2 to 2½	to 14 to 12 to 10	2 50 2 00 1 50 1 25 1 00 75 2 00	$egin{array}{cccc} 20 & 00 \\ 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ 8 & 00 \\ 6 & 00 \\ \end{array}$	$\begin{array}{c} 125 & 0 \\ 100 & 0 \\ 80 & 0 \\ 60 & 0 \\ 50 & 0 \end{array}$
	to 14 to 12 to 10	1 50 1 25 1 00	12 50	
DBINIA: Locust	to 12 to 10 to 8 to 14 to 12 to 10 to 8	1 25 1 00 75 1 50 1 25 1 00	10 00 8 00 6 00 12 50 10 00 8 00	$\begin{array}{ccc} 60 & 00 \\ 50 & 00 \\ 100 & 00 \end{array}$
R. pseudacacia. COMMON or BLACK LOCUST.  4 to 6 3 to 4 2½ to 3 2 to 2½	to 8	75 $3 00$ $2 50$ $2 00$ $1 50$	6 00 27 50 20 00 15 00 12 50	125 0
R. pseudacacia bessoniana. THORNLESS LOCUST.	to 14 to 12 to 10	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \\ & 75 \end{array}$	10 00 7 50 6 00	100 00 75 00 50 00 40 00
3 to 4	to 14 to 12 to 10	$egin{smallmatrix} 2 & 50 \\ 2 & 00 \\ 1 & 50 \\ 1 & 25 \\ 1 & 00 \\ \end{matrix}$	$egin{array}{cccc} 20 & 00 & \\ 15 & 00 & \\ 12 & 50 & \\ 10 & 00 & \\ 8 & 00 & \\ \end{array}$	100 00
R. pseudacacia decaisneana. PINK-FLOWERING LOCU  4 to 6  3 to 4  2½ to 3  10  8	to 14 to 12 to 10	4 00 3 00 2 50 2 00 1 75 1 50	35 00 25 00 20 00 17 50 15 00 12 50	$125 \ 0$ $100 \ 0$
S. vitellina aurea. GOLDEN WILLOW. 12 S. "Ural Golden" 12 8	to 14 to 14 to 10 to 8	1 50 1 50 1 00 75	12 50 6 00	\$
OPHORA japonica. PAGODA TREE 3 to 4 to 2½	_	$\begin{smallmatrix}2&50\\1&50\end{smallmatrix}$		

Diameter in inches Height in feet	Each	Per 10	Per 100
SORBUS aucuparia.         EUROPEAN MOUNTAIN ASH; ROWAN TREE.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50 10 00 8 00	80 00 60 00
S. domestica. SERVICE TREE	$\begin{array}{c} 75 \\ 2 \ 00 \\ 1 \ 25 \\ 1 \ 00 \end{array}$	6 00 15 00 10 00 8 00	50 00
JAPANESE VARNISH TREE; CHINESE PARASOL TREE.  2 to 2½  12 to 14  10 to 12  8 to 10	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \\ 1 & 00 \\ & 75 \end{array}$	$\begin{array}{c} 12 \ 50 \\ 10 \ 00 \\ 8 \ 00 \\ 6 \ 00 \end{array}$	80 00
TAXODIUM distichum. BALD CYPRESS.  from 6 in. pots, 4 to 5	75	6 00	50 OC
TILIA: Linden T. americana. AMERICAN LINDEN; BASSWOOD.	50	4 00	30 00
	2 50 1 50 1 25	20 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$egin{array}{cccc} 3 & 00 \\ 2 & 50 \\ 2 & 00 \\ 1 & 25 \\ 1 & 00 \\ \end{array}$	$egin{array}{cccc} 27 & 50 \\ 20 & 00 \\ 15 & 00 \\ 10 & 00 \\ 8 & 00 \\ \end{array}$	80 00 60 00
T. tomentosa. SILVER-LEAVED LINDEN.	75 3 00	6 00	50 <b>00</b>
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 50 2 00 1 75 1 50 1 25	27 50 20 00	
ULMUS: Elm U. americana. AMERICAN or WHITE ELM.	1 20		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 00 2 50 2 00 1 50 1 25 1 00	27 50 22 50 15 00 12 50 10 00 7 50	250 00 200 00 125 00 100 00 75 00 60 00
U. campestris. ENGLISH ELM. 4 to 6 3 to 4 21/2 to 3 2 to 21/2	75 3 00 2 75 2 50 2 25 2 00	6 00 27 50 25 00 22 50 20 00 17 50	50 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 50 2 00 1 50 1 25 1 00	15 00 12 50	
U. campestris cornublensis. WHEATLEY'S ELM.  4 to 6  3 to 4  2½ to 3  2 to 2½  12 to 14	3 00 2 50 2 00 1 50 1 25	$\begin{array}{ccc} 27 & 50 \\ 20 & 00 \\ 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ \end{array}$	175 00 125 00 100 00
U. campestris latifolia. BROAD-LEAVED ENGLISH ELM.	1 00	8 00	
Campestris suberosa.   CORK ELM 6   to 8	75 50 5 00 3 00 2 50 2 00 1 50 1 25	$\begin{array}{c} 6 & 00 \\ 4 & 00 \\ 40 & 00 \\ 27 & 50 \\ 22 & 50 \\ 15 & 00 \\ 12 & 50 \\ 10 & 00 \\ \end{array}$	350 00 250 00 200 00 125 00 100 00 80 00
	1 00 75	8 00 6 00	60 00 50 00
U. scabra dovaei	3 00 2 50 2 00	$egin{array}{cccc} 5 & 00 \ 25 & 00 \ 20 & 00 \ 15 & 00 \ \end{array}$	40 00
U. scabra huntingdoni. HUNTINGDON ELM.  4 to 6	4 00 3 00 2 50 2 00 1 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	200 00 175 00 150 00 125 00
	1 50 1 25 1 00	12 50 10 00 8 00	100 00 75 00

Diameter in			
inches Height in fee ZELKOVA acuminata (Z. kaki). JAPANESE ELM.	t Each	Per 10	Per 10
	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	20 00	•
2½ to 3 2 to 2½	$\begin{smallmatrix}2&00\\2&00\\1&50\end{smallmatrix}$	$\frac{15}{15} \frac{00}{00}$	
ZIZYPHUS jujuba	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
DECIDUOUS WEEPING 7	TREES		
Diameter in inches Height in fee	t Each	Per 10.	Per 10
ACER saccharinum wieri. WIER'S CUT-LEAVED MAPLE.	1 25	10 00	
BETULA alba pendula laciniata. CUT-LEAVED WEEPING BIRC	1 00	1.	
4 to 6	1 00		
CRATAEGUS monogyna pendula. WEEPING HAWTHORN.	2 00	<b>15</b> 00	
	$\begin{array}{c} 1 & 50 \\ 1 & 25 \end{array}$	12 50	
8 to 10	1 00		
FRAXINUS excelsior pendula. EUROPEAN WEEPING ASH.	5 00		
F. excelsior aurea pendula. GOLDEN WEEPING ASH	2 00		
JUGLANS regia pendula. WEEPING WALNUT.	1 50		
3 to 4 	5 00		
LABURNUM vulgare pendulum. WEEPING LABURNUM.	3 00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array}$	
MORUS alba tatarica pendula. TEA'S WEEPING MULBERRY.	1 50		
POPULUS tremula pendula. WEEPING POPLAR.	1 30		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{smallmatrix}3&00\\2&00\end{smallmatrix}$	17 50	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	1 50	12 50	
Top-worked on straight stems, extra large head 7 to 8	3 00	25 00	
	$\begin{smallmatrix}2&50\\2&00\end{smallmatrix}$	17 50	
SALIX babylonica. WEEPING WILLOW12 to 14	$egin{array}{cccccccccccccccccccccccccccccccccccc$	$12 50 \\ 10 00$	100 0
	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \\ \hline 75 \end{array}$	10 00	
6 to 8	60		
S. babylonica aurea. GOLDEN WEEPING WILLOW. (new)	1 00	7 50	
S. "Lick's Weeping"	$\begin{smallmatrix} 75\\2&00\end{smallmatrix}$	$\begin{array}{c}6&00\\17&50\end{array}$	
	$\begin{array}{c} 1 & 75 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	
	$\frac{1}{1} \frac{25}{00}$	$\begin{array}{ccc} 10 & 00 \\ 8 & 00 \end{array}$	
SORBUS aucuparia pendula. WEEPING MOUNTAIN ASH.	2 00		
ULMUS scabra pendula. CAMPERDOWN ELM.	1 25	10 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$	$\begin{array}{ccc} 35 & 00 \\ 27 & 50 \end{array}$	
2 to 2½ 1½ to 2 1½ to 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
172 to 1½	$\begin{array}{c} 2 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{c} 15 & 00 \\ 12 & 50 \end{array}$	
DECIDUOUS FLOWERING	SHRLIB	S	
DECIDOOOS FEOWERING.			

ACER palmatum. JAPANESÈ MAPLE.	Height	Each	Per 10	Per 100
Assorted varieties	3½ to 4 ft.		25 00	
		2 00	17 50	
ARALIA spinosa. HERCULES CLUB	10 to 12 ft.	1 00	8 00	
		75	6 00	
AZALEA sinensis (A. mollis)from 8 and 10 in. pots,from 7 in. pots,	2 to 3 ft. 6 to 12 in.	$\begin{array}{cc}2&00\\1&25\end{array}$		
BERBERIS thunbergi. THUNBERG'S BARBERRY B. vulgaris. COMMON BARBERRY	. 3 to 4 ft.	35 60	$\begin{array}{cc} 3 & 00 \\ 5 & 00 \end{array}$	25 00
• • • • • • • • • • • • • • • • • • • •	. 2 to 3 ft.	50	4 00	

B. vulgaris atropurpurea. PURPLE-LEAVED BARB		eigh RY.	t		E	ach	Per 10	$\mathbf{Per}$	100
$egin{array}{cccccccccccccccccccccccccccccccccccc$	t	0 4	<b>4</b> 3	ft. ft.		$\begin{array}{c} 75 \\ 60 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$		
BOUVARDIA triphylla (B. jacquini)from 5 in. pots, 1	½ t	0	2	ft.		75			
CAESALPINIA gilliesl. POINCIANA			1½ 3	ft. ft.		$\frac{50}{75}$	4 00	30	00
	. t	0 3	2	ft.		60			
CALYCANTHUS floridus. SWEET-SCENTED SHRUB 2 C. praecoxfrom 5 in. pots, 2			3 2 1/2	ft. ft.		$\begin{array}{c} 75 \\ 75 \end{array}$	6 00		
CARYOPTERIS mastacanthus. BLUE SPIREA 3			4	ft.		75	6 00	50	00
COLUTEA arborescens. BLADDER SENNA 4 CORNUS: Dogwood	: t	ю (	6	ft.		75	6 00		
C. alba sibirica. SIBERIAN DOGWOOD			3	ft. ft.		$\frac{50}{35}$	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$		00
C. alternifolia. BLUE DOGWOOD	t	.0 4	4	ft. ft.		75	5 00	20	00
C. sangulnea 6	t	o 8	8	ft.		$\frac{60}{75}$	6 00		00
	t	0 4		ft. ft.		$\frac{50}{40}$	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	-	00
CORYLUS maxima purpurea. PURPLE-LEAVED FILBE		o 8	8	ft.	1	00	7 50	50	00
A CANDONIA investigation of the Candonian Control of the Candonian Cont	t	0 6	3	ft.	_	75	6 00	40	00
CYDONIA japonica. JAPAN SCARLET QUINCE 6	t	0 6	3	ft. ft.		$\begin{array}{c} 75 \\ 50 \end{array}$	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$		00
C. japonica alba. JAPAN WHITE QUINCE		O 4	Į.	ft. ft.		$\frac{40}{50}$	$\begin{array}{cc} 3 & 50 \\ 4 & 00 \end{array}$		
C. japonica grandiflora rosea		o 3 o 4		ft. ft.	1	$\frac{40}{00}$	3 50		
CYTISUS: Broom C. sessilifoliusfrom 6 in. pots, 3	+			££		F 0	4.00		
C. triflorusfrom 6 in. pots, 4		0 4 0 5		ft. ft.		$\frac{50}{50}$	$\begin{array}{cc} 4 & 00 \\ 4 & 00 \end{array}$		
DEUTZIA fortunei		o 8		ft. ft.		$\frac{75}{60}$	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$		00
D. gracilis rosea	t	0 4 0 4	-	ft. ft.	1	$\frac{50}{00}$	$\frac{4}{8} \frac{00}{00}$		00
	te	0 3	3	ft. ft.	-	75 50	$\begin{array}{c} 6 & 00 \\ 4 & 00 \end{array}$		
D. lemoinei	t		1/2	ft. ft.		$\frac{50}{75}$	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	40	00
		0 6	3	ft. ft.		60 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		00
D. scabra candidissima. (new)		O 4	Ĺ	ft. ft.		$\frac{30}{25}$	8 00 10 00		
	t			ft.		00	8 00		
Dr. Baillon (dark crimson)	t	o 4		ft.	1	00			
Eva Rathke (deep carmine red)	to to		1/2	ft. ft.	1	$\frac{00}{50}$	4 00		
Assorted	te	$\begin{array}{ccc} \mathbf{o} & 6 \\ \mathbf{o} & 4 \end{array}$		ft. ft.		$\frac{75}{60}$	6 ·00 5 ·00		00 00
D. florida (W. rosea) (pink) Lavallei (brig	te zht			ft.		50	4 00		00
Abel Carriere (rosy carmine) Hendersoni (deep rose)  Van Houttei	(car	rmi	ne p	oink)					
EDGEWORTHIA gardneri (E. papyrifera), (new) 1	t	o 2	2	ft.		75	6 00	50	00
ELAEAGNUS longipes	te	_		ft.		50			
EXOCHORDA grandiflora. PEARL BUSH	to to	_		ft. ft.	1	35 50	3 00	25	00
FORSYTHIA: Golden Beli	to	o 2	:	ft.		60	5 00		
F. suspensa	to			ft.		75	0.00		
	to	o 8		ft. ft.	1	$\frac{00}{75}$	8 00 6 00		
•••••••••••••••••••••••••••••••••••••••	to to			ft. ft.		60 50	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	40	00
FUCHSIA magellanica riccartoni	to to	_		ft. ft.	1	$\frac{00}{75}$	6 00		
HIBISCUS syriacus. ALTHEA; ROSE OF SHARON. Seedlings	to	o 4		ft.		35	3 00	20	00
Elegantissima (white, crimson at base)	to	2	i	it. ft. ft.		50 50		20	νU
Ardens (blue)  Boule de Feu (purplish red)  Carnea plena (flesh)  Duchesse de l  Jeanne d'Arc	Bral	bani	t (r	ed)		90	4 00		
HYDRANGEA arborescens sterilis. HILLS OF SNOW 4	to	o 6	1	ft.	1	25	10 00		
from 5 in. pots,		2		t.	_	60	5 00		

HVDRANCEA Contid	τ	Joio	ht		Fach	Don	1.0	Don	100
HYDRANGEA, Cont'd.  H. hortensis	2	Heig to	21/2	ft.	Each 75	Per 6 (	00 .	Per	100
balled,	$\frac{1\frac{1}{2}}{1}$	to to	2 11/2	ft.	$\begin{array}{c} 60 \\ 50 \end{array}$	. 5 (		35	00
from 6 in. pots,	2	to	$2\frac{1}{2}$	ft.	$\underline{6}$ 0	5 (	00	40	00
from 6 in. pots, from 6 in. pots,	$\frac{1\frac{1}{2}}{1}$	to	2 1½		$\begin{array}{c} 50 \\ 40 \end{array}$	3 (	00	25	00
H. hortensis algakafrom 7 in. pots,	$\frac{4}{1\frac{1}{2}}$	to to	8 2	in. ft.	$\frac{25}{75}$	2 (	00	15	00
H. hortensis rosea	$\frac{1}{1}$	to	2 11/2	ft.	$\begin{array}{c} 50 \\ 40 \end{array}$	3 (			00
from 4 in nots.	4	to	8	in.	25	2 (			00
H. hortensis "Thos. Hogg"from 6 in. pots, H. hortensis variegata. VARIGATED HYDRANGE	Α.		21/2	It.	<b>7</b> 5				
		to to	$\frac{3}{2\frac{1}{2}}$	ft.	$\frac{60}{50}$	5 (		30	00
JASMINUM fruticans	_		31/2		75		00	30	00
KERRIA (Corchorus)			.,2						
K. japonica. JAPANESE ROSE (single-flowering)	3	to to	4 3	ft. ft.	$\frac{40}{35}$	3 (		20	00
K. japonica aurea	$\frac{\tilde{2}}{2}$	to	3	ft.	50	4			
K. japonica flore pleno. DOUBLE-FLOWERING K	4	to	6	ft.	75				
	3	to	4	ft.	60				
LAGERSTROEMIA indica. CRAPE MYRTLE.	2	to	21/2	ft.	1 00				
LEYCESTERIA elegans		to	6	ft.	50				
LIPPIA citriodora. LEMON VERBENA		to	8	ft.	75	6	00		
		to to	6	ft. ft.	$\begin{array}{c} 50 \\ 40 \end{array}$	4 (		30	00
LONICERA tatarica. TARTARIAN HONEYSUCKLE	_	to	3	ft.	50	4 (			
MAGNOLIA obovata (M. purpurea)balled,	4	to	6	ft.	1 50				
M. soulangeanaballed,	3	to to	$\frac{4}{5}$	ft. ft.	$\begin{array}{cc}1&25\\2&50\end{array}$	10 (	00		
balled, M. soulangeana alba superba12x12 in. box,	4	to	6 5	ft. ft.	$\begin{array}{ccc} \bar{1} & 50 \\ 3 & 00 \end{array}$	12	50		
M. soulangeana alexandrina10x10 in. box,	5	to	6	ft.	3 00				
M. soulangeana amabilis10x10 in. box, M. soulangeana nigraballed,	5 4	to to	6 6	ft. ft.	$\begin{array}{cc} 3 & 00 \\ 2 & 00 \end{array}$	17	50		
M. stellata. STARRY MAGNOLIAballed,	3 4	to to	4 5	ft.	$\begin{array}{c}1&75\\2&50\end{array}$				
M. yulan (M. conspicua)12x12 in. box,	3	to to	4 5	ft. ft.	$\begin{array}{ccc} 2 & 25 \\ 3 & 50 \end{array}$				
balled, from 7 in. pots,	4	to	6	ft. ft.	$\begin{smallmatrix}2&50\\1&75\end{smallmatrix}$	22 8	50		
PAEONIA moutan. TREE PEONY.	9	to	4	11.	T 19				
Purplefield grown,			4	ft.	2 50				
Assorted	2	to	3	ft.	$\begin{smallmatrix}2&00\\2&00\end{smallmatrix}$	17 5	50		
PALIURUS spina-christi (P. aculeatus). CHRIST'S TH	ORN	J.							
from 7 in. pots, from 7 in. pots,	3	to	$\frac{4}{3\frac{1}{2}}$	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	$\frac{6}{5}$ (			
PHILADELPHUS: Mock Orange; Syringa									
P. coronarius. GARLAND SYRINGA		to to	6	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	6 ( 5 (			00
P. Inodorus (P. grandiflorus). LARGE-FLOWERING	SSY	RII		ft.	1 00	8 (			-
	6	to	8	ft.	75	6 (	00	40	00
PRUNUS japonica. DWARF DOUBLE-FLOWERING A		to ONI	6	ft.	60	5 (	)0	35	00
***************************************	3	to	4	ft.	75				
Double Pink Double White		to	3	ft.	60	5 (	00		
P. mume. JAPANESE FLOWERING APRICOT		to to	$\frac{6}{4}$	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	6 ( 5 (			
	$^2$	to	3	ft.	50	4 (			
Double Pink Single Pink Double Red Single Red									
Double White Single Whi									
P. spinosa. BLACKTHORN; SLOE	3	to to	$\frac{6}{4}$	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	6 ( 5 (			00
P. tomentosa	2	to to	3 6	ft. ft.	50 75	6 (	00		
	3	to	4	ft. ft.	60 50	5 (			
P. triloba. DOUBLE-FLOWERING PLUM.			9						
2 to 2½ in. in diameter,	3	to	4	ft.	$\begin{array}{ccc} 2 & 50 \\ & 75 \\ & & \end{array}$				
••••••	2	to	3	ft.	60				

DHNICA: Dama	Heigh	ıt	Each	Per 10	Per 100
PUNICA: Pomegranate P. granatum 4	to to	6 ft. 4 ft.	75 60	6 00 5 00	50 00 40 00
Double Red Mad. Legrelle Double White	to	2 ft.	30	2 50	20 00
P. granatum nana. DWARF POMEGRANATE. (red)	4.0	1½ ft.	٥٢	2 00	0~ 00
RHUS cotinus. PURPLE FRINGE; SMOKE TREE 4	to	6 ft.	$\begin{array}{c} 35 \\ 1 \ \underline{00} \end{array}$	3 00 8 00	25 00
R. cotinus atropurpurea. DARK PURPLE FRINGE.	to	4 ft. 3 ft.	75 50	6 00	
······· 3	to	4 ft. 3 ft. 3 ft.	1 00 75		
R. glabra lacinlata. CUT-LEAVED SUMACH 2 RIBES aureum. YELLOW-FLOWERING CURRANT 6	to	8 ft.	1 00 75	6 00	
R. gordonianum 6	to	6 ft. 8 ft. 6 ft.	60 75 60	5 00 6 00 5 00	40 00 35 00
R. sanguineum. RED-FLOWERING CURRANT6	to	4 ft. 8 ft. 6 ft. 4 ft.	50 75 60 50	4 00 6 00 5 00	30 00 50 00 40 00
SAMBUCUS canadensis aurea. GOLDEN ELDER 1	to :	2 ft.	50 50		
S. canadensis lacinlata. CUT-LEAVED ELDER 8	to 10		75 60	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{cc} 50 & 00 \\ 40 & 00 \end{array}$
S. canadensis variegata. VARIEGATED ELDER 8	to 10 to 8	ft.	50 75 60 50	4 00 6 00 5 00 4 00	$\begin{array}{cc} 50 & 00 \\ 40 & 00 \end{array}$
SPIRAEA: Spirea S. bumaida "Anthony Waterer"					
S. californica	to 4 to 3 to 4 to 6	ft. ft.	75 50 60	6 00 4 00 5 00	35 00
S. cantonien sis flore pleno	to 4	ft.	50 40 50	$egin{array}{ccc} 4 & 00 \\ 3 & 00 \\ 4 & 00 \\ \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \\ 30 & 00 \end{array}$
S. prunifolia flore pleno. BRIDAL WREATH 4 S. thunberg! 1 S. van houttel 4	to 6 to 2 to 6	ft. ft.	1 00 75 50	8 00 6 00 4 00	30 00
STAPHYLEA: Bladder Nut S. colchica S. pinnata	to 10	ft.	40 75	3 00 6 00	25 00
SYMPHORICARPOS: Snowberry S. occidentalls. WESTERN SNOWRERRY 4	to 10	ft.	75 <u>75</u>	6 00	
S. racemosus. EASTERN SNOWBERRY	to 6 to 4 WBEB		75 50	4 00	30 <b>00</b>
SYRINGA: Lilac	to 4	ft.	50	4 00	
S. chinensis sougeana (S. rothomagensis rubra) 3	to 4 to 3	ft. ft.	$\frac{50}{35}$	4 00 3 00	
S. vulgarls alba. COMMON WHITE LILAC	to 4 to 3 to 2	ft. ft. ft.	40 50 75	3 00	25 00
Belle de Nancy (satiny rose) Philemon (very dark purple)  Mad. Abel Cha white, double	atenay e)	(pure			
Grafted (general assortment)4	to 6	ft. ft.	$\begin{array}{c} 75 \\ 60 \end{array}$	6 00 5 00	
Alba grandiflora (white) Gloire de Lorraine (p	to 3	ft.	50	4 00	Hlaa)
Charles the Tenth (reddish purple) Charles Joly (violet purple) Comte de Paris (light purple) De Croncels (purple) Frau Bertha Dammann (white) Gigantea (blue)  Charles the Tenth (reddish red) Gloire des Moullns (red) lilac) Ludwig Spaeth (violet purple) Add. Casimir Perier (Marie Legraye (white	cosy blue) et (white	Persian lilac) Pres. (Pres. In purp. Rubra	n Cut-I. Grevy ( Massart le)	eaved (purplish (reddish	blue)
TAMARIX: Tamarisk T. hispida aestivalis	to 6	ft.	75	6 00	
Assorted	to 4 to 8 to 6	ft. ft. ft.	60 60 50	5 00 5 00 4 00	40 00 30 00
T. algerica T. parviflora (T. africa T. odessanna T. parviflora purpurea					

VIBURNUM opulus (V. oxycoccus). CRANBERRY BUSH.	Each	Per 10	Per 100
V. Opulus sterile. COMMON SNOWBALL 6 to 8 ft.	50 75	6 00	40 00
	$\frac{60}{50}$	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$	35 00 30 00
V. tomentosum plicatum. JAPANESE SNOWBALL 4 to 6 ft.	1 00	8.00	• • • • • • • • • • • • • • • • • • • •
VITEX incisa. CUT-LEAVED VITEX.			
XANTHOCERAS sorbifolia. YELLOW HORN 1 to 2 ft.	$\frac{75}{75}$		
			,
CLIMBING PLANTS			
	Each	Per 10	Per 100
ACTINIDIA chinensis. (new)	75 50	4 00	
A. quinata	40 60	3 00	
from 5 in. pots,	50	4 00	30 00
AMPELOPSIS quinquefolia. VIRGINIA CREEPER; WOODBINE.	40	3 00	25 00
A. tricuspidata (A. veitchi). BOSTON IVY; JAPAN IVY	25	2 00	15 00
A. tricuspidata atropurpurea	$\frac{40}{50}$	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	
BIGNONIA buccinatoria (B. cherere)	50	4 00	25 00
B. capreolata. CROSS VINE	$\frac{40}{75}$	3 00	20 00
B. tweedianafrom 4 in pots	$\begin{array}{c} 75 \\ 40 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 3 & 00 \end{array}$	<b>25</b> 00
B. venusta	$\frac{75}{50}$	$\begin{array}{cc} 6 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} {\bf 50} & 00 \\ {\bf 35} & 00 \end{array}$
BOUGAINVILLEA glabra sanderianafrom 4 in. pots, B. glabra variegata (B. "Wm. K. Harris"). (new)from 4 in. pots,	$\begin{smallmatrix} 50\\1&00\end{smallmatrix}$		
B. spectabilis	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 8 & 00 \end{array}$	60 00
from 5 in. pots, from 4 in. pots,	75 50	6 00 4 00	50 00 35 00
CISSUS striata (Ampelopsis sempervirens). EVERGREEN AMPELOPSIS			
from 5 in. pots, from 4 in. pots,	$\frac{60}{50}$	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cc} 40 & 00 \\ 30 & 00 \end{array}$
CLEMATIS montana	$\frac{50}{40}$	$\frac{4}{3} \frac{00}{50}$	35 00
C. montana rubens from 6 in. pots, from 5 in. pots.	75 60	6 00 5 00	40 00
C. paniculata	50 60	4 00 5 00	40 00
Large Flowering—assorted	50 1 00	4 00	
from 5 in. pots,	75		
Duchess of Edinburg (double Jackmanni (purple) White) Jackmanni rubra (red)			
Henryi (single white) Ramona (light blue)  CLIANTHUS puniceus. PARROT'S BILLfrom 5 in. pots,	50	4 00	20.00
C. puniceus albus	40	3 00	30 00 25 00
from 5 in. pots,	$\begin{array}{c} 75 \\ 50 \end{array}$	$\begin{smallmatrix}6&00\\4&00\end{smallmatrix}$	30 00
DECUMARIA barbara. CLIMBING SNOWBALLfrom 6 in. potsfrom 4 in. pots,	$\frac{50}{40}$	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$	20 00
DOLICHOS lignosus. AUSTRALIAN PEA VINEfrom 4 in. pots. D. lignosus albusfrom 4 in. pots.	$\frac{35}{50}$	$\frac{3}{4} \frac{00}{00}$	25 00
EPHEDRA altissimafrom 6 in. pots,	1 00		
FICUS pumila (F. repens). CLIMBING FIGfrom 5 in. pots, F. pumila minima. (new)from 2 in. pots,	$\frac{50}{35}$	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{ccc} {\bf 30} & 00 \\ {\bf 25} & 00 \end{array}$
HARDENBERGIA comptonianafrom 5 in. pots,	1 00		20 00
H. monophylla	$\begin{array}{c} 75 \\ 40 \end{array}$	6 00 3 00	
H. helix variegata. VARIEGATED ENGLISH IVY.	30	2 00	15 00
from 6 in. pots, from 4 in. pots,	75 35	$\begin{array}{cccc} 6 & 00 \\ 3 & 00 \end{array}$	25 0 <b>0</b>
HIBBERTIA volubilis	1 25		
HOYA carnosa. WAX PLANT	$\frac{50}{10}$	4 00 50	
IPOMEA mexicanafrom 4 in. pots,	35	3 00	25 .00
JASMINUM azoricum	$\frac{50}{40}$	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{ccc} 35 & 00 \\ 25 & 00 \end{array}$
J. grandiflorum. CATALONIAN JASMINEfrom 4 in. pots.	40	3 00	25 00

	Elach	Don 10	Per 100
J. humile (J. revolutum). ITALIAN YELLOW JASMINE.	Each	Per 10	Per 100
	$\begin{array}{c} 50 \\ 40 \end{array}$	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$	20 00
J. ligustrifolium	. 50 50	$\begin{smallmatrix}4&00\\4&00\end{smallmatrix}$	
J. hudiflorum (J. sieholdianum) from 5 in note	60	5 00	35 00
J. officinale. JESSAMINE; COMMON JASMINEfield grown, J. primulinum. DOUBLE YELLOW JASMINEfrom 5 in. pots,	$\begin{array}{c} 40 \\ 50 \end{array}$	$\begin{smallmatrix}3&00\\4&00\end{smallmatrix}$	$\begin{array}{ccc} 25 & 00 \\ 25 & 00 \end{array}$
·····from 4 in. pots,	40	3 00	20 00
LONICERA japonica chinensis. CHINESE HONEYSUCKLE.	9.5	3 00	: 05 00
from 4 in pots	$\begin{array}{c} 35 \\ 30 \end{array}$	$\begin{array}{c} 3.00 \\ 2.50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$
L. japonica halliana. JAPANESE HONEYSUCKLE	35	3 00	25 00
L. sempervirens fuchsioides. FUCHSIA-FLOWERED HONEYSUCK	30	2 50	20 00
from 5 in. pots,	75		
MANDEVILLA suaveolens. CHILE JASMINEfrom 4 in. pots,	40	3 00	
MILLETTIA megasperma (Wistaria megasperma). (new)	3 00		
from 4 in. pots,	$\frac{3}{2} \frac{00}{50}$		
MUEHLENBECKIA complexa. WIRE VINE; MAIDEN HAIR VINE.	4.5		
	$\frac{40}{35}$	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$
PASSIFLORA: Passion Vine			
P. alato-caerulea (P. pfordti)	$\begin{array}{c} 50 \\ 50 \end{array}$	$\begin{smallmatrix}4&00\\4&00\end{smallmatrix}$	
P. ligularis. (new)	1 00	2 00	
PHASEOLUS caracalla. SNAIL VINE: CORKSCREW FLOWER.	75		
·····from 4 in. pots,	50		
PITHECOCTENIUM clematideum (Bignonia alba)from 6 in. pots,	$\frac{50}{40}$	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{ccc} 30 & 00 \\ 20 & 00 \end{array}$
PLUMBAGO capensis	35	3 00	25 00
P. capensis alba from 5 in. pots,	$\frac{30}{35}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
SOLANUM jasminoides. POTATO VINE from 4 in nots	40	3 00	$\frac{20}{25} \frac{00}{00}$
S. rantonneti from 4 in pots, S. seaforthlanum (S. azureum) from 5 in pots,	75		
SOLLYA heterophylla. AUSTRALIAN BLUEBELLfrom 5 in. pots,	75	6 00	50 00
from 4 in. pots,	60 50	$\begin{smallmatrix} 5 & 00 \\ 4 & 00 \end{smallmatrix}$	$\begin{array}{cc} 40 & 00 \\ 30 & 00 \end{array}$
TACSONIA: Passion Vine T. manicata ignea. SCARLET PASSION VINEfrom 4 in. pots,	40	0.00	00.00
I. mollissima. PINK PASSION VINEfrom 4 in. pots,	$^{40}_{40}$	$\begin{smallmatrix}3&00\\3&00\end{smallmatrix}$	$\begin{array}{cc} 20 & 00 \\ 20 & 00 \end{array}$
TECOMA australis. WONGA-WONGA VINE from 5 in. pots, T. capensis from 5 in. pots,	35	2 50	15 00
from 4 in note	$\frac{50}{40}$	$\begin{smallmatrix}4&00\\3&00\end{smallmatrix}$	30 00
T. grandiflora (Bignonia grandiflora; B. chinensis).  CHINESE TRUMPET VINE	1 00	8 00	
from 5 in. pots, from 4 in. pots,	75		
1. Jasminoides from 5 in nots	$\frac{50}{50}$	$\begin{smallmatrix}4&00\\4&00\end{smallmatrix}$	30 00
T. jasminoides alba	$\frac{40}{50}$	$\begin{smallmatrix}3&00\\4&00\end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 30 & 00 \end{array}$
T. radicans. COMMON TRUMPET VINEfield grown,	40	3 00	25  00
T. ricasolina (T. mackeni)from 4 in pots	$\begin{array}{c} 35 \\ 50 \end{array}$	$\begin{array}{cc} 3 & 00 \\ 4 & 00 \end{array}$	30 00
T. smithi	$^{60}_{50}$	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	
TRACHELOSPERMUM jasminoides (Rhynchospermum jasminoides).			
STAR JASMINE	1 25 75		
VITIS capensis. EVERGREEN GRAPEfrom 5 in. pots.	1 00		
WISTARIA chinensis albiflora. WHITE CHINESE WISTARIA.	75		
field grown modium	75	6 00	50 00
w. connensis flore pieno. DOUBLE-FLOWERING CHINESE WISTAR	IA. 1 00		_ 5
W. chinensis fragrans. FRAGRANT WHITE WISTARIA. field grown, medium,		0.55	
w. multijuga. JAPANESE WISTARIA field grown large	$\begin{array}{c} 75 \\ 2 & 00 \end{array}$	6 00	50 00
w. multijuga alba. WHITE JAPANESE WISTARIA.	2 00		
W. multijuga rosea. PINK JAPANESE WISTARIA.	2 00 75	6 00	50 00
·····field grown, medium	2 00		
W. speciosa magnifica	1 50 60	5 00	
BEAD INCIDE TO CHECK THE	90	5 00	

# **BAMBOO**

			]	Hei	ght		E	ich	Per	10	Per	100
ARUNDINARIA falconeri	balled	clumps,	3	to	4	ft.	1	50				
BAMBUSA fastuosa	balled	clumps, clumps,	$\begin{smallmatrix} 10\\4\end{smallmatrix}$	to to	12 5	ft. ft.	$\frac{2}{1}$	00 00				
B. palmata	balled	clumps,	4 3	to to	$^{6}_{4}$	ft. ft.		$\begin{array}{c} 75 \\ 60 \end{array}$		<b>0</b> 0		00
B. vittata-argentea (B. vertici	llata)		small,					50	4	00		
PHYLLOSTACHYS castillonis maj	jor14x16	in. box,	5 5	to to		ft. ft.	$_{1}^{2}$	$\begin{array}{c} 00 \\ 50 \end{array}$				
p. henonis	balled balled	clumps, clumps,	4 3	to to	5 4	ft. ft.	1 1	50 25				
p. marliacea. WRINKLED BA	balled	clumps,	10 8		$\begin{array}{c} 12 \\ 10 \end{array}$	ft. ft.		50 00				
P, qullioi			6	to	8	ft.	2	00				
Assorted	balledballedballedballed	clumps, clumps, clumps, clumps,	10 8 6 4 3			ft. ft. ft. ft. ft.	2 1 1 1	00 75 50 00 75	15 12 7	50 00 50 50 00	$150 \\ 125 \\ 100 \\ 60 \\ 50$	00 00 00
A. hindsi A. japonlca A. simoni		P. aurea P. quillo										
ARUNDO donax. GIANT REED	balled	clumns.						50	4	00		

# **PALMS**

		Each	Per 10	Per 100
CHAMAEROPS humills. DWARF FAN PALM.	5 to 6 ft.	5 00		
	5 to 6 ft. 4 to 5 ft.	4 00		
$\dots 16x16$ in. box,	3 to 4 ft.	3 00		
10x10 in. box,	2 to 3 ft. 6 to 8 ft.	$\begin{array}{cc}2&00\\5&00\end{array}$	40 00	
balled, balled,	6 to 8 It. 5 to 6 ft.	4 00	35 00	300 00
balled,	4 to 5 ft.	3 00	25 00	200 00
balled,	3 to 4 ft.	$\frac{2}{2} \frac{00}{00}$	17 50	150 00
C. humilis argenteaballed, balled, balled,	4 to 5 ft. 3 to 4 ft.	$\begin{array}{ccc} 3 & \overline{00} \\ 2 & \overline{50} \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	
balled,	2 to 3 ft.	$\tilde{1}$ $\tilde{7}\tilde{5}$	15 00	
cocos australls (C. eriospatha)24x24 in. box,	7 to 8 ft.	20 00		
20x20 in. box,	$3\frac{1}{2}$ to 4 ft.	7 50	<b>F</b> O 00	
boxed,	3 to 4 ft. 2 to 3 ft.	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$	$\frac{50}{30} \frac{00}{00}$	
balled, balled,	1½ to 2 ft.	3 00	$\frac{30}{25} \frac{00}{00}$	
from 6 in. pots,	1 to 1½ ft.	1 00	8 00	60 00
C. bonneti	7 to 8 ft.	20 00		
	3 to 4 ft. 4 to 5 ft.	$\begin{array}{c} 7 & 00 \\ 8 & 00 \end{array}$		
boxed,	3 to 4 ft.	6 00		
balled,	2 to 3 ft.	4 00		
balled,	1½ to 2 ft. 1½ ft.	3 00		
C. campestris	7 to 8 ft.	$\begin{array}{c} 1 & 50 \\ 5 & 00 \end{array}$		
balled,	4 to 5 ft.	3 00		
C. flexuosaballed,	7 to 8 ft.	6 00		
balled,	6 to 7 ft. 5 to 6 ft.	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$		
C. plumosaballed, balled,	6 to 7 ft.	5 00		
balled,	5 to 6 ft.	4 00		
balled,	4 to 5 ft. 2½ ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$		
from 6 in. pots,				
ERYTHEA armata. BLUE PALM24x24 in. box, boxed,	7 to 8 ft. 8 to 10 ft.	$\begin{array}{c} 10 \ \ 00 \\ 8 \ \ 00 \end{array}$		
boxed,	6 to 8 ft.	6 00	50 00	
boxcd,	5 to 6 ft.	5 00	40 00	
boxed,	4 to 5 ft.	4 00		
E. edulis. GUADALUPE ISLAND PALM	7 to 8 ft.	10 00		
boxed,	8 to 10 ft.	10 00		
boxed,	6 to 8 ft. 1½ to 2 ft.	6 00	$\begin{array}{c} 50 & 00 \\ 12 & 50 \end{array}$	
	1½ to 2 ft. 1 to 1½ ft.	$\begin{array}{c} 1 & 50 \\ 1 & 00 \end{array}$	8 00	
E. elegans	4 ft.	6 00	_ 00	
boxed,	5 to 6 ft.	10 00		
boxed.	4 to 5 ft.	8 00		

	Each	Per 10	Per 100
HOWEA (Kentla) H. forsterlanamade up, 3 plants in 8 in. pot, 3½ to 4 ft.	6 00	• .	. v .•
	20 00		
	$\begin{array}{cc} 4 & 00 \\ 3 & 50 \end{array}$		
	$egin{smallmatrix} 3 & 00 \ 2 & 00 \end{bmatrix}$		
6 in. pot, 2 to 2½ ft.	1 50		
JUBAEA spectabilis. WINE PALM20x20 in. box, 5 to 6 ft. box. boxed, 6 to 7 ft.	$\begin{array}{ccc} 15 & 00 \\ 15 & 00 \end{array}$		
boxed, 5 to 6 ft.	12 00		
LIVISTONA australis (Corypha australis)	1 50		
balled, 2 to 3 ft.	1 00	8 00	
PHOENIX canariensis. CANARY ISLAND DATE PALM	100 00		
	8 00 7 00		
	6 00		
	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$		
	$\begin{array}{ccc} 2 & 50 \\ 5 & 00 \end{array}$	40 00	350 00
balled. 5 to 6 ft,	4 00	30 0 <b>0</b>	250 00
balled, 4 to 5 ftballed, 3 to 4 ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	$\frac{25}{17} \frac{00}{50}$	$\begin{array}{ccc} 200 & 00 \\ 150 & 00 \end{array}$
balled, 2 to 3 ftballed, 1½ to 2 ft.	$\begin{array}{cc}1&50\\1&00\end{array}$	$\begin{array}{ccc} 12 & 50 \\ 8 & 00 \end{array}$	$\begin{array}{c} 100 & 00 \\ 60 & 00 \end{array}$
P. dactylifera. TRUE DATE PALMboxed, 10 to 12 ft.	8 00	0 00	00 00
P. humilis loureiri (P. roebelini). PYGMY DATE PALM.	7 00		
	$\begin{array}{cc}2&00\\1&50\end{array}$		
	$\begin{array}{ccc} 1 & 25 \\ 4 & 00 \end{array}$		
12 in. tub, 3 to 4 ft.	3 50		
boxed, 6 to 7 ft. balled, 4 to 5 ft.	$\begin{smallmatrix}6&00\\3&50\end{smallmatrix}$	$\begin{array}{ccc} 50 & 00 \\ 30 & 00 \end{array}$	
P. tenuis	$\begin{array}{ccc} 3 & 00 \\ 20 & 00 \end{array}$	25 <b>00</b>	
20x20 in. box, 8 ft.	10 00		
RHOPALOSTYLIS baueri (Areca baueri)from 6 in. pots, 2 to 2½ ft.	2 00		
$1\frac{1}{2}$ to $2$ ft.	1 50		
SABAL blackburnianum	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$		
S. ghlesbreghti balled, 3 to 4 ft, S. macrophyllum balled, 5 to 6 ft,	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	20 00	
balled, 3 to 4 ft.	2 00	05 00	
S. palmetto. CABBAGE PALMETTOballed, 5 to 6 ft. balled, 4 to 5 ft.	$\begin{array}{cc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$	
S. umbraculiferumballed, 3 to 4 ftballed, 2 to 3 ft.	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 12 & 50 \end{array}$	
balled, 1½ to 2 ft.	1 00	8 00	
TRACHYCARPUS (Chamaerops) T. excelsus (Chamaerops excelsa). WINDMILL PALM.			
	$\begin{smallmatrix}8&00\\6&00\end{smallmatrix}$	$\begin{array}{ccc} 70 & 00 \\ 50 & 00 \end{array}$	
	4 00	30 00	
$\dots \dots $	$\begin{array}{ccc} 3 & 50 \\ 3 & 00 \end{array}$		
	$\begin{array}{ccc} 2 & 50 \\ 6 & 00 \end{array}$	50 00	400 00
balled, 6 to 8 ft.	5 00	40 00	300 00
·····balled, 4 to 5 ft.	$\begin{array}{cc} 3 & 50 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 20 & 00 \end{array}$	$\begin{array}{ccc} 250 & 00 \\ 175 & 00 \end{array}$
balled, 3 to 4 ft. balled, 2 to 3 ft.	$egin{smallmatrix} 2 & 00 \ 1 & 50 \end{bmatrix}$	$15 \ 00 \ 12 \ 50$	$\begin{array}{ccc} 125 & 00 \\ 100 & 00 \end{array}$
T. fortune:	7 00 5 00	40 00	300 00
balled, 5 to 6 ft.	4 00	35 00	275 00
balled, 4 to 5 ft. balled, 3 to 4 ft.	$\begin{array}{ccc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{cc} 25 & 00 \\ 20 & 00 \end{array}$	$\begin{array}{ccc} 200&00\\150&00 \end{array}$
T. nepalensis	$\begin{array}{cc} 1 & 50 \\ 8 & 00 \end{array}$	12 50	100 00
$\dots 14x14$ in. box, 5 to 6 ft.	5-00		
12x12 in, box, 4 to 5 ft. 12x12 in, box, 3 to 4 ft.	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$		
	$\begin{array}{cc} 4 & 00 \\ 5 & 00 \end{array}$	40 00	350 <b>00</b>
balled, 5 to 6 ft. balled, 4 to 5 ft.	$\frac{4}{2} \frac{00}{50}$	35 00 20 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
balled, 3 to 4 ft.	$2 0 \overline{0}$	17 50	150 00
balled, 2 to 3 ft. READ INSIDE FRONT COVER.	1 50	12 50	100 00

1	Each	Per 10	Per 100
WASHINGTONIA filifera robusta. CALIFORNIA FAN PALM.	7 00 6 00 4 50 3 50	60 00 50 00 40 00 30 00	
balled, 3 to 4 ft.	2 50 1 25 75 00 35 00 15 00	10 00	80 00
boxed, 6 to 8 ft. balled, 5 to 6 ft. balled, 4 to 5 ft. balled, 2 to 2½ ft. W. sonorae boxed, 8 to 10 ft. boxed, 6 to 8 ft.	$\begin{array}{c} 12 & 00 \\ 7 & 00 \\ 4 & 00 \\ 3 & 50 \\ 1 & 50 \\ 12 & 00 \\ 7 & 00 \\ \end{array}$	35 00 30 00 12 50 60 00	100 00
balled, 5 to 6 ftballed, 2 to 2½ ftballed, 1½ to 2 ft.	$egin{smallmatrix} 5 & 00 \ 1 & 75 \ 1 & 50 \end{bmatrix}$	$egin{array}{ccc} 40 & 00 \ 15 & 00 \ 12 & 50 \end{array}$	
		:	
AGAVES, DRACAENAS, ET	C.		
AGAVE americana. CENTURY PLANT.	Each	Per 10	Per 100
naked roots, 4 to 5 ft.  naked roots, 3 to 4 ft.  A. americana variegata naked roots, 4 to 5 ft.  naked roots, 3 to 4 ft.  naked roots, 3 to 4 ft.  naked roots, 1½ to 2 ft.  A. atrovirens balled, 1½ to 2 ft.  A. ferox balled, 3 to 4 ft.	2 00 1 50 2 50 2 00 2 00 2 50	15 00 12 50 20 00 15 00	
A. stricta (Bonapartea hystrix). (new)from 4 in. pots, 6 to 8 in. A. stricta glauca (Bonapartea hystrix glauca).	<b>7</b> 5	6 00	
CORDYLINE australis (Dracaena australis; D. indivisa).	1 00	8 00	
16x18 in. box, 12 to 14 ft.   16x18 in. box, 10 to 12 ft.   16x18 in. box, 6 to 7 ft.   16x18 in. box, 6 to 7 ft.   16x18 in. box, 6 to 7 ft.   16x18 in. balled, 12 to 14 ft.   16x18 in. balled, 5 to 6 ft.   16x18 in. balled, 4 to 5 ft.   16x18 in. balled, 3 to 4 ft.   16x18 in. balled, 3 to 4 ft.   16x18 in. pots, 2 to 3 ft.   16x18 in. pots, 3 ft.   16x18 in.	10 00 8 00 5 00 8 00 4 00 3 00 2 50 2 00 1 00 2 00	60 00 35 00 25 00 20 00 15 00 8 00	125 00
DASYLIRION acrotrichum (D. graciie).	2 00 2 50 2 00 1 50 3 00 2 50 2 00 75	20 00 15 00 12 50	100 00
D. quadrangulatum       from 6 in. pots, balled, 2 to 3 ft.         D. serratifollum       balled, 2 to 2 ft.         NOLINA beldingi       balled, 5 to 6 ft.         balled, 4 to 5 ft.	$\begin{array}{c} 1 & 50 \\ 1 & 50 \\ 1 & 00 \\ 3 & 00 \\ 2 & 50 \\ \end{array}$	12 50 12 50 8 00	
N. longifolia	$\begin{array}{ccc} 3 & 00 \\ 3 & 00 \\ 2 & 50 \end{array}$	20 00	
YUCCA aloifolia rubra	1 50 1 25 60	5 00	
Y. whipplei. SPANISH BAYONETballed, 1 to 1½ ft.	50 60	4 00	30 00
FERNS AND MOSSES			
ADIANTUM capillus-veneris imbricatum. VENUS-HAIR FERN.	Each	Per 10	Per 100
	$egin{smallmatrix} 2 & 00 \\ 1 & 50 \\ 1 & 00 \\ 1 & 00 \\ \end{matrix}$	$\begin{array}{c} 12 & 50 \\ 8 & 06 \end{array}$	
6 in. pots, 5 in. pots, 4 in. pots,	75 50 46	6 00 4 00 3 50	

A. cuneatum 6 in. pots,	Each 50	Per 10 4 00	Per 100
	40 60	5 00	
A. cuneatum grandiceps	50 50	$\begin{array}{cc} 4 & 00 \\ 4 & 00 \end{array}$	
NEPHROLEPIS amerpohll. PHILADELPHIA LACE FERN.	9.50		
	$\begin{array}{ccc} 2 & 50 \\ 1 & 25 \\ \end{array}$		
N. bostoniensis. BOSTON SWORD FERN.  10 in. hanging basket,  7 in. pots,	1 00 1 50 1 25		
6 in. pots, 5 in. pots,	1 00 75	6 00	
N. compacta	50 1 75 2 00	4 00	
6 in. pots, 5 in. pots,	1 00 75	6 00	
N. piersoni12 in. hanging basket, 	$\begin{array}{cccc} 2 & 00 \\ 1 & 75 \end{array}$	0 00	
8 in. pans, 6 in. pans,	1 50 1 25		
in, pots,	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 00	
N. superbissima	2 50	0 00	
8 in. pans, 6 in. pans,	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \\ \end{array}$		
6 in. pots, 5 in. pots,	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \end{array}$		
N. whitmanl	$\begin{array}{cc}2&00\\1&75\end{array}$	15 00	
6 in. pans, 5 in. pots,	$\frac{1}{75}$	10 00	
PTERIS tremulafrom 4 in. pots,	35	3 00	
SELAGINELLA emmelliana. CLUB MOSS.	25	2 00	
AQUATICS	Each	Por 10	Per 100
	Each	101 10	T GI TAO
CYPERUS alternifoliusfrom 4 in. pots,	35		
NELUMBO nucifera. EGYPTIAN LOTUS	75		
NELUMBO nucifera. EGYPTIAN LOTUS	75 50 75 75		
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.	75 50 75 75	Per 10	Per 100
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHA'EA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.	75 50 75 75	Per 10 2 00	Per 100
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  from 4 and 5 in. pots,  Savitzi (variegated leaves)  Eclipse (variegated leaves)  Golden Fleece (yellow)  Megapotamicum (red and red)  Thompson's Double (yellow red)	75 50 75 75 75 S Each 25		
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  from 4 and 5 in. pots,  Savitzi (variegated leaves)  Golden Fleece (white)  Eclipse (variegated leaves)  Golden Fleece (yellow)  Megapotamicum (red and yellow)  Megapotamicum (red and yellow)	75 50 75 75 75 S Each 25		
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  from 4 and 5 in. pots,  Savitzi (variegated leaves)  Eclipse (variegated leaves)  Golden Fleece (yellow)  Megapotamicum (red and yellow)  ACHILLEA ptarmica. THE PEARL.from 4 in. pots,  AGAPANTHUS umbellatus. AFRICAN LILYclumps,	75 50 75 75 75 Each 25 7 and	2 00 2 00 3 00	15 00
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  From 4 and 5 in. pots,  Form 4 and 5 in. pots,  Savitzi (variegated leaves)  Eclipse (variegated leaves)  Golden Fleece (yellow)  Megapotamicum (red and yellow)  ACHILLEA ptarmica. THE PEARL.from 4 in. pots,	75 50 75 75 75 S Each 25	2 00	15 00
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  Boule de Neige (white)  Eclipse (variegated leaves)  Golden Fleece (yellow)  Megapotamicum (red and yellow)  ACHILLEA ptarmica. THE PEARL from 4 in. pots,  A. umbellatus albidus	75 50 75 75 75 S Each 25 4 and 25 35 50 50 25	2 00 2 00 3 00 4 00 4 00 1 50	15 00
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  Boule de Neige (white)  Eclipse (variegated leaves)  Golden Fleece (yellow)  Megapotamicum (red and yellow)  ACHILLEA ptarmica. THE PEARL.from 4 in. pots,  A. umbellatus albidus  A. umbellatus albidus  A. umbellatus mooreanus  A. umbellatus mooreanus  A. umbellatus mooreanus  AMARYLLIS belladonna. BELLADONNA LILY. bulbs,  ANEMONE, assorted  from 5 in. pots,  from 4 in. pots,	75 50 75 75 75 Each 25 and 25 35 50 50	2 00 2 00 3 00 4 00 4 00	15 00 15 00
NELUMBO nucifera. EGYPTIAN LOTUS  NYMPHAEA flava. FLORIDA YELLOW WATER LILY  N. odorata. FRAGRANT WHITE WATER LILY  N. odorata rosea. PINK WATER LILY  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  Boule de Neige (white)  Eclipse (variegated leaves)  Golden Fleece (yellow)  Megapotamicum (red and yellow)  ACHILLEA ptarmica. THE PEARL from 4 in. pots,  A umbellatus albidus  A. umbellatus albidus  A. umbellatus mooreanus  A. umbellatus mooreanus  AMARYLLIS belladonna. BELLADONNA LILY bulbs,  ANEMONE, assorted  from 5 in. pots,  from 4 in. pots,  Queen Charlotte  Whirlwind	75 50 75 75 75 S Each 25 and 25 35 50 50 25 25	2 00 3 00 4 00 4 00 1 50 3 00	15 00 15 00 10 00
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.	75 50 75 75 75 S Each 25 and 25 50 50 25 35	2 00 3 00 4 00 4 00 1 50 3 00	15 00 15 00 10 00
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHA'EA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  From 4 and 5 in. pots,  Savitzi (variegated leaves)  Sensitzi (variegated leaves)  Sen	75 50 75 75 75 S Each 25 and 25 50 50 25 25 25	2 00 3 00 4 00 4 00 1 50 3 00	15 00 15 00 10 00
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLANEOUS PLANT  MISCELLANEOUS PLANT  MISCELLANEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  Savitzi (variegated leaves)  Sensation (orange red)  Thompson's Double (yellow red)  Megapotamicum (red and yellow)  ACHILLEA ptarmica. THE PEARL from 4 in. pots,  A. umbellatus albidus	75 50 75 75 75 S Each 25 35 50 25 35 25 75 50	2 00 3 00 4 00 4 00 1 50 3 00 2 00	15 00 15 00 10 00
NELUMBO nucifera. EGYPTIAN LOTUS.  NYMPHAEA flava. FLORIDA YELLOW WATER LILY.  N. odorata. FRAGRANT WHITE WATER LILY.  N. odorata rosea. PINK WATER LILY.  MISCELLA NEOUS PLANT  MISCELLA NEOUS PLANT  MISCELLA NEOUS PLANT  ABUTILON. FLOWERING MAPLE.  from 4 and 5 in. pots,  from 4 and 5 in. pots,  Boule de Neige (white) Eclipse (variegated leaves) Golden Fleece (yellow) Megapotamicum (red and yellow)  ACHILLEA ptarmica. THE PEARL.from 4 in. pots,  A. umbellatus albidus. AFRICAN LILY. clumps,  A. umbellatus mooreanus. clumps,  A. umbellatus mooreanus flom 5 in. pots,  from 4 in. pots,  Queen Charlotte  Whirlwind  ANTHURIUM. from 5 in. pots,  from 4 in. pots,  from 5 in. pots,  from 4 in. pots,  from 4 in. pots,  from 4 in. pots,  from 5 in. pots,  from 4 in. pots,  from 5 in. pots,  from 6 in. pots,  from 6 in. pots,  from 7 in. pots,  from 8 in. pots,  from 9 in. pots,  from 1 in. pots,  from 4 in. pots,  A. scherzerlanum carneum (flesh)  A. scherzerlanum carneum (flesh)  A. scherzerlanum carneum (flesh)  A. scherzerlanum roseum (plink)  A. scherzerlanum sanguineum (red)	75 50 75 75 75 S Each 25 35 50 50 25 35 25 75 50	2 00 3 00 4 00 4 00 1 50 3 00	15 00 15 00 10 00

ASPARAGUS, Cont'd.		Each	Per 10	Per 100
A. plumosus nanus	from 7 in. pots,	<b>7</b> 5	6 00	0, 00
	from 5 in. pots.	$\frac{50}{40}$	$\begin{array}{cc} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$
A. plumosus tenuissimus	from 7 in, pots.	60	5 00	20 00
A. scandens deflexus12 in	Irom 6 in. pots, I hanging hasket	$\begin{array}{c} {f 50} \\ {f 1} \ {f 50} \end{array}$	4 00	
•••••••f	rom 10 in, pots,	1 00		
f f	rom 5 in. pots,	50	4 00	ar
A. sprengeri12 in	n. hanging basket.	$\frac{40}{150}$	3 00	25 00
	n. hanging basket.	1 25		
from 9	rom 8 in nots	$\frac{1}{75}$	6 00	
f	rom 7 in. pots,	60	5 00	40 00
f f		50	4 00	30 00
ASPIDISTRA lurida		35	3 00	
ASFIDISTRA IUIUA	rom 7 in. pots.	$\begin{array}{cc}1&00\\1&25\end{array}$	8 00	
f	rom 6 in. pots,	1 00	8 00	
A. lurida variegataf		$\begin{array}{cc}1&25\\1&50\end{array}$	10 00	
fi		$\frac{1}{1} \frac{30}{25}$		
fi	rom 5 in. pots,	1 00		
CALCEOLARIA, Shrubbyfr	om 6 in. pots, 2 to 2½ ft.	50	4 00	
fı		$\begin{array}{c} 40 \\ 35 \end{array}$	$\begin{smallmatrix}3&00\\2&50\end{smallmatrix}$	$\begin{array}{cc} 25 & 00 \\ 20 & 00 \end{array}$
CAMPANULA pyramidalis aiba. WHI		00	2 00	20 00
fi	com 5 in. pots,	25	2 00	15 00
CANNA, assorted		20	1 50	10 00
Admiral Gervais (scarlet)	Italia (bright scarlet)			
Alfonse Bouvier (brilliant	Mont Blanc (creamy white)			
crimson) Allemania (salmon, yellow	Mrs. Kate Gray (orange scar- let, overlaid with gold)			
border)	Pres. Meyer (cherry carmine)			
Austria (canary yellow) Burbank (yellow)	Queen Charlotte (rich scar- let crimson, bordered yel-			
Florence Vaughan (yellow,	low)			
spotted red)	Sam Trelease (ruddy orange			
Geoffrey St. Hilaire (dark red)	with yellow base)			
CAREX morrowl (C. japonica). JAPA	NESE SEDGE.			
	from 6 in, pots.	40		
	from 5 in. pots,	30	2 50	
CERATOSTIGMA plumbaginoides (Plu		0-	0.00	
	small clumps,	25	2 00.	$15\ 00$
CHRYSANTHEMUM, assorted	from 4 in. pots,	25	2 00	$15\ 00$
Convention Hall (white)	Paul Braunt (yellow and red) Shilowa (red)			
Col. Appleton (golden yellow) Convention Hall (white) Glory of the Pacific (pink) Golden Eagle (deep yellow)	Silver Wedding (white)			
Golden Eagle (deep yellow)	Timothy Eaton (white)			
Lincoln (vellow)	W. B. Smith (pink, tinted lemon)			
Lynnwood Hall (white)	White Mayflower			
Major Bonnafon (yellow) Matchless (red)	Willowbrook (white) Wm. Duckham (yellow)			
Mrs. E. G. Hill (pink) Mrs. W. Wells (bronzy	W. C. Moir (white)			
Mrs. W. Wells (bronzy orange)	Xeno (light pink) Yellow Eaton			
Norfolk Blush (pale blush)	Tenow Eaton			
C. frutescens. WHITE MARGUER		25	2 00	15 00
C. frutescens lutea. YELLOW MA		$\begin{array}{c} 15 \\ 25 \end{array}$	$\begin{smallmatrix}1&00\\2&00\end{smallmatrix}$	8 00
C. frutescens—Mrs. F. Sander. DO	UBLE MARGUERITE.	23	2 00	
	from 5 in, pots.	30	2 50	20 00
C. maximum. SHASTA DAISY	from 2 in. pots,	$\begin{array}{c} 15 \\ 20 \end{array}$	$\begin{array}{cc}1&25\\1&50\end{array}$	$\begin{array}{cc} 10 & 00 \\ 10 & 00 \end{array}$
COLEUS, assorted		25	2 00	15 00
COREOPSIS lanceolata		25	2 00	10 00
CORTADERIA (Gynerium). PAMPAS			7 50	
	medium clumps,	50	4 00	
C. argentea (common white) C. jubata (lavender)	Marabout (white)			
Elegans (white, flushed pink)	Roi des Roses (rosy purple) Variegated			
Mad. Rendlateri (pink)	~,			
COTYLEDON secunda glauca		10	75	5 00
CRINUM, assorted		50	4 00	
Amabile (white, veined red)	Longifolium (white, tinged red)			
Asiaticum (white) Fimbriatulum (white, banded	Longifolium album (white) Powelli rosea (pink)			
red)	· · · · · · · · · · · · · · · · · · ·			

DAHLIA excelsa (D. arborea). TREE DAHLIAbulbs,	Each 50 25	Per 10 2 00	Per 100 15 00
Assortedbulbs,	20	2 00	19 00
Aegir (scarlet) Capstan (orange) Cinderella (magenta) Countess of Lonsdale (apricot) Dankward (rosy purple) F. Bartels (orange red) Kingfisher (purplish crimson) Mrs. A. Beck (light scarlet) Nerthus (bronzy, tinted  Standard Bearer (orange scarlet Wodan (salmon rose) Wolfgang von Goethe (apricot, shaded carmine) Yellow Cactus Show or large-flowering Beloit (purplish garnet)	)		
carmine-rose)  Purity (white)  Queen Wilhelmina (crimson)  Rheinkonig (pure snow-white)  Ruby (scarlet)  Sparkler (scarlet)  Delice (rose pink)  Dr. Boyers (red, striped white  Le Grand Manitou (white,  striped and blotched reddish maroon)  Perle de Lyon (pure white)	)		
DATURA arborea. ANGEL'S TRUMPET	50 50	4 00	
D. sanguinea	35 50 25 25 15	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \\ 1 & 00 \end{array}$	8 00
California Gold (bright yellow, striped red) Dr. Tevis (scarlet) Enchantress (light pink) Ethel Crocker (pink) Gov. Roosevelt (deep crimson) Hannah Hobart (bright pink) Harlowarden (crimson) Harriette Bradford (white, striped red) Herald (scarlet) Leslie Paul (deep rose) Mrs. T. Earl (deep orange, striped carmine)  Mrs. Thos. W. Lawson (ceris pink) Prosperity (white, striped pink) Pure White Enchantress Queen Louise (white) Robert Craig (bright scarlet) Rose Pink Enchantress (spink) The Bride (pure white) Victory (scarlet) Washington (light rose pink) White Enchantress (creamy white) White Wonder	)		
ERYTHRINA crista-galli. CORAL PLANTsmall plants,. FELICIA amellodes (Agathaea coelestis). BLUE MARGUERITE.	50		4= 00
from 5 in. pots,   from 4 in. pots,   from 6 in. pots,   from 5 in. pots,   from 6 in. pots,   from 7 in. pots,   from 7 in. pots,   from 8 in.	25 25 75 50 35 50 35 25	2 00 3 00 3 00 2 00	15 00 20 00 25 00
Black Prince (carmine and pink) Constance (white and red) Jupiter (scarlet and purple) Minnesota (white and purple) Mrs. E. G. Hill (scarlet and white, double) Phenomenal (red and purple, double)  Pillar of Gold (leaves bronzy red) Prince Charming (light red an purple) Renan (red and purple) Speciosa (flesh and orange red Walter Long (red and purple)	đ	2 00	
GAILLARDIA aristata (G. grandiflora)	25	2 00	00.00
GYPSOPHILA paniculata. BABY'S BREATHfrom 4 in. pots, HELIOTROPIUM: Heliotropefrom 5 in. pots, from 5 in. pots, from 6 in. pots, from 4 in. pots,	50 35 20 25 20	4 00 3 00 1 50 2 00 1 50	30 00 20 00 10 00 15 00 12 00
Buisson Fleuri (rosy violet) Dark Purple Lavender Lord Roberts (bright blue)  Lueur d'Opale (pearly white)  Mad. Delaux (lavender) Prince Charmant (bluish mauve	)		
HEMEROCALLIS aurantiaca major. YELLOW DAY LILYclumps, HIBISCUS manihot (Abelmoschus manihot). (new)	50	4 00	30 00
H. "Miniatus"	75 60 50 50 35 50	4 00 4 00 3 00 4 00	20 00
	40	3 00	25 00

KNIPHOFIA (Tritoma): RED-HOT POKER PLANT.	Each	Per 10	Per 100
K. aloides (K. uvaria)	, 35 25	3 00 3 00 2 00	15 00
K. corallina	, 35	3 00	
	75 60	6 00 5 00	
LESPEDEZA sieboldi (Desmodium penduliflorum)from 4 in. pots, LIPPIA repens(\$15.00 per 1,000) LOTUS bertholeti (L. pellorhyncus). CORAL GEMfrom 5 in. pots,	25 50	2 00	15 00 2 00 30 00
L. canariensis	35 50 40	3 00	20 00
MALVAVISCUS arboreus (Achania malvaviscus). TURK'S CAPfrom 5 ln. pots, 4 to 6 ft.	50	4 00	25 00
	$\begin{array}{c} \textbf{40} \\ 25 \end{array}$	$\begin{array}{cc} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{cc} 20 & 00 \\ 15 & 00 \end{array}$
MEDICAGO arborea. MOON TREFOILfrom 5 in. pots, 3 to 4 ft.	50	4 00	
MISCANTHUS (Eulalia)  M. sinensis gracillimus	50 35	4 00	
M. sinensis zebrinus	25 <b>50</b>		
from 10 in. pots, 5 to 6 ft.  from 8 in. pots, 4 to 5 ft.  from 8 in. pots, 3 to 4 ft.  from 7 in. pots, 2 to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 17 & 50 \\ 12 & 50 \\ 10 & 00 \end{array}$	
PAEONIA: Peony Scarce varieties	50	4 00	
Festiva Maxima (white) Victor Modeste (pale lilac ros Souv. de la Exposition (cherry on white ground) red)	е	2 00	
Assorted	25	2 00	<b>1</b> 5 00
Bicolor rosea (pink)  Comte de Paris (light rose) Deiachei (crimson) Elegantissima (pink) Grandiflora nivea (white) Jamfitre (pink, cream center)  Doubt An Triotte (rimson) Papariflora (ark red) Papariflora (white, tinged yellow) Pottsi (pink) Triomphe du Nord (sheil plnk)	~		
PELARGONIUM domesticum.  LADY WASHINGTON GERANIUM; PELARGONIUM.  from 4 in. pots,	25	2 00	15 00
Agatha (crimson, shaded Mad. Thiebaud (white, banded		2 00	15 00
maroon) pink) Capt. Rakes (dark crimson) Mad. Vibert (rose, overlaid Cecelia (pink. blotched crlmson) maroon)			
Champion (white, blotched crim- son)  Dr. Masters (dark red)  Milton (white, blotched crimson Mrs. Harrison (white, banded rose)	)		
Duchess of Teck (white)  Duke of Albany (maroon, edged crimson)  Myra (crimson, shaded black)  Prince of Pelargonlums (cream blotched crimson)	,		
Duke of Fife (white, flushed pink)  Embassy (white, blotched crim-  Princess Beatrice (white, blotched dark crimson)  Princess Maud (carmine, bor-			1
son) dered white) Gloire de Tours (scarlet, Queen Victoria (vermiiion,			
shaded maroon)  Mabel (red, shaded maroon)  Mad. Meillez (pink, overlaid maroon)  maroon)  edged white)  Striata Elegans (magenta~rose Variegated (rose, strlped crimson)	)		
P. hortorum. COMMON GERANIUM	15	1 00	8 00
Alice of Vincennes (single pink) Alphonse Riccard (semi-double, vermilion) Beaute Poitevine (semi-double, Mad. Hoste (double, dark red) Mad. Jaulin (double, light pink	,		
salmon pink)  Braunte (semi-double, scarlet)  Mad. Landry (double, salmon)  Marquis de Castellane (double,			
Columbia (single, scarlet) orange scarlet) Gertrude Pearson (single, plnk) Marquis de Montmart (double Gettysburg (single, magenta) carmine purple)	,		
Hecla (single, light red) Henry Bonnie (double, whlte)  Marshal McMahon (varlegated leaves)			
Jacquerle (single, scarlet) Miss Frances Perkins (double, Jean Viaud (single, pink) pink)			
L'Aube (single, shell pink) La Favorite (double, white)  Mrs. E. G. Hill (single, salmor pink)	1		

			_
P. peltatum. IVY GERANIUMfrom 2 in. pots, Beauty of Castle Hill (double, Garden's Glory (double, brig	Each 15	Per 10 1 00	Per 100
deep pink)  Chas. Monselet (double, fiery red)  Scarlet)  Mission (semi-double, shell pin			
PENTSTEMON cordifolius	50	4 00	
PETUNIA hybrida. Single and double (not ready until March 1st)from 2 in. pots,	15	1 00	
PHLOX paniculata (P. decussata)from 4 in. pots,	25	2 00	15 00
Albion (white)  B. Comte (purple)  Colibri (pink)  Eclaireur (rosy magenta)  Mad. Paul Dutrie (lilac rose)  Mozart (pink)  R. P. Struthers (rosy carmine)  Selma (pale rose)			
Eugene Danzenvillier (lilac) Jeanne d'Arc (pure white) Le Mahdi (white, carmine center)  Siebold (bright scarlet) Sunshine (cerise red) Vesuvius (red and purple) Von Lassburg (pure white)			
PHORMIUM cookianum variegatum (P. colensoi variegatum).	9 50		
GOLDEN NEW ZEALAND FLAX	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$	12 50	
P. tenax. NEW ZEALAND FLAX	$\begin{array}{ccc} 2 & 00 \\ 1 & 25 \end{array}$	10 00	75 00
P. tenax variegatum. VARIEGATED NEW ZEALAND FLAX. balled clumps,	1 50	12 50	
RICHARDIA elliottiana. GOLDEN CALLA	$\begin{array}{c} 40 \\ 30 \end{array}$	3 00 2 50	25 00
ROMNEYA coulteri. MATILIJA POPPY	$\begin{array}{ccc} 1 & 25 \\ 1 & 00 \\ & 50 \end{array}$	10 00 8 00 4 00	75 00 60 00
RUDBECKIA laciniata flore pleno. GOLDEN GLOW	s, 25 20	$\begin{smallmatrix}2&00\\1&50\end{smallmatrix}$	$\begin{array}{cc} 15 & 00 \\ 10 & 00 \end{array}$
RUSSELIA elegantissima	40 30	$\begin{array}{cc} 3 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{cc} 25 & 00 \\ 20 & 00 \end{array}$
SAGINA subulata. BABY MOSS; PEARLWORT4 in. clumps	s, 2 <b>5</b>		
SALVIA involucrata	35 25	3 00 2 00	15 00
S. leucantha	35	3 00	
	40	2 00	
SAXIFRAGA umbrosa. ST. PATRICK'S CABBAGEclumps SENECIO kaempferi aureo-maculatus (Farfuglum grande).	5, 20	2 00	
LEOPARD PLANT	60 50		
SOLIDAGO: Golden Rod S. canadensis	30 25	2 50 2 00	15 00
SPREKELIA formosissima. JACOBEAN LILY	25	2 00	15 00
STREPTOSOLEN jamesonifrom 5 in. pots,	25	2 00	15 00
SWAINSONA galegifolia albiflora	35 35	$\begin{array}{cc} 3 & 00 \\ 3 & 00 \end{array}$	
VERBENA hybrida	10	<b>7</b> 5	5 00
VIOLA odorata. VIOLET	et	25	2 00
purple) Luxonne (single, light violet) Marie Louise (double, light violet)  Swanley White (double, white violet)			
V. tricolor. PANSY. (best strains)		35	3 00
ZEBRINA pendula. VARIEGATED WANDERING JEW	25	2 00	

# ROSES

It is generally conceded that we grow the best rose plants on the Pacific Coast, which is equivalent to saying that they are not equaled elsewhere.

All plants offered, with the exception of a few of the very latest varieties, are two years old and practically all are budded. In all cases they have been grown from the start in the open ground, so are strong and vigorous. With any reasonable care they should bloom freely the first season.

Descriptions are greatly condensed. For more complete details, see our Descriptive Catalog.

## LATEST INTRODUCTIONS

One year, \$1.50 each.

- BRITISH QUEEN (H. T.). Pure white, un-expanded buds sometimes flushed peach. Open flowers without any trace of yellow. Beautifully formed, with pointed center and reflexed outer petals.
- CHRISSIE MacKELLAR (H. T.). Orange pink, veined carmine. Coloring entirely unique and difficult to describe. Very free pink, veined carmine. Coloring entirely unique and difficult to describe. Very free flowering and richly scented. Semi-double.
- OF SUTHERLAND (H. Bright rose pink. Buds very long pointed, on strong stems. Very double. Petals veined. Strong grower.
- EDITH PART (H. T.). Carmine with chamois, flushed pink. Petals two-toned. Very beautiful.
- GENERAL-SUPERIOR ARNOLD JANSSEN (H. T.). Deep carmine; large, double and well formed.
- MRS. CHARLES HUNTER (H. T.). Cerise, Stems strong. Very free bloomer.

- MRS. HERBERT HAWKSWORTH (T.). Creamy white, straw colored in bud. Open flowers globular cup-shaped with tips of petals slightly recurved. Very fragrant.
- MRS. MUIR MACKEAN (H. T.). cerise. Buds large and very long pointed. Stems long and strong.
- MRS. WALLACE H. ROWE (H. T.). Bright "sweet pea mauve." Flowers of good size and very well formed. Growth vigorous.
- OLD GOLD (H. T.). Coppery orange. Semidouble. Buds long, slender and pointed. Verv fragrant.
- VERNA MACKAY (H. T.). Fawn, suffused sulphur. Buds very beautifully formed. Fragrance unusually rich.
- WILLOWMERE (Pern.). Shrimp pink, shaded yellow and carmine. Somewhat like

### **NEW VARIETIES**

- \*CLIMBING AMERICAN BEAUTY. One year, 75 each. Cerise red. Flowers me-dium size, double and very fragrant. Vigor-ous climber. Has little resemblance to American Beauty except in color.
- \*CLIMBING PINK COCHET (T.). \$1.00 each. An extremely vigorous climblng form of the well-known Maman Cochet. An extremely vigorous climbling Flowers are identical in every respect.
- \*CLIMBING WHITE COCHET (T.). 2 years, 75c each. A strong climbing sport from the popular White Maman Cochet. Flowers identical and borne very freely.
- GEO. DICKSON (H. T.). 2 years, \$1.00 each; 1 year, 75c each. Deep scarlet, shaded velvety crimson. Color wonderfully rich, especially in spring. Flowers large and very full. Very fragrant. Growth extremely vigorous, almost like a climber. Moderate bloomer.
- JULIET (Pern.). 2 years, 75c each. Outside of petals old gold, inside rich rosy red. Remarkably beautlful and striking in bud stage.
- AD. EDOUARD HERRIOT or DAILY MAIL (Pern.). 1 year, \$1.00 each. Superb coral red, shaded yellow at base, passing to shrimp red. Flowers semi-double and variable in size, sometimes very large. Coloring absolutely unique; different from any other rose ever introduced. The freest blooming rose we grow. Won the Gold Cup offered by "Daily Mail" for best new rose and the Gold Medal of the National Rose Society of England. The greatest rose novelty ever introduced.
- MRS. CHARLES RUSSELL (H. T.). 2 years, \$1.00 each. Rosy carmine with scarlet cen-ter. Color brilliant and pleasing. Flowers beautifully formed and last splendidly when cut. Stems extremely strong, with flowers always borne singly.
- OPHELIA (H. T.). One year, \$1.00 each. Salmon flesh, shaded rose, with chamols Salmon flesh, shaded rose, with center. Buds and flowers beautifully formed by rich veining on the and color enhanced by rich veining on the petals. Stems long, carrying flowers erect. Could hardly be praised too highly.

## NEW and SCARCE VARIETIES

All two years unless noted. 50c each'.

- ANTOINE RIVOIRE (H. T.). Silvery flesh with salmon center. Outer petals reflexed.
- ARTHUR R. GOODWIN (Pern.). Apricot, flushed salmon. Petals numerous and narrow. Very free bloomer.
- BEAUTE DE LYON (Pern.). Superb coral red, lightly shaded yellow. Buds globular; saucer-shaped when opened. Entirely Superb coral unique.
- CHATEAU DE CLOS VOUGEOT (H. T.). Crimson center with fiery scarlet tips. Coloring magnificent. Foliage very dark green. Free bloomer.
- EDWARD MAWLEY (H. T.). Brilliant fiery red. Buds particularly fine and shaded velvety crimson. Free flowering.

  FLORENCE PEMBERTON (H. T.). Creamy
- white, suffused pink. Large, full and beautifully formed.

<sup>\*</sup>Varieties starred are climbers.

- GLOIRE DE CHEDANE GUINOISSEAU (H. P.). One year only. Bright vermiiion red, shaded velvety crimson. Considered by many good judges superior to Ulrich Brunner.
- HARRY KIRK (T.). Creamy yellow with bright amber center. Large and fairly double. Fragrance exceptionally fine. Exceedingly heavy bloomer.
- HIS MAJESTY (H. T.). Vermlion. Buds large and long. Fragrance like the H. P. class.
- LADY HILLINGDON (T.). Deep apricot yellow without shading. Color does not fade and it will deepen even after cutting. New wood and follage deep violet. The finest yellow rose to date.
- LYON (Pern.). Shrlmp pink with salmon center, shaded chrome yellow. Flowers often very large.
- MADAME LEON PAIN (H. T.). Silvery pink, sometimes shaded salmon. Buds pointed; flowers large and cupped. Blooms freely.
- MELODY (H. T.). Saffron yellow with primrose edges. Flowers medium to large; very double and delightfully fragrant. Foliage dark violet green. Stems splendid. Very free bloomer. Unusually fine in every way.
- MILADY (H. T.). Crimson scarlet. Flowers iarge, full, well formed on strong stems.
- MISS ALICE DE ROTHSCHILD (T.). One year only. Deep yellow center with lighter edges. Flowers of medium size, very fui, pointed in bud and cupped when open; with a rich tea fragrance.

- MRS. AARON WARD (H. T.). Yellow, tinted salmon rose. Very pale in spring, but highly colored in fall. Flowers handsomely formed and carried on strong stems.
- MRS. ARTHUR ROBERT WADDELL (H. T.). Orange pink or reddish salmon. Outer petals flesh. Of medium size and semi-double. Very free bloomer.
- MRS. GEO. SHAWYER (H. T.). Brilliant rose pink, almost solid color. Large, full and well formed. Especially good for foreing.
- MRS. WAKEFIELD CHRISTIE MILLER (H. T.). One year only. Rosy carmlne; outer petals soft pearly blush. Buds and flowers extremely large, borne perfectly erect on grand stems. Petals two-toned. Fine ln every way.
- PHARISAER (H. T.). Silvery pink, faintly suffused salmon. Petals unusually large and reflexed. Heavy fall bloomer.
- RADIANCE (H. T.). Soft carmine pink. Flowers large, elongated cup-shaped; very double and sweetly scented.
- ROSE QUEEN (H. T.). Intense plnk, slightly yellow at base. Partleuiarly good for cutting.
- SUNBURST (H. T.). Yellow, shaded coppery orange. Large, magnificently formed and richly tea scented. Color light in spring, but very deep in faii.
- \*TAUSENDSCHOEN (Poly.). Dellcate pink, shaded rosy carmine. Produces a great mass of bloom in spring. Branches thornless.

## GENERAL COLLECTION

All two years old. 35c each; \$3.00 per 10; \$25.00 per 100. HYBRID TEA ROSES.

Augustine Gulnoisseau (White La France). White, faintly suffused flesh pink.

Aurora. Salmon pink in center, paler toward the outside.

Avoca. Crimson scarlet.

Baldwin (Helen Gould). Rosy crimson.

Bardou Job. Velvety scarlet, shaded black.

Belle Slebrecht (Mrs. W. J. Grant). Bright rosy pink.

Bessle Brown. Faint flesh pink.

Betty. Coppery rose, overlaid with ruddy gold.

Captain Christy. Delicate flesh pink.

\*Carmine Pillar. Rosy carmine, single.

Chas. J. Grahame. Orange crimson.

Clara Watson. Silvery flesh with deep pink center.

\*Climbing Belle Slebrecht. Bright rosy pink.
\*Climbing Captain Christy. Delicate flesh

pink.

\*Climbing Kalserin (Mrs. Robert Peary).

White faintly suffused lemon vellow

White, faintly suffused lemon yellow. Climbing Mad. Caroline Testout. Clear pink.

\*Climbing Souv. de Wooton. Bright crimson.

Countess of Derby. Salmon center, shading off to delicate peach. Pointed buds. Very fragrant.

Dean Hole. Silvery carmine, shaded salmon.

Dorothy Page Roberts. Coppery plnk, suffused apricot yellow.

Duchess of Albany (Red La France). Deep rose, nearly red.

Etolle de France. Crimson, cerlse center.

Franz Deegen. Pale yellow.

\*Gainsborough. Creamy pink with salmon center.

General MacArthur. Flery red.

George C. Waud. Orange vermllion.

Gloire Lyonnaise. White, tinted iemon.

Grace Darling. Creamy white, tinted peach. Grace Molyneux. Creamy apricot with flesh

center.

Gruss an Teplitz (Crimson Hermosa). Rlch scarlet overlald with crimson.

Hon. Ina Bingham. Pure pink.

J. B. Clark. Scarlet, shaded crimson.

John Cuff. Carmine plnk.

Joseph Hill. Pink, shaded salmon.

Kalserin Augusta Victoria. White, faintly suffused lemon yellow.

Killarney. Flesh, suffused pink.

La Detroit. Shell pink, tlnted soft rose.

Lady Battersea. Cherry crimson.

Lady Clanmoris. Deep peach.

Lady Faire. Light carmine rose, shaded salmon.

Lady Ursula. Flesh pink.

La France. Plnk, tinted silvery blush.

Liberty. Crimson scarlet.

<sup>•</sup>Varietles starred are climbers.

#### HYBRID TEA ROSES, Cont'd.

Mad. Abel Chatenay. Rosy carmine, tinted salmon.

Mad. Caroline Testout. Bright pink.

\*Mad. Driout (Striped Reine Marie Henriette). Deep rosc, striped cherry red.

Mad. Hector Leulllot. Light yellow with carmine center.

Mad. Jenny Gillemot. Canary yellow. Saffron in bud.

Mad. Ravary. Orange yellow, tinted flesh and creamy buff.

\*Mad. Wagram. Pink. Called Climbing Paul Neyron. Lighter in color and smaller.

Mildred Grant. Silvery white, flushed delicate pink.

Miss Kate Moulton. Pink, tinted silvery flesh.

Mrs. David Jardine. Bright rosy pink, faintly suffused salmon.

Mrs. Robert Garrett. Shell pink, with deeper center.

Mrs. Theodore Roosevelt. Flesh pink; outer petals creamy white.

My Maryland. Bright pink.

Perle von Godesburg. White, tinted creamy yellow.

Prince de Bulgarie. Silvery flesh, shaded rosy salmon.

\*Reine Marie Henriette. Cherry red.

\*Reine Olga de Wurtemburg. Red.

Rhea Reld. Crimson scarlet.

Richmond. Scarlet, lightly shaded crimson.

Souvenir de Wooton. Bright crimson.

Souvenir du President Carnot. Rosy flesh.

Viscountess Folkestone. Creamy pink, salmon center.

White Killarney. White.

William Francis Bennett. Brilliant crimson changing to purple.

#### TEA ROSES.

Amazone. Deep yellow, faintly veined pink. Anna Ollivler. Cream, shaded carmine.

Annie Cook. Delicate pink.

Beaute Inconstante. Coppery red, shaded carmine and yellow.

Belle Lyonnalse. Light yellow, fading to nearly white.

Bon Silene. Salmon rose.

Clear, bright pink. Bridesmaid.

Catherine Mermet. Pink, shading to amber in center.

\*Climbing Bridesmald. Pink,

\*Climbing Devoniensis. Creamy white, with blush center.

\*Climbing Niphetos. Pure white.

\*Climbing Papa Gontler. Rosy crimson with carmine center.

\*Climbing Perle des Jardins. Deep goiden vellow.

Comtesse Riza du Parc. Coppery rose, tinged carmine.

Coquette de Lyon. Light canary yellow.

Cornelia Cook. Creamy white.

Dr. Grill. Coppery yellow, tinged rose.

\*Duchesse d'Auerstaedt. Light yellow, shading to nankeen at center.

Duchesse de Brabant. Soft rose.

Franciska Kruger. Deep chamois, shaded peach pink.

\*Gloire de Dijon. Fawn, tinted salmon and rose.

Golden Gate. Creamy white, tinted yellow and rose.

Helen Good. Delicate yellow, suffused pink. Homere. Rosy pink over white, shaded salmon.

Improved Rainbow. Carmine, rose and flesh. Ivory. Pure white.

Mad. Chedane Guinolsseau. Clear canary or Temon yellow.

Mad. de Watteville. Salmon white, flushed and bordered rose.

Mad. Falcot. Nankeen, deepening to orange yellow.

Mad. Hoste. Canary yellow with deeper center.

Mad. Lambard. Bronzy rose, tinted saimon and shaded carmine.

Mad. Vermorel. Coppery yellow, shaded rose. Mad. Welche. Pale yellow with deep orange center.

Maman Cochet. Deep rose pink outside, hut very light within.

\*Marechal Nlel. Deep golden yeliow.

Marle Van Houtte. Creamy yellow, tinted

Marquis de Querhoent. Carmine on flesh or yellow ground.

Molly Sharman Crawford. Pure white or with a faint greenish tinge.

Mrs. Myles Kennedy. Delicate silvery white, shaded buff, with pink center.

Niles Cochet. Cherry red on outer petals, lighter within.

Niphetos. Nearly pure white; faintly lemon tinged in center.

Papa Gontier. Rosy crimson with carmine center.

Perle des Jardins. Deep golden yellow.

Rainbow. Pink, striped carmine and buff.

Safrano. Saffron in bud, changing to pale veliow.

Shirley Hibbard. Nankeen yeilow.

Sunset. Golden amber with faint ruddy tinge.

The Bride. White, tlnged pink on outer petals.

White Maman Cochet. White, with outer petals blushed.

Yellow Maman Cochet. Light yellow, edged rose.

#### HYBRID PERPETUAL ROSES.

American Beauty. Deep rose. Anna de Diesbach. Bright pink.

Baroness Rothschild. Pale rose, tinted

white.

Black Prince. Dark crimson, nearly black. California. Rosy pink, Capt. Hayward. Rich crimson scariet. Earl of Dufferin. Velvety crimson.

<sup>\*</sup>Varieties starred are climbers.

Empereur du Maroc. Very dark velvety maroon.

Fisher Holmes. Scarlet, shaded crimson.

Frau Karl Druschki. Snow white. Sometimes called White American Beauty.

Gen. Jacqueminot. Brilliant red.

\*Gloire de Margottin. Dazzling red.

Glory of Waltham. Brilliant crimson.

Hugh Dickson. Brilliant crimson, tinted scarlet.

Jean Liabaud. Rosy red, shaded crimson.

Jubilee. Deep crimson, shaded maroon. Mabel Morrison. White; outer petals pink.

Mad. Eugen Verdier. Bright satiny rose with silvery shading.

Magna Charta. Rosy red.

Margaret Dickson. White with flesh center. Merveille de Lyon. White, flushed rose.

Mrs. John Laing. Shell pink.

Mrs. John McLaren. Silvery pink.

Mrs. R. G. Sharman Crawford. Deep rosy pink, tinted pale flesh.

Paul Neyron. Dark rose.

Paul's Blush. Soft silvery pink; solid color with no shading.

Prince Camille de Rohan. Deep velvety crimson.

Queen of Edgely (Pink American Beauty). Sport from American Beauty.

Ulrich Brunner. Cherry red. Borne on long stems.

#### PERNETIANA ROSES.

(Also see Latest Introductions and New Varieties.)

Solell d'Or. Golden yellow, shaded nasturtium red.

#### POLYANTHA ROSES.

Baby Rambier (Mad. N. Levavasseur). Practically an extremely dwarf and continuous-blooming Crimson Rambler.

\*Cilmbing Cecile Brunner. Salmon pink.

\*Crimson Rambler.

Etolie d'Or. Light canary yellow.

Mlie. Cecile Brunner. Salmon pink.

Perie d'Or. Golden yellow with orange center.

\*Philadeiphia Rambler. Light crimson.

\*Veiichenblau. Reddish lilac, quickly changing to amethyst and steel blue. The celebrated "Blue Rose" and the only near approach to that color yet attained.

\*Yellow Rambler. Flowers are yellow in bud, but nearly white when opened.

#### NOISETTE ROSES.

\*Celine Forestier. Pale yellow with deeper center.

\*Cloth of Gold. Deep yellow center, tinted sulphur toward edges.

\*Gold of Ophir or Ophirie. Reddish copper, tinted fawn and salmon.

\*Lamarque. White.

\*L'Ideai. Yellow and rose, shaded copper.

\*Mad. Alfred Carriere. Creamy white.

\*Reve d'Or. Light yellow, shaded buff.

\*William Alien Richardson. Orange yellow.

#### HYBRID SWEET BRIAR ROSES.

\*Amy Robsart. Deep rose.

\*Anne of Geierstein. Dark crimson.

\*Green Mantle. Deep pink with white center.

\*Minna. Creamy white.

#### MOSS ROSES

Capt. John Ingram. Dark velvety purple.

Elizabeth Rowe. Brlght pink.

Etna. Crimson, shaded purple.

Lanei. Rosy purple.

Luxembourg. Bright crlmson scarlet.

#### CHEROKEE ROSES.

\*Cherokee Single White. White with conspicuous yellow stamens.

\*Pink Cherokee. Ruddy pink.

\*Ramona (Red Cherokee). Cherry carmine.

#### IRISH SINGLE ROSES.

Irlsh Beauty. Pure white with prominent golden anthers.

Irish Elegance. Apricot, shaded orange and pink.

#### MISCELLANEOUS ROSES.

Agrippina (Bengal). Rich crimson. Good hedge rose.

Austrian Copper (Austrian Briar). Rich coppery red on upper or inside of petals; yellow on lower or outside.

\*Banksla Double White.

\*Banksia Double Yellow.

\*Banksia Single White.

\*Dorothy Perkins (Wichuraiana). Shell pink.

<sup>\*</sup>Varieties starred are climbers.

#### MISCELLANEOUS ROSES, Cont'd.

Empress of China (Bengal). Light pink.

\*Fortune's White. Pure white.

\*Fortune's Yellow (Beauty of Glazenwood; San Rafael, etc.). Creamy yellow, shaded orange and rose.

Gloire des Rosomanes (Bourbon). Bright red. Better known in California as "Ragged Robln."

\*Moschata Nivea. Single, ln large clusters; white with black stamens; musky scented.

Multiflora.

Persian Yellow (Austrian Briar). Bright yellow; small but quite double.

Sweet Briar. Pink, single flowers and richly scented foliage.

\*Wichuraiana. Small, single white with showy yellow stamens. Sometimes called Memorial Rose.

## TREE OR STANDARD ROSES

New Varieties.

\$1.50 each.

Lady Hillingdon. Yellow. Lyon. Shrimp pink.

L'ideal. Coppery rose.

Rose Queen. Pink. Sunburst. Yellow.

General Collection.

\$1.25 each; \$10.00 per 10.

Anna de Diesbach. Bright pink. Baby Rambler. Crimson. Bridesmald. Pink. Climbing Kalserin. White. Mile. Cecile Brunner. Climbing Salmon pink. Duchesse de Brabant. Soft rose. Empereur du Maroc. Velvety maroon. Franz Deegen. Creamy yellow. Frau Karl Druschkl. White. Gainsborough. Pale flesh. Gloire de Margottin. Dazzling red. Gold of Ophir. Coppery red. Gruss an Teplitz. Scarlet. improved Rainbow. Mottled carmine, rose and flesh. Kaiserin Augusta Victoria. White. Lady Battersea. Cherry crimson. Liberty. Crimson scarlet.

Mad. Caroline Testout. Pink. Mad. Chedane Guinoisseau. Yellow. Magna Charta. Rosy red. Maman Cochet. Pink. Marechal Niel. Golden yellow. Marle Van Houtte. Yellow and rose. Mrs. John Laing. Shell pink. Niles Cochet. Cherry red. Papa Gontier. Rosy crimson. Paul Neyron. Dark rose. Perle des Jardins. Golden yellow. Reve d'Or. Yellow, shaded buff. Safrano. Saffron in bud. Sunset. Golden amber. The Bride. White. Ulrich Brunner. Cherry red. White Maman Cochet. White, outer petals blushed. Yellow Maman Cochet. Light yellow, edged rose.

### **HEDGE PLANTS**

The following list includes plants suitable for this purpose. Sizes and prices are shown on pages noted below:

Cupressus macrocarpa. MONTEREY CY-PRESS	Pittosporum crassifolium	
Taxus baccata. ENGLISH YEW 19 Thuya orientalis. CHINESE ARBOR	Pittosporum tenuifolium (P. nigricans) Pittosporum undulatum	29
VĪTAE         20           Buxus.         BOXWOOD (various kinds)	Prunus ilicifolia. CALIFORNIA EVER- GREEN CHERRY	
Cotoneaster angustifolia	Pyracantha coccinea. EVERGREEN HAWTHORN	
Ligustrum japonicum. JAPANESE PRIVET28	Pyracantha crenulata. CHINESE EVER-GREEN HAWTHORN	
Ligustrum ovallfolium. CALIFORNIA PRIVET	Viburnum tinus. LAURUSTINUS  Cydonia japonica. JAPANESE SCARLET QUINCE	
Myrtus communis. COMMON MYRTLE. 28 Myrtus luma. LUMA	Punica granatum. FLOWERING POME- GRANATE	

<sup>\*</sup>Varieties starred are climbers.

### **CATALOGS**

Ornamental and Fruit Trees. The semi-centennial edition of our Descriptive Catalog, combining Fruit and Ornamental Departments, has just been published. It is entirely rewritten, profusely illustrated and accurate. Being practically a condensed Cyclopedia of Horticulture for the Pacific Coast, it is of the greatest value to any one interested in trees or plants. Price, 25 cents.

Descriptive Catalog of Fruit Trees. Describes everything in the Fruit Department. Not illustrated. Price, 5 cents.

Price List. This book issued annually and mailed to all customers. Free.

### **BOOKS**

For the convenience of our customers we have arranged to furnish these valuable books at publishers' prices, as quoted below:

California Fruits and How to Grow Them. By Prof. E. J. Wickson\$3.00
American Grape Growing and Wine Making. By George Hussman
Roses and How to Grow Them. By many experts
How to Lay Out Suburban Home Grounds. By Herbert J. Kelloway, Landscape Architect 2.00
Soils: How to Handle and Improve Them. By S. W. Fletcher

# DECORATIVE MATERIAL

### **BAMBOO SHOOTS**

10 to 12 ft. long.       \$2 00         8 to 10 ft. long.       1 75         6 to 8 ft. long.       1 25         4 to 5 ft. long.       1 00	per 100 \$15 00 12 50 8 00 6 00
PALM LEAVES	
California Fan Palm Leaves—	
5 to 6 ft. long\$1 50	\$12 50
4 to 5 ft. long	10 00
3 to 4 ft. long	8 00
Japanese Fan Palm Leaves	
3 to 4 ft. long	\$ 6 00
·	φυσυ
Dwarf Fan Palm Leaves—	
1½ to 2 ft. long\$ 75	\$ 5 00
Date Palm Leaves—	
10 to 12 ft. long\$3 00	\$20 00
8 to 10 ft. long	18 00
6 to 8 ft. long 2 00	12 50

In addition to the above, we can usually supply during the autumn months branches of berry-bearing plants such as Cotoneaster, Pyracantha, Hawthorn, etc., also autumn-tinted foliage; in spring, branches of deciduous flowering trees and shrubs in bloom. Data as to available material, prices, etc., will be furnished on application at proper season.

# **INDEX**

## FRUIT DEPARTMENT

Page	Page	Page
Almond       8         Apple       5         Apricot       8         Artichoke       12         Asparagus       12         Blackberry       11         Caprifig       8         Cherry       6         Chestnut       9         Crab Apple       5         Currant       11         Dewberry       11         Feljoa       10         Flg       8	Page         Grape	Page           Peach         7           Pear         6           Pecan         9           Persimmon         10           Phenomenal Berry         11           Plum         6           Pomegranate         10           Pomelo         10           Prune         7           Quince         8           Raspberry         11           Rhubarb         12           Rue         12           Strawberry         12
Filbert	Opuntia	Strawberry 12 Walnut 9

## ORNAMENTAL DEPARTMENT

Common Names are followed by the botanical name of the genus under which they will be found.

Abelia20	Baby's Breath—	Buckeye—Aesculus3
Abelmoschus—Hlbiscus51	Gypsophila51	Buddleia2
Abies14	Bald Cypress—Taxodlum39	Bunya Bunya—Araucaria1
Abutilon40	Balm of Gilead—Populus37	Burning Bush—
Acacia20	Bamboo46	Pyracantha3
Acacia (Albizzia)33	Bamboo Shoots59	Butcher's Broom—Ruscus3
Acer32-40	Bambusa46	Buttonwood—Platanus3
Achania—Malvaviscus52	Banana—Musa52	Buxus2
Achillea49	Banana Shrub—Mlchella28	
Actinidia44	Barberry—Berberls22-40	Caesalpinia4
Adiantum48		Calceolaria5
Aesculus33	Basswood—Tilia39	California Big Tree—
	Bay Tree—Laurus27	Sequoia1
African Llly—Agapanthus. 49	Bay Tree (California)—	California Evergreen
Agapanthus49	_ Umbellularia31	Cherry—Prunus3
Agathaea—Felicia51	Beech—Fagus34	California Fan Palm—
Agathis14	Beefwood—Casuarina23	Washingtonia4
Agave48	Belladonna Llly—	California Laurel—
Agonis21	Amaryllis49	Umbellularia3
Akebia44	Berberis22-40	California Tree Poppy—
Albizzia21-33	Betula33-40	Romneya5
Alectryon21	Big Tree—Sequoia18	California Wild Coffee—
Almond—Prunus37-42	Bignonia44	Rhamnus3
Althea—Hiblscus41	Bignonia (Pithecoctenium) 45	California Wild Holly—
Amaryllis49	Birch—Betula33-40	Photinia29
Amaryllis—Hippeastrum51	Blackthorn—Prunus42	California Wild Lilac—
Ampelopsis44	Bladder Nut—Staphylea43	Ceanothus2
Ampelopsis (Evergreen)—	Bladder Senna—Colutea41	Calla—Richardia5
Cissus	Bladder Senna—Colutea41	Callistemon
Anemone	Sutherlandia31	Calycanthus4
Angel's Trumpet—Datura51	Blue Palm—Erythea46	
Angophora21	Plus Spines Commentants 41	Camellia
Anthurium49	Blue Spirea—Caryopteris41	Campanula
Apple—Pyrus37	Bonapartea—Agave48	Camphor—Camphora2
Apricot—Prunus42	Books	Camphora22
Aquatic Plants49	Boston Ivy—Ampelopsis44	Canna5
Aralia (Deciduous)49	Bottle Brush—Callistemon.22	Carex50
Analia (Deciduous)40	Bottle Tree—Sterculia31	Carnation—Dianthus51
Aralia (Evergreen)—	Bouvardia41	Carob—Ceratonia23
Fatsia26	Bougainvillea44	Carpenteria
Araucaria	Bowstring Hemp—	
Arbor Vitae—Thuya20	Sansevieria53	Caryopteris41
Arbutus21	Box—Buxus22	Cascara—Rhamnus31
Areca—Rhopalostylis47	Box Elder—Acer32	Cassia
Arundinaria46	Boxwood—Buxus22	Cassia-Bark Tree—
Arundo46	Brachychiton—Sterculia31	Cinnamomum23
Ash—Fraxinus35-40	Brazilian Pine—	Castanea33
Asparagus49	Araucaria15	Casuarina23
Aspidistra50	Breath of Heaven—	Catalina Cherry—Prunus30
Aucuba21	Diosma24	Catalogs59
Australian Blue Bell—	Bridal Veil—Genista26	Catalpa34
Sollya45	Bridal Wreath—Spiraea43	Cavan—Acacia20
Australian Pea Vine—	Brishane Box—Tristania31	Ceanothus
Dolichos44	Broad-leaved Evergreens20	Cedar—Cedrus18
Australian Tea Tree—	Broom—Cytisus24-41	Cedrela
Leptospermum27	Broom—Genista26	Cedrus1
Azalea21-40	Broom (Spanish)—	Celtis34
Azara21	Spartium31	Century Plant—Agave48
Baby Moss—Saglna53	Brugmansia—Datura51	
2000 Nagina,.,00	nı ağınansia—Datara91	Cephalotaxus15

# ORNAMENTAL DEPARTMENT—Continued

Page	Page	Pag
Ceratonia23	Deciduous Weeping Trees40	Hawthorn (Evergreen)—
Ceratostigma50	Decorative Material59	Pyracantha
Cercis34	Decumarla	Heath or Heather-Erica2
Cestrum	Deeringea24	Hedera4
Chamaecyparis15	Deiphinium	Hedge Piants
Chamaerops46	Deodar—Cedrus15	Heeria—Heterocentron2
Chamaerops—	Desmodium—Lespedeza 52	Heijotrope—Heliotropium . F
Trachycarpus47	Deutzia 41	Hemerocailis5
Chaste Tree—Vitex32	Dianthus	Hercules' Club-Aralia4
Cherry—Prunus30-37-40	Diervilla	Heterocentron
Chestnut—Castanea33	Diosma 24	Heteromeies—Photinia2
Chile Jasmine—Mandevilla.45	Diospyros	Hibbertia4
Chinese Cork Tree—	Dodonaea	Hibiscus41-5
Pheliodendron36	Dogwood—Cornus 23-41	Hickory—Hicoria3
Chinese Parasoi Tree—	Dollchos	Hicoria3
Sterculia39	Dracaena—Cordyline48	High Bush Cranberry—
Chinese Rice Paper Tree—	Duranta24	Viburnum4
Fatsia26	Dwarf Fan Palm—	Hills of Snow—Hydrangea.4
Choisya23	Chamaerops46	Hippeastrum5
Christmas Berry—	Echeveria—Cotyledon50	Holly—Ilex
Photinia	Echium24	Honey Locust—
Christ's Thorn—Pailurus42	Edgeworthia41	Gleditschia3
Chrysanthemum50	Edwardsia—Sophora31	Honeysuckle—
Cinnamomum23	Egyptian Lotus—Nelumbo.49	Lonicera42-4
Cinnamon—Cinnamomum .23	Eiaeagnus24-41	Hop Hornbeam—Ostrya3
Cissus44	Eider—Sambucus43	Hop Vine—Humulus4
Cistus23	Eim—Ulmus39-40	Hornbeam—Carpinus3 Horse Chestnut—Aesculus.3
Cladrastis34 Ciematis44	Empress Tree—Paulownia.36 English Laurei—Prunus30	Howea4
Clianthus44	Ephedra44	Hoya4
Climbing Fig—Ficus44	Erica24	Humulus4
Climbing Plants44	Erythea46	Hydrangea4
Climbing Snowbail—	Erythrina	Hymenosporum2
Decumaria44	Escallonia	Hypericum2
Club Moss—Selagineila 49	Eucalyptus	liex
Cneorum23	Eugenia	Incense Cedar—
Cocos	Eulalia—Miscanthus52	Libocedrus1
Coleus50	Euonymus 96-41	India Rubber Plant—Ficus.2
Coiutea41	Exochorda41	Indian Current—
Conifers14	ragus	Symphoricarpos4
Constantinople Acacia—	Farfugium—Senecio 53	Iochroma
Aibizzia33	Fatsia	Ipomea4
Coprosma23	Felicia 51	Îris5
Coral Gem—Lotus52	Ferns and Mosses 49	Ironwood—Ostrya3
Coral Plant—Erythrina51	restuca 51	Island Ironwood—
Corchorus—Kerria42	F1CUS 26-44	Lyonothamnus2
Cordia23	Fig—Ficus 26	Islay—Prunus3
Cordyline48	Fig (Climbing)—Figus 44	Ivy—Hedera4
Coreopsis50	Filbert—Corvius 41	Ivy Geranium—
Corkscrew Flower—	Fir—Ables	Pelargonium5
Phaseolus45	riame Tree—Sterculia 31	Jacobean Lily-Sprekelia5
Cornus	Flowering Mapie—	Jacobinia5
Coronilia23	Abutiion49	Japan Ivy—Ampeiopsis4
Cortaderia50	Forsythia41	Japanese Elm—Zelkova4
Coryius41	Fraxinus35-40	Japanese Rose—Kerria4
Corynocarpus	Fringe—Rhus	Japanese Sedge—Carex5
Corypha—Livistona47 Cotoneaster23	Fuchsia	Japanese Varnish Tree— Sterculia3
Cotyledon50	Garrya	Jasmine—Jasminum42-4
Crab Apple—Pyrus37	Genista	Jasminum42-4
Cranberry Bush—	Genista—Cytisus26	Jubaea4
Viburnum44	Geranium—Pelargonium52	Judas Tree—Cercis3
Crape Myrtle—	Gerbera	Juglans35-4
Lagerstroemia42	Giant Reed—Arundo46	Jujube—Zizyphus4
Crataegus (Deciduous) .34-40	Ginkgo 35	Juniper—Juniperus1
Crataegus (Evergreen)—	Gleditschia 35	Juniperus
Pyracantha30	Gold Dust Plant—Aucuba 21	Justicia—Jacobinia5
Crinum50	Golden Bell—Forsythia 41	Kentia—Howea4
Cross Vine—Bignonia44	Golden Chain—Laburnum 25	Kentucky Coffee Tree—
Cryptomeria16	Golden Glow—Rudbeckia 53	Gymnociadus3
Cucumber Tree—Magnolia.36	Goldenrod—Soiidago 53	Kerria4
Cunninghamia16	Grape—Vitis	Kniphofia5
Cupressus16	Grevillea27	Laburnum35-4
Currant—Ribes43	Guadalupe Island Palm—	Lady Washington Gerani-
Cydonia41	Erythea46	um—Peiargonium5
Cyperus49	Guava—Psidium30	Lagerstroemia4
Cypress—Cupressus16	Gum: Blue, Red, etc.—	Lagunaria
Cytisus24-41	Eucalyptus25	Larch—Larix3
Dahlia	Gymnocladus35	Larix
Dammar Pine—Agathis14	Gynerium—Cortaderia50	Larkspur—Delphinium5
Dammara—Agathis14 Daphne24	Gypsophila51	Laurus
Daphniphyllum24	Habrothamnus—Cestrum23 Hackberry—Celtis34	Laurel (California)—
Dasylirion48	Hakea27	Umbeilularia3
Date Palm—Phoenix47	Hardenbergia44	Laurei (Cherry Lauren—
Datura51	Hatchet-Leaved Arbor	Prunus
Deciduous Ornamental	Vitae—Thuyonsis 20	Laurus
Trees32	Hawthorn (Deciduous)—	Laurustinus—Vihurnum3
Deciduous Shrubs40	Crataegus34-40	Lavender—Lavendula2

# ORNAMENTAL DEPARTMENT—Continued


Page	Page	Page
Lavendula27	Nootka Sound Cypress-	Redwood—Sequoia1
Lawson Cypress—	Chamaecyparis16	Retinispora—
Chamaecyparis15	Norfolk Island Pine—	Chamaecvparis16
Lemon Verbena—Lippia42	Araucaria15	Rhamnus3
Leonotis	Novelties	Rhododendron3
Leopard Plant-Senecio53	Nymphaea49	Rhopalostylis4
Leptospermum27	Oak—Quercus31-37	Rhus
Lespedeza52	Olea—Osmanthus29	Rhyncospermum—
Leucaena27	Oleander—Nerium29	Trachelospermum4
Leycesteria42	Oregon Grape—Mahonla28	Ribes
Libocedrus17	Oreodaphne—Umbellularia 31	Richardia5
Ligustrum28	Oriental Plane—Platanus36	Robinia3
Lilac—Syringa43	Ornamental Dept13	Rock Rose—Cistus2
Lilac, California Wild—	Osmanthus29	Romneya5
Ceanothus23	Ostrya36	Roses5
Lime Tree—Tilia39	Paeonia42-52	Rose Acacia—Robinia3
Linden—Tilia39	Pagoda Tree—Sophora38	Rosemarinus3
Lion's Tail—Leonotis52	Paliurus42	Rosemary-Rosemarinus3
Lippia42-52	Palmetto—Sabal47	Rose of Sharon—Hibiscus4
Liquidambar36	Palms46	Rowan—Sorbus3
Liriodendron36	Palm Leaves	Rubber Plant or Tree—
Livistona47	Pampas Grass—Cortaderia.50	Ficus2
Locust—Robinia38	Pansy—Viola53	Rudbeckia5
Lonicera42-45	Parasol Tree—Sterculia39	Ruscus3
Lotus	Parrot's Bill—Clianthus44	Russellia
Lotus (Egyptian)—	Passiflora	Sabal4
Nelumbo49	Passion Vine—Passiflora45	Sagina
Luina—Myrtus29	Passion Vine—Tacsonia45	Salix38-4
Lyonothamnus28	Paulownia36	Salvia5
Madrone—Arbutus21	Pavonia	Sambucus4
Magnolia28-36-42	Pearl Bush—Exochorda41	Sansevieria5
Magnolia—Michelia28		Saxifraga5
Mahonia	Pearlwort—Sagina53	Schinus3
Maiden Hair Fern—	Pelargonium	Scorpion Senna—Coronilla.2
Adiantum49 Maiden Hair Tree—	Penstemon	Sea Lavender—Statice3
Ginkgo35	Peony—Paeonia42-52 Pepper—Schinus31	Selaginella4
Maiden Hair Vine—	Persea29	Senecio5
Muehlenbeckia45	Persimmon—Diospyros34	Sequoia1
Malvaviscus52	Petunia	Service Trec—Sorbus3
Mandevilla45	Phaseolus45	Shasta Daisy—
Maple—Acer32-40	Phellodendron36	Chrysanthemum5
Maple (Japanese)—Acer40	Philadelphus42	She Oak—Casuarina2
Marguerite—	Phillyrea29	Shrubs, Deciduous4
Chrysanthemum50	Phlox53	Silk Oak—Grevillea2
Marguerite (Blue)—	Phoenix47	Sloe—Prunus4
Felicia51	Phormium53	Smilax—Asparagus4
Matilija Poppy—Romneya53	Photinia29	Smoke Tree—Rhus4
Mastich Tree—Pistacia29	Phyllostachys46	Snail Vine—Phaseolus4
Maytenus	Picea17	Snowball—Viburnum4
Medicago	Pimelea	Snowberry—
Melaleuca28	Pine—Pinus18	Symphoricarpos4
Melia36	Pinus18	Solanum4
Metrosidcros—Callistemon. 22	Pistacia29-36	Solidago5
Mexican Orange—Choisya.23	Pistachio—Pistacia36	Sollya4
Michelia28	Pithecoctenium45	Sophora31-3
Millettia45	Pittosporum29	Sorbus
Mimosa Tree—Albizzia33	Plane—Platanus36	Spanish Bayonet—Yucca4 Spartium3
Miscanthus52	Platanus36	Spindle Tree—Euonymus4
Miscellaneous Plants49	Plum—Primus37-4?	Spirca4
Mock Orange— Philadelphus42	Plumbago	Spirea (Bluc)—Caryopteris.4
Monkey Puzzle—	Podocarpus	Sprekelia5
Araucaria15	Poinciana—Caesalpinia41	Spruce—Picea1
Montezuma Cypress—	Poker Plant—Kniphofia5?	Spurge Olive—Cneorum2
Taxodium19	Polygala30	St Patrick's Cabbage—
Moon Trefoil—Medicago5?	Pomegranate—Punica43	Saxifraga5
Morus	Poplar—Populus36-40	Standard Roses
Moss-Sagina53	Poppy—Romneya53	Staphylea4
Moss—Selaginella49	Populus36-40	Star Jasmine—
Mountain Ash-Sorbus. 39-40	Port Orford Cedar-	Trachelospermun4
Muehlenbeckia45	Chamaecyparis15	Statice
Mulberry-Morus36-40	Potato Vine—Solanum45	Sterculia
Musa	Privet—Ligustrum28	Strawberry Tree—Arbutus.2
Myoporum	Prunus30-37-40-49	Streptosolen5
Myrtle—Myrtus 28	Pseudotsuga18	Sumach—Rhus4
Myrtus28	Psidium <sup>30</sup>	Surinam Cherry—Eugenia?
Nandina29	Pteris	Sutherlandia
Nelumbo49	Pterocarya37	Swainsona
Nephrolepis49	Punica43	Sweet Gum—Liquidambar.3
Nerium29	Purple Fringe—Rhus43	Sweet Olive—Osmanthus2
New Zealand Flax—	Pyracantha30	Sweet-Scented Shrub—
Phormium53	Pyrus	Calveanthus4
New Zealand Laurel—	Ouercus	Sword Fern—Nephrolepis4
Corvnocarpus23	Ouince—Cydonia	Sycamore—Platanus3 Symphoricarpos4
New Zealand Oak—	Ranhiolepis	Symphoricarpos
Alectryon	Red-Hot Poker Plant—	Syringa (Mock Orange)—
Nettle Tree—Celtis34 Nolina48	Kniphofia	Philadelphus4

# ORNAMENTAL DEPARTMENT—Continued

Page
Syzygium31
Tacsonia45
Tamarisk—Tamarix43
Tamarix43
Tasmanian Ivy-
Muehlenbeckia45
Taxodium19-39
Taxus19
Tecoma45
Templetonia31
Texas Umbrella—Melia36
Thorn—Crataegus34-40
Thuya20
Thuyopsis20
Tilia39
Tobira—Pittosporum29
Toyon—Photinia29
Trachelospermum45
Trachycarpus47
Transvaal Daisy—Gerbera.51
Tree Peony
Tree Roses
Tristania31
Tritoma—Kniphofia52
Trumpet Vine—Tecoma45
Tulip Tree—Liriodendron. 36
Turk's Cap—Malvaviscus52

Page
Ulmus39-40
Umbellularia31
Umbrella Plant—Cyperus. 49
Umbrella Tree—Melia36
Verbena53
Veronica31
Viburnum32-44
Viburnum
Victorian Box—
Pittosporum30
Viola53
Violet—Viola53
Virgilia—Cladrastis34
Virginia Creeper—
Ampelopsis44
Vitex32-44
Vitis45
Walnut—Juglans35-40
Wandering Jew-Zebrina53
Washingtonia48
Water Lily—Nymphaea49
Water Plants—
See Aquatics49
Wax Plant—Hoya44
Weeping Trees40
Weigela—Diervilla41
Wigandia32
Willow—Salix38-40

Page
Windmill Palm—
Trachycarpus47
Wine Palm—Jubaea47
Wire Vlne—
Muehlenbeckia45
Wistaria (Deciduous)45
Wistaria (Evergreen)—
Millettia45
Yellow Day Lily—
Hemerocallis
Wonga Wonga Vine—
Tecoma45
Woodbine-Ampelopsis44
Xanthoceras44
Yellow Heliotrope—
Streptosolen53
Yellow Horn—
Xanthoceras44
Yellow Wood—Cladrastis34
Yew—Cephalotaxus15
Yew—Taxus19
Yucca
Zebrina53
Zelkova40
Zizyphus40



Edgeworthia gardneri (Sec pages 13 and 41)



PRESS OF E. C. HUGHES CO. San Francisco

